

Promise Assignment (Real-World Scenario)

Title: Promise-based Recruitment Evaluation System

Time to solve: 60 Minutes

Scenario

A software company is conducting a recruitment process with three stages:

1. **Coding Assessment**
2. **Technical Interview**
3. **Final Selection Review**

You need to implement these stages using **JavaScript Promises**.

Question 1: Coding Assessment

Create a function called `codingScoreCheck(marks, cutoff)`.

Requirements

- Accept an array of coding assessment marks and a cutoff score.
- Return a **Promise**.
- After **2 seconds**:
 - **Resolve** with the average score if the average is **greater than or equal to** the cutoff.
 - Otherwise **reject** with the message:

`Sorry, you have not cleared the Coding Assessment.`

Question 2: Technical Interview

Create a function called `technicalInterviewCheck(marks, cutoff)`.

Requirements

- Accept an array of technical interview marks and a cutoff score.
- Return a **Promise**.
- After **2 seconds**:
 - **Resolve** with the average score if the average is **greater than or equal to** the cutoff.
 - Otherwise **reject** with the message:

Sorry, you have not cleared the Technical Interview.

Question 3: Final Selection Review

Create a function called `finalSelectionCheck(codingAverage, technicalAverage, cutoff)`.

Requirements

- Accept the average coding score, average technical interview score, and final cutoff score.
- Return a **Promise**.
- After **2 seconds**:
 - Calculate the final average of both scores.
 - **Resolve** with the final average if it is **greater than or equal to** the cutoff.
 - Otherwise **reject** with the message:

Sorry, you have not cleared the final selection cutoff.

Additional Requirement

Use `.then()` and `.catch()` to display:

- Successful messages with scores.
 - Failure messages returned by rejected promises.
-

Rubric (Total: 2 Marks)

Criteria	Marks
Correct implementation of all three promise functions with proper average calculation and cutoff logic	1
Proper use of <code>Promise</code> , <code>setTimeout</code> , <code>.then()</code> , and <code>.catch()</code> with correct output messages	1
Total	2 Marks