

Self-Organized Neighborhood Restructuring in Social Fabric

No Author Given

No Institute Given

Abstract. A self-organized system emerges as the result of interactions between its components. Such interactions are not organized centrally but in a distributed manner. In this paper, a new neighborhood restructuring is proposed in socially motivated algorithms based on the concept of self-organization. We propose an algorithm where the individuals increase/decrease their neighborhood size to emerge an irregular and dynamic topology based on their local awareness. The performance of our proposed approach is measured based on the IEEE-CEC2015 optimization benchmark. Compared to the best-known results of standard social fabric algorithm, our proposed method showed a better performance on a diverse landscape of numerical optimization problems.

1 Introduction

Cultural Algorithms (CA) were introduced by Reynolds as a type of population-based problem-solving approaches. CA combines biological evolution with socio-cognitive concepts to yield an optimization approach based on a dual inheritance theory [15] [10]. A large number of CA variants have been proposed in the literature. They address a vast range of problems such as real-valued function optimization, discrete problems, dynamic environments and multi-objective optimization [14], [16], [5].

Social Fabric is the notion of an infrastructure in which knowledge sources in the belief space can access the social networks in which individuals interact [17]. Knowledge sources are allowed to propagate their influence on the individuals through a hierarchy of layered networks. Every individual might exist in several networks. As a result, some individuals can play the role of mediator between different networks.

Individuals could be connected in a variety of different topologies. These topologies determine the extent to which the influence of a knowledge source could be propagated through the network [1]. Dense topologies help the individuals to follow (exploit) elite members efficiently while sparse topologies are suitable for exploratory communities [13]. To make the propagation of knowledge between individuals more efficient, some neighborhood restructuring schemes are considered by the current extension of CA. Current topologies of networks may transform between different structures to increase/decrease their connectivity rate in the case of stagnation [3].

PSO could be considered as another population-based algorithm which relies on social structures. PSO simulates the social behavior observed in natural systems such as birds flocking, herds and schools [9]. PSO finds the best solution by adjusting the moving vector of every individual (particle) according to its best history and its neighborhood

best positions of particles in the entire swarm at each iteration. The neighborhood is determined by the topology of the swarm. For example, dense topologies lead to more interactions and faster convergence. Here, we utilize PSO algorithm at the population level of the CA. As both of the social fabric and PSO approaches use the same social structure for agents communications, we hypothesize that their combination would enhance the social behavior which can lead to improved overall search performance. In this paper, we aim at improving the flexibility of CAs against diverse search problems. In the population space, the standard tactical neighborhood restructuring is enhanced to a strategy called self-organized neighborhood restructuring which occurs at the particles level. It aims at improving flexibility regarding self-organization aspect. The rest of the paper is organized as follows: After the introduction, some research works on socially-motivated problem-solving methods are presented. Then, the original idea of social fabric and the multi-layer influence function are discussed. In the next section, we propose our new approach of self-organized neighborhood restructuring. Finally, the results of performance evaluations are discussed in the last section.

2 Related Works

Many variants of CAs have been proposed in a vast range of different applications such as single and multi-objective optimization, dynamic problems, social interactions simulation. Here, we are interested in studying Social Fabric phenomena as a modern variant of CAs which aims at function optimization.

[1] replaced the traditional idea of the roulette wheel with the vector voting model to determine the controller knowledge source of individuals in each iteration. They investigated the effect of different homogeneous topologies in a social fabric. They measured this approach on both static and dynamic problems. Their results confirm that there is no best topology which works well for all problems. So, they concluded that heterogeneous topologies should be considered to make the algorithm scalable for complex problems.

[2] divided the whole population into multiple sub-populations (tribes) to construct a two-layer network between individuals. As a diversity-preserving measure, they introduced Tactical Neighborhood Restructuring to avoid stagnation in non-linear multimodal problems. This strategy facilitate the dissemination of knowledge through the network to help the heterogeneous tribes to prevent local optima.

[6] introduced Tribe-PSO algorithm inspired by Hierarchical Fair Competition. They divided the population into some tribes to draw a two-layer model which splits the individuals into two layers: elite and rudimentary. The process of convergence is divided into three phases to ensure a reasonable level of diversity. They evaluated their algorithm on De Jong's test functions. As an application, they used their approach for molecular docking purpose for a test set of 100 protein-ligand complexes.

[8] investigates different types of heterogeneity in PSO algorithm in four categories: neighborhood, update rule, model of influence and parameters. Here, heterogeneity means particles might have follow different rules or have different initial parameters or neighborhood sizes. It helps PSO variants to hold enough diversity and prevent early convergence.

[3] gives a detailed description of Social Fabric based Cultural Algorithms with neighborhood restructuring. The idea was to investigate the effect of changing neighborhood of sub-populations (tribes) and how it influences the propagation of information through the fabric (network). Communication between tribes happen through the elites of each tribe. In fact, they are mediators between independent tribes.




Fig. 1. Cultural Algorithms [12]

3 Background

3.1 Cultural Algorithms

Figure 1 describes the essential components of Cultural Algorithms: Population Space, Belief Space and a communication protocol between them. In the population component, any population-based algorithm could be deployed such as EP, GA, PSO. The belief space functions as a repository for different kinds of knowledge acquired from a population. This extracted knowledge is utilized to adjust the search behavior towards promising regions of a solution space. While it tries to keep diversity, it avoids the individuals to become divergent. Therefore, it motivates the search process in both exploration and exploitation aspects. Both of the components communicate together via the communication protocol. It occurs through two functions: *accept()* and *influence()*. The individuals with the best fitness values are selected and sent to the belief space by *accept()* function. The experience of the chosen individuals will be used to update the belief space. Then, the belief space biases the search behavior through *influence()* function.

3.2 Belief Space

Five types of knowledge sources have been identified in the belief space: the situational KS, the normative KS, the topographic KS, the domain KS and the temporal KS [11].

Each knowledge source is responsible for keeping a different form of knowledge about the search process. Domain and Temporal KSs are suitable for dynamic problems. In this paper, static high-dimensional functions are considered. So, we do not consider Domain and Temporal KSs in this research work[3].

- Situational Knowledge: It provides a set of exemplary cases to lead the individuals towards the exemplars. So, it is responsible for exploiting the search space.
- Normative Knowledge: It is a set of promising ranges for parameters values which guide them during the search process to jump into the good range. It is categorized as an exploratory KS.
- Topographic Knowledge: It divides the whole search landscape into cells and keeps tracks of the best individuals in each cell. It aims at digging into promising regions to divide them into smaller subregions. It can be categorized as an exploratory KS because it biases the search process towards promising parts of the search space.

3.3 Social Fabric

Social Fabric is a dynamic grid of information flow in which the individuals' interactions happen. The fabrics (networks) are created by the connectivity of each agent with other agents in a dynamic structure. The topology of the network controls the rate and type of interactions. Like a multi-population model, there are multiple independent sub-populations (tribes) which are networked together [1].

In the Social Fabric idea, the influence of the belief space is propagated through the




Fig. 2. Network structure of Social Fabric and Tribe-PSO

population using a multi-layered network of connections. There are Z tribes comprised of H individuals which form two layers: rudimentary and advanced. The members of each tribe are connected in a regular topology independent from other tribes. At this level, they form the rudimentary layer. From each tribe, the best performing individuals (elites) are connected. These connections create the advanced layer which is responsible for mediating the flow of information between different tribes. Figures 2 and 3 describe the network model.




Fig. 3. Two-layer taxonomy of Tribal model [3]

Strategic Neighborhood Restructuring In Social Fabric literature, Strategic Restructuring is a technique to help individuals to get rid of stagnation where there are copious local optima in the search landscape. Each tribe maintains a particular topology until it gets stagnated in a local optimum for a certain number of iterations. Then, the topology is reinitialized to motivate the individuals for a new search. Here, four types of topologies are utilized: Ring, Mesh, Hybrid-Tree, and Global [2] [3]. Whenever a tribe does not make progress for M_{thresh} iterations, then the algorithm decides on upgrading/downgrading the current topology to other topologies.

Social fabric based influence function In this model, the individuals might decide to change their controller KS using the majority of KSs which they receive from their neighborhood. Here, Majority Voting is used to find the controller KS of an individual [5]. In the case of a tie, some tie-breaking rules are deployed such as MFU (most frequently used), LFU (least frequently used), Direct (the direct influencing KS), Random (a random choice), Last-used (the KS which controlled the KS in the last iteration) [2]. In the equation 1 the sum denotes the counts of KSs in i th node neighborhood and ψ_i is its controller KS. τ_i is the net affecting KS for the next iteration [3] [18].

$$\tau_i = \sum_{j \in Nbr(i)} m_{ij} + \psi_i \quad (1)$$

4 Particle Swarm Optimization

In basic PSO, a group of particles (like a flock) is moving around the search space. Each particle is comprised of a position vector and velocity vector [4]. Particles adjust their velocities and positions as follows:

$$v_{id}^{(t+1)} = w \cdot v_{id}^{(t)} + c_1 r_1 (p_{id} - x_{id}^{(t)}) + c_2 r_2 (p_{gd} - x_{id}^{(t)}) \quad (2)$$

$$x_{id}^{(t+1)} = x_{id}^{(t)} + v_{id}^{(t+1)} \quad (3)$$

Where v_{id} and x_{id} are the velocity and position of i th particle. $c1$ and $c2$ are two positive constants. $r1$ and $r2$ are randomly generated numbers in $[0,1]$ range. w is the inertia weight of which restricts the velocity of a particle. p_{id} is the best experience of the particle and p_{gd} is the best solution in its neighborhood.

4.1 Tribe-PSO

Similar to Social Fabric model, the whole population is divided into some tribes. The tribes form a two-layer structure of networks, and the whole process consists of three phases. In fact, the idea of Social Fabric originates from Tribe-PSO. But the network structure is utilized to propagate the influence of knowledge sources in the belief space [6]. In this paper, we use the social fabric for both PSO interactions and knowledge propagation of the belief space.

5 Self-Organization in Social Fabric

A self-organized system is a group of agents with specific behavioral patterns which could not be predicted from the simple behaviors of the individuals who make up the system. Self-organization can be considered as a system's constant attempts to organize itself into a variety of complex structures, even in the face of the forces of deviation. Interconnected components of the system become organized in a meaningful way based on local interactions of the components. Complex systems have the potential to self-organize themselves.

In this section, a new neighborhood restructuring strategy will be proposed which aims at microscopic inspections for stagnation regarding individuals' local experience. This strategy lets the individuals adjust their neighborhood size based on their own local experience during the problem-solving process.

5.1 Self-Organized Neighborhood Restructuring

In our proposed approach, the restructuring process occurs at a microscopic level. There is no daemon process for inspecting stagnation. Every agent checks its performance for stagnation. If it gets stuck in a local optimum, it decides to upgrade/downgrade its neighborhood. The proposed strategy is described in the algorithm 1. If the particle is the best in its neighborhood, it starts to decrease the number of connections to motivate exploration. However, if it is not the best, it needs to increase the neighborhood size to facilitate exploitation. Here, the topology is dynamic and irregular and the neighborhood size is different for each agent. The topology emerges as the result of self-organized local modifications in individuals' neighborhood size. There is no centralized control to shape the whole topology. So, the individuals tend to develop more relationships in promising regions of the search space. The strategy could be considered as a heterogeneous variant of CAs [8]. The ultimate topology of the fabric is formed through local interactions of the agents. In this way, it improves the robustness of CAs regarding self-organization concept [10].

```

if  $fitness(x_i) > bestSoFar_i$  then
  if  $stagnationCounter \geq TiggerThreshold$  then
    if  $x_i = x_{best}$  then
      index = selected randomly from  $x_i$ 's neighborhood
      remove  $x_{index}$  from  $x_i$ 's neighborhood
    else
      index = selected from  $\{S - x_i's neighborhood\}$ 
      add  $x_{index}$  to  $x_i$ 's neighborhood
    end
     $stagnationCounter = 0$ 
  else
     $stagnationCounter = stagnationCounter + 1$ 
  end
else
   $stagnationCounter = 0$ 
end

```

Algorithm 1: Self-Organized Neighborhood Restructuring

6 Experimental Results and Analysis

In this section, the performance of our proposed approaches, on the set of real-world functions specified in the IEEE-CEC2015 expensive optimization test problems [7], is compared with the standard social fabric CA. The algorithms have been implemented in SCALA and have been run with a 2.80 GHz Intel(R) Core(TM) i7-2600S, 8GB RAM, and Linux Ubuntu. The detailed description of the problems is specified in [7].

We set the general parameters the same as described in the standard algorithm [3]. To implement the self-organized neighborhood restructuring strategy, we replaced the EP module in the population component of the standard algorithm with PSO algorithm because both of them use social networks to establish the relationships between agents. In this way, both PSO and Social Fabric algorithms utilize the same social structure for communication purpose.

We have tested our proposed approach and the standard social fabric algorithm on the IEEE-CEC2015 which is a set of 15 multi-modal and hybrid functions in the form of:

$$Y = f(x_1, x_2, x_3, \dots, x_D) \quad (4)$$

where D is the number of dimensions.

Each function is tested for 10 and 30 dimensions. Tables 1 and 2 show the evaluation results of the three approaches regarding best, mean, and standard deviation of obtained values. We compared our approach with the original social fabric algorithm and TribePSO algorithm [6]. For almost all functions, the proposed method works better than the other approach. Based on the reported results, the new restructuring approach generates better mean values in comparison with other methods. The results demonstrate that the proposed ideas enhance the robustness against multi-modality, copious local optima, etc. For example, the new neighborhood restructuring scheme let the agents develop more connections in promising parts of search space. Here, SFCA

stands for the standard social fabric algorithm, SSFCA for the self-organized neighborhood restructuring approach and T-PSO for the TribePSO algorithm.

7 Conclusion

In this paper, a new neighborhood restructuring strategy is deployed which aims at topologies with irregular and heterogeneous neighborhood structures. There is no centralized coordinator to control the topology of a population because the individuals are responsible for inspecting and modifying their neighborhood in a self-organized manner. Increasing the level of self-organization and autonomy is a fundamental approach to improving robustness in a complex system. The increased level of flexibility lets the strategy to cope with diverse problems owning different qualities.

The performance of our proposed approach is assessed through a test-suite of 15 multi-modal and hybrid functions from IEEE-CEC2015. The method is compared to the original version of the social fabric based CA [3] and TribePSO algorithm [6]. The results show improvement in almost all of the functions. In some of them, the results are quite promising. In the future, we are going to analyze the emerged irregular topologies of the algorithm against different search landscapes. We hypothesize that investigating the instantaneous trends in the changing topology could reveal precious information on the defects of the search process.

Table 1. Evaluation Results

		10 Dimensions			30 Dimensions		
		SSFCA	SFCA	TPSO	SSFCA	SFCA	TPSO
T1	Best	5.711750E+06	9.908642E+08	5.415067E+05	1.075684E+10	8.929425E+09	1.136511E+10
	Mean	1.576602E+08	9.246107E+09	2.479394E+08	1.497176E+10	3.786293E+10	1.718683E+10
	Std Dev	3.066335E+08	8.500530E+09	3.993037E+08	6.549615E+09	2.853221E+10	7.102879E+09
T2	Best	1.690419E+04	2.467511E+04	1.722714E+04	6.816396E+04	7.322705E+04	1.112664E+05
	Mean	1.970646E+04	3.574556E+09	2.202554E+04	7.324758E+04	2.266584E+09	1.324195E+05
	Std Dev	5.285568E+03	4.508859E+09	5.505069E+03	1.112414E+04	4.323029E+09	1.359207E+04
T3	Best	3.047026E+02	3.086619E+02	3.055813E+02	3.274619E+02	3.360418E+02	3.275333E+02
	Mean	3.055362E+02	3.108567E+02	3.064904E+02	3.307785E+02	3.410312E+02	3.305742E+02
	Std Dev	9.238688E-01	2.160320E+00	9.113892E-01	3.242337E+00	4.694844E+00	3.905358E+00
T4	Best	1.249122E+03	8.405862E+02	1.201363E+03	6.625647E+03	3.463489E+03	6.882440E+03
	Mean	1.401458E+03	1.725446E+03	1.391022E+03	6.964474E+03	6.375121E+03	7.270199E+03
	Std Dev	1.709634E+02	8.388958E+02	2.174364E+02	4.205720E+02	2.436783E+03	4.387157E+02
T5	Best	5.010726E+02	5.011836E+02	5.011289E+02	5.028153E+02	5.020560E+02	5.026209E+02
	Mean	5.013300E+02	5.023857E+02	5.013223E+02	5.030805E+02	5.036162E+02	5.029678E+02
	Std Dev	2.684750E-01	1.339239E+00	2.057213E-01	3.548877E-01	1.678840E+00	3.015601E-01
T6	Best	6.004334E+02	6.018524E+02	6.005062E+02	6.024192E+02	6.041570E+02	6.010077E+02
	Mean	6.005623E+02	6.036813E+02	6.009515E+02	6.030236E+02	6.056628E+02	6.019309E+02
	Std Dev	3.200289E-01	1.898523E+00	6.229300E-01	7.579661E-01	1.433152E+00	1.224478E+00
T7	Best	7.006188E+02	7.100632E+02	7.004902E+02	7.271223E+02	7.544377E+02	7.262179E+02
	Mean	7.019942E+02	7.418000E+02	7.038384E+02	7.389013E+02	8.116680E+02	7.498652E+02
	Std Dev	2.635216E+00	3.490056E+01	5.486938E+00	1.569694E+01	5.740507E+01	2.791729E+01

Table 2. Evaluation Results

		10 Dimensions			30 Dimensions		
		SSFCA	SFCA	TPSO	SSFCA	SFCA	TPSO
T8	Best	8.060488E+02	4.118304E+03	8.057399E+02	5.240269E+04	8.508643E+04	4.126489E+05
	Mean	8.327824E+02	1.374142E+06	8.319941E+02	3.363145E+05	1.541796E+07	1.645666E+06
	Std Dev	1.428379E+02	1.940514E+06	7.254239E+01	6.891847E+05	2.340250E+07	1.667678E+06
T9	Best	9.035325E+02	9.033602E+02	9.035094E+02	9.133757E+02	9.131192E+02	9.134243E+02
	Mean	9.036469E+02	9.038043E+02	9.036178E+02	9.135258E+02	9.136351E+02	9.135977E+02
	Std Dev	1.008688E-01	4.187602E-01	1.037992E-01	1.312660E-01	4.913793E-01	1.390313E-01
T10	Best	2.148022E+04	6.578523E+03	1.417589E+04	6.072906E+06	8.682100E+06	1.311979E+07
	Mean	6.855882E+04	1.250589E+07	6.576307E+04	1.288355E+07	7.171894E+07	1.914266E+07
	Std Dev	7.234730E+04	2.276703E+07	7.783437E+04	7.703664E+06	5.952516E+07	8.464172E+06
T11	Best	1.104062E+03	1.105492E+03	1.104723E+03	1.153360E+03	1.290852E+03	1.134562E+03
	Mean	1.105085E+03	1.140188E+03	1.105442E+03	1.197912E+03	1.724513E+03	1.174516E+03
	Std Dev	1.339530E+00	4.994351E+01	9.340507E-01	4.334944E+01	5.277303E+02	6.235017E+01
T12	Best	1.247398E+03	1.419410E+03	1.259420E+03	2.100877E+03	2.153439E+03	2.280177E+03
	Mean	1.284340E+03	2.109208E+04	1.290392E+03	2.317707E+03	1.123866E+08	2.392247E+03
	Std Dev	4.080435E+01	3.705284E+04	4.016558E+01	2.430944E+02	1.253791E+08	1.588321E+02
T13	Best	1.622335E+03	1.676418E+03	1.618919E+03	1.723534E+03	2.380543E+03	1.732389E+03
	Mean	1.627982E+03	2.376883E+03	1.628781E+03	1.778258E+03	3.691270E+03	1.840829E+03
	Std Dev	7.106025E+00	7.972695E+02	1.445686E+01	9.665278E+01	1.367277E+03	1.457157E+02
T14	Best	1.601385E+03	1.597342E+03	1.604991E+03	1.646723E+03	1.693461E+03	1.658174E+03
	Mean	1.602429E+03	1.623200E+03	1.606235E+03	1.676279E+03	1.865010E+03	1.685711E+03
	Std Dev	1.577398E+00	2.617243E+01	1.478468E+00	2.842502E+01	1.760265E+02	3.566090E+01
T15	Best	1.525130E+03	1.855628E+03	1.772940E+03	2.498940E+03	3.055342E+03	2.504910E+03
	Mean	1.589476E+03	1.966892E+03	1.871080E+03	2.582142E+03	3.657078E+03	2.565208E+03
	Std Dev	8.426385E+01	1.134500E+02	7.850262E+01	9.012990E+01	1.152769E+03	8.765290E+01

References

1. Ali, M.Z., Salhi, A., Snaich, R.T.A., Reynolds, R.G.: Boosting cultural algorithms with an incongruous layered social fabric influence function. In: 2011 IEEE Congress of Evolutionary Computation (CEC). pp. 1225–1232. IEEE (2011)
2. Ali, M.Z., Salhi, A.M., Reynolds, R.G.: Socio-cultural evolution via neighborhood-restructuring in intricate multi-layered networks. In: 2012 IEEE Congress on Evolutionary Computation. pp. 1–8. IEEE (2012)
3. Ali, M.Z., Suganthan, P.N., Reynolds, R.G., Al-Badarneh, A.F.: Leveraged neighborhood restructuring in cultural algorithms for solving real-world numerical optimization problems. IEEE transactions on evolutionary computation 20(2), 218–231 (2016)
4. Bratton, D., Kennedy, J.: Defining a standard for particle swarm optimization. In: 2007 IEEE swarm intelligence symposium. pp. 120–127. IEEE (2007)
5. Che, X., Ali, M., Reynolds, R.G.: Robust evolution optimization at the edge of chaos: Commercialization of culture algorithms. In: IEEE Congress on Evolutionary Computation. pp. 1–8. IEEE (2010)
6. Chen, K., Li, T., Cao, T.: Tribe-pso: A novel global optimization algorithm and its application in molecular docking. Chemometrics and intelligent laboratory systems 82(1), 248–259 (2006)

7. Chen, Q., Liu, B., Zhang, Q., Liang, J., Suganthan, P., Qu, B.: Problem definitions and evaluation criteria for cec 2015 special session on bound constrained single-objective computationally expensive numerical optimization. Tech. rep., Technical Report, Computational Intelligence Laboratory, Zhengzhou University, Zhengzhou (2014)
8. De Oca, M.A.M., Peña, J., Stutzle, T., Pincioli, C., Dorigo, M.: Heterogeneous particle swarm optimizers. In: 2009 IEEE Congress on Evolutionary Computation. pp. 698–705. IEEE (2009)
9. Kennedy, J.: Particle swarm optimization. In: Encyclopedia of machine learning, pp. 760–766. Springer (2011)
10. Kennedy, J., Kennedy, J.F., Eberhart, R.C., Shi, Y.: Swarm intelligence. Morgan Kaufmann (2001)
11. King, I., Li, Y., Duan, H., Reynolds, R., Ali, M.: Embedding a social fabric component into cultural algorithms toolkit for an enhanced knowledge-driven engineering optimization. *International Journal of Intelligent Computing and Cybernetics* 1(4), 563–597 (2008)
12. Kobti, Z., et al.: Heterogeneous multi-population cultural algorithm. In: 2013 IEEE Congress on Evolutionary Computation. pp. 292–299. IEEE (2013)
13. Mendes, R.: Population topologies and their influence in particle swarm performance. Ph.D. thesis, Citeseer (2004)
14. Raesi N., M.R., Kobti, Z.: Heterogeneous Multi-Population Cultural Algorithm with a Dynamic Dimension Decomposition Strategy, pp. 345–350. Springer International Publishing, Cham (2014)
15. Reynolds, R.G.: An introduction to cultural algorithms. In: Proceedings of the third annual conference on evolutionary programming. vol. 131139. Singapore (1994)
16. Reynolds, R.G., Ali, M.: Computing with the social fabric: The evolution of social intelligence within a cultural framework. *IEEE computational intelligence magazine* 3(1), 18–30 (2008)
17. Reynolds, R.G., Ali, M.Z.: The social fabric approach as an approach to knowledge integration in cultural algorithms. In: 2008 IEEE Congress on Evolutionary Computation (IEEE World Congress on Computational Intelligence). pp. 4200–4207. IEEE (2008)
18. Sterling, S.E.: Aggregation techniques to characterize social networks. Tech. rep., DTIC Document (2004)