




Endpoint Hero ⚡

A lightweight terminal utility for sending HTTP requests, analyzing API performance, and debugging webhooks without needing heavyweight GUI tools.

The Problem

Too Much Overhead


Developers frequently need to test REST APIs, inspect HTTP responses, and debug request headers — but existing tools like Postman are powerful yet heavy when you only need a quick API request.

Missing the Right Tool

Developers lack a fast, terminal-first tool that combines API testing, network timing analysis, webhook inspection, and request replay in one place.



The Solution



⚡ API Client

Send HTTP requests, inspect responses, analyze network metrics, and debug APIs — all from your terminal.

🔗 Mock Server


Receive webhooks, inspect requests, generate curl commands, and replay requests with zero setup.

Who It's For



Beginner Developers

Simple CLI interface with no configuration required to get started.



Backend & API Developers

Deep inspection of headers, payloads, and network timing metrics.



DevOps & Cloud Engineers

Lightweight, scriptable, and CI-friendly for pipeline integration.



Students & Hackathon Participants


Fast setup, zero bloat — perfect for rapid prototyping under pressure.

Core Features: HTTP Client

Supported Methods

Key Options

- Custom headers: `-H "Authorization: Bearer TOKEN"`
- Query parameters: `-q "name=value"`
- Inline body: `-d '{"json":"data"}'`
- File body: `-d @request.json`



GET

POST

PUT

DELETE

PATCH

Network Timing Analysis

1

DNS Lookup

Domain resolution time

2

TCP Connect

Connection establishment

3

TLS Handshake

Encryption negotiation

4

TTFB


Time to first response byte

5

Total

Complete request duration

Response Inspector



Status & Headers

Display HTTP status codes and full response headers at a glance.

Auto-Format JSON


Syntax highlighting applied automatically — no manual parsing needed.

Body Metadata

Shows response body size and content type alongside the payload.

Terminal Styling

Clean, readable output designed for the terminal-first developer.



Webhook Mock Server

Start a temporary webhook server instantly:

```
endpoint-hero mock 8080
```

Configurable Paths

Accept requests on any path you define — no routing config required.

Live Logging

Real-time logging of every incoming webhook as it arrives.

Full Payload Inspection

Display headers, query params, and JSON payloads in structured output.

Mock Response Configuration

Fine-tune every response your mock server returns:

Flag	Example	Purpose
<code>--status</code>	<code>--status 201</code>	Set HTTP response code
<code>--body</code>	<code>--body</code> <code>'{"status": "created"}'</code>	Return custom JSON body
<code>--header</code>	<code>--header "X-Mock: True"</code>	Inject custom headers
<code>--delay</code>	<code>--delay 200ms</code>	Simulate network latency



Request History & Curl Replay

01

Capture

In-memory history of all captured webhook requests stored automatically during your session.

02

Generate

Auto-generate curl commands for any captured request — ready to copy and run.

03

Replay

Reproduce webhook bugs and test scenarios with precision. No manual reconstruction needed.

```
curl -X POST http://localhost:8080/webhook \
-d '{"event": "signup"}
```

