

UNITED SOLUTIONS

September

2025

This document contain XML Application Program Interface (API) document and implementation guide to integrate airlines booking engine with Nepal's Domestic Airlines Reservation and E-Ticketing System.

Plasma Technologist (P) Ltd
64Sangam Marg,Kathmandu
Tel -977 1 4420735/4439095
E-Mail- info@plazma.com.np

UNITED SOLUTIONS

(AIRLINE RESERVATION SYSTEM)

API Implementation Guide

S/N	DETAIL
1	INTRODUCTION
2	REQUIREMENT
3	AUDIENCE OF THIS DOCUMENT
4	FUNCTIONS LIST
5	RESERVATION PROCESS
6	SECTOR CODE
7	CHECK BALANCE
8	FLIGHT AVAILABILITY
9	RESERVATION
10	ISSUE TICKET
11	GET ITINERARY
12	GET FLIGHT DETAIL
13	SALES REPORT
14	GET PNR DETAIL
15	TEST ENVIRONMENT
16	API SUPPORT CONTACT

INTRODUCTION

This document provides the technical information necessary to integrate (United Solutions) Nepal's Domestic Airlines Reservation System API. This document also includes all functions and requires parameters including SOAP request and response sample. The United Solutions API enables you to integrate Reservation and Ticketing functions described in this document..

AUDIENCE OF THIS DOCUMENT

The target audiences of this document are the integrators or programmers who will develop the interface between the Booking Interface and the United Solutions API. This document also include code sample in JAVA and can be used as a guide for your application integration.

Functions

S/N	Function	Description	Response
1	SectorCode	Return Sector Name and Sector Code	XML
2	CheckBalance	Return Agency Balance Amount	XML
3	FlightAvailability	Return Available flights detail of given flight date and sector	XML
4	Reservation	Reserved seats and hold for payment process	XML
5	IssueTicket	Proceed payment of hold seats and generate ticket	XML
6	GetItinerary	Return PNR or Ticket detail	XML
7	GetFlightDetail	Return Detail of given FlightID	XML
8	GetPnrDetail	Return URL for PNR Maintenance (Reschedule/Cancellation)	XML
9	SalesReport	Return Sales Report for given period	XML

Reservation Process

S/N	Process	Description
1	FlightAvailability	Search flights available for given date and sector. A unique flight ID shall be returned for Select flight ID of appropriate flight/class.
2	Reservation	Call Reservation with selected flight ID. Reservation Response with PNR Number and Reservation Status. You can proceed IssueTicket call is Reservation Status is HK. This function holds your booking for a defined time period. Time limit to issue ticket is included in Reservation response. User should complete issue ticket operation within the time limit.
3	IssueTicket	Call issue ticket function if Reservation call is successful and a PNR number is returned from reservation call. IssueTicket function issue tickets and return Flight itinerary if successful. IssueTicket function should be called before TTL time expire. Otherwise, do not call issue ticket function.

UNITED SOLUTIONS FUNCTIONS AND EXAMPLE

Function Name	SectorCode
Description	Return sector code and sector name
Output	XML

Parameters		
Name	Data Type	Description
strUserId	String	User ID provided by Airline

Request Sample -1

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:book="http://booking.us.org">
  <soapenv:Header/>
  <soapenv:Body>
    <book:SectorCode>
      <strUserId>USERID</strUserId>
    </book:SectorCode>
  </soapenv:Body>
</soapenv:Envelope>
```

Request Sample -2

```
package bookingService;
import org.us.booking.UnitedSolutions;
import org.us.booking.UnitedSolutionsService;
public class sampleCode {
public static void main(String[] args)
{
UnitedSolutionsService MyService = new UnitedSolutionsService();
UnitedSolutions bookingservice =MyService.getUnitedSolutionsPort();
bookingservice.sectorCode("USERID");
}}
```

Response Sample

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
<S:Body>
<ns2:SectorCodeResponse xmlns:ns2="http://booking.us.org/">
<return><![CDATA[<FlightSector>
<Sector>
<SectorCode>BDP</SectorCode>
<SectorName>BHADRAPUR</SectorName>
</Sector>
<Sector>.....</Sector>
<Sector>.....</Sector>
<Sector>.....</Sector>
</FlightSector>]]></return>
</ns2:SectorCodeResponse>
</S:Body>
</S:Envelope>
```

Function Name	CheckBalance
Description	Return balance amount
Output	XML

Parameters		
Name	Data Type	Description
strUserId	String	User ID provided by Airline
strAirlineId	String	U4 – Buddha Air, S1-Saurya Airlines, RMK-Simrik Airlines, YT-Yeti Airlines, GA-Goma Airlines, SHA-Shree Airlines, ST-Sita Air

Request Sample 1

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:book="http://booking.us.org">
<soapenv:Header/>
<soapenv:Body>
<book:CheckBalance>
<strUserId>USERID</strUserId>
<strAirlineId>U4</strAirlineId>
</book:CheckBalance>
</soapenv:Body></soapenv:Envelope>
```

Request Sample 2

```
package bookingService;  
import org.us.booking.UnitedSolutions;  
import org.us.booking.UnitedSolutionsService;  
public class checkBalance {  
    public static void main(String[] args)  
    {  
        UnitedSolutionsService MyService = new UnitedSolutionsService();  
        UnitedSolutions bookingservice=MyService.getUnitedSolutionsPort();  
        bookingservice.checkBalance("USERID", "AIRLINEID");  
    }  
}
```

Response Sample

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">  
  <S:Body>  
    <ns2:CheckBalanceResponse xmlns:ns2="http://booking.us.org/">  
      <return>  
        <![CDATA[<Balance>  
          <Airline>  
            <AirlineName>BUDDHA AIR</AirlineName>  
            <AgencyName>AGENT NAME</AgencyName>  
            <BalanceAmount>1244764.41</BalanceAmount>  
          </Airline>  
          <Airline>  
            <AirlineName>SAURYA AIR</AirlineName>  
            <AgencyName>AGENT NAME</AgencyName>  
            <BalanceAmount>12464.41</BalanceAmount>  
          </Airline>  
          <Airline>  
            <AirlineName>SHREE AIR</AirlineName>  
            <AgencyName>AGENT NAME</AgencyName>  
            <BalanceAmount>15421.00</BalanceAmount>  
          </Airline>  
        </Balance>]]></return>  
      </ns2:CheckBalanceResponse>  
    </S:Body></S:Envelope>
```

Function Name **FlightAvailability**

Description Return available flights for given date and sector

Output XML

Parameters		
Name	Data Type	Description
strUserId	String	User ID
strPassword	String	Password
strAgencyId	String	Agency ID
strSectorFrom	String	Origin Sector (3-Letter Sector Codes returned from SectorCode())
strSectorTo	String	Destination Sector (3-Letter Airport Codes returned from SectorCode())
strFlightDate	String	Departure Date (Format : DD-MM-YYYY/DD-MON-YYYY)
strTripType	String	(O/R) O=One Way / R=Round Trip
strReturnDate	String	Return Date (Format : DD-MM-YYYY/DD-MON-YYYY)
strNationality	String	ISO 2-letter (A-2) country codes
intAdult	String	Number of Adult
intChild	String	Number of Child
strClientIP	String	IP Address of passenger (end user) searching for flight

Note: strClientIP is mandatory. You may also provide your b2b agent's userid in strClientIP parameter.

Request Sample 1

```
package bookingService;
import org.us.booking.UnitedSolutions;
import org.us.booking.UnitedSolutionsService;
public class sampleCode {public static void main(String[] args){
UnitedSolutionsService MyService = new UnitedSolutionsService();
UnitedSolutions bookingservice=MyService.getUnitedSolutionsPort();
bookingservice.flightAvailability("USERID", "PASSWORD", "AGENTID", "KTM", "PKR", "30-DEC-
2014", "01-JAN-2015", "R", "US", "2", "1","49.25.14.12")); } }
```

Request Sample 2

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:book="http://booking.us.org/">
  <soapenv:Header/>
  <soapenv:Body>
    <book:FlightAvailability>
      <strUserId>SAURYA</strUserId>
      <strPassword>PASSWORD</strPassword>
      <strAgencyId>PLZ501</strAgencyId>
      <strSectorFrom>KTM</strSectorFrom>
      <strSectorTo>BDP</strSectorTo>
      <strFlightDate>16-JUN-2024</strFlightDate>
      <strReturnDate></strReturnDate>
      <strTripType>O</strTripType>
      <strNationality>NP</strNationality>
      <intAdult>1</intAdult>
      <intChild>0</intChild>
      <strClientIP>111</strClientIP>
    </book:FlightAvailability>
  </soapenv:Body>
</soapenv:Envelope>
```

Response Sample

```
<Flightavailability>
  <Outbound>
    <Availability>
      <Airline>S1</Airline>
      <AirlineLogo>http://usbooking.org/us/apilimages/S1.jpg</AirlineLogo>
      <FlightDate>16-JUN-2024</FlightDate>
      <FlightNo>S1303</FlightNo>
      <Departure>KATHMANDU</Departure>
      <DepartureTime>09:00</DepartureTime>
      <Arrival>BHADRAPUR</Arrival>
      <ArrivalTime>09:35</ArrivalTime>
      <AircraftType>CRJ200</AircraftType>
      <Adult>1</Adult>
      <Child>0</Child>
      <Infant>0</Infant>
      <FlightId>d6c65563-7da2-4527-bf70-54ee0f8c808e</FlightId>
      <FlightClassCode>S</FlightClassCode>
```

<Currency>NPR</Currency>
<AdultFare>4891.5</AdultFare>
<ChildFare>4891.5</ChildFare>
<InfantFare>0</InfantFare>
<ResFare>0</ResFare>
<FuelSurcharge>0</FuelSurcharge>
<Tax>250</Tax>
<AdultVAT>591.5</AdultVAT>
<ChildVAT>591.5</ChildVAT>
<Refundable>F</Refundable>
<FreeBaggage>20 + 5 KG</FreeBaggage>
<AgencyCommission>200</AgencyCommission>
<ChildCommission>null</ChildCommission>
<CallingStationId>103.143.211.25</CallingStationId>
<CallingStation>SAURYA</CallingStation>
</Availability>
<Availability>
<Airline>S1</Airline>
<AirlineLogo><http://usbooking.org/us/apilimages/S1.jpg></AirlineLogo>
<FlightDate>16-JUN-2024</FlightDate>
<FlightNo>S1303</FlightNo>
<Departure>KATHMANDU</Departure>
<DepartureTime>09:00</DepartureTime>
<Arrival>BHADRAPUR</Arrival>
<ArrivalTime>09:35</ArrivalTime>
<AircraftType>CRJ200</AircraftType>
<Adult>1</Adult>
<Child>0</Child>
<Infant>0</Infant>
<FlightId>306f4a84-c2a7-4aaa-b36e-bb02008223e4</FlightId>
<FlightClassCode>R</FlightClassCode>
<Currency>NPR</Currency>
<AdultFare>3393.5</AdultFare>
<ChildFare>3393.5</ChildFare>
<InfantFare>0</InfantFare>
<ResFare>0</ResFare>
<FuelSurcharge>1950</FuelSurcharge>
<Tax>250</Tax>
<AdultVAT>643.5</AdultVAT>
<ChildVAT>643.5</ChildVAT>
<Refundable>F</Refundable>

<FreeBaggage>20 + 5 KG</FreeBaggage>
<AgencyCommission>200</AgencyCommission>
<ChildCommission>null</ChildCommission>
<CallingStationId>103.143.211.25</CallingStationId>
<CallingStation>SAURYA</CallingStation>
</Availability>
<Availability>
<Airline>S1</Airline>
<AirlineLogo><http://usbooking.org/us/apilimages/S1.jpg></AirlineLogo>
<FlightDate>16-JUN-2024</FlightDate>
<FlightNo>S1303</FlightNo>
<Departure>KATHMANDU</Departure>
<DepartureTime>09:00</DepartureTime>
<Arrival>BHADRAPUR</Arrival>
<ArrivalTime>09:35</ArrivalTime>
<AircraftType>CRJ200</AircraftType>
<Adult>1</Adult>
<Child>0</Child>
<Infant>0</Infant>
<FlightId>cbbabdf0-115a-47e8-ba7c-bca3aa1908ab</FlightId>
<FlightClassCode>Q</FlightClassCode>
<Currency>NPR</Currency>
<AdultFare>3845.5</AdultFare>
<ChildFare>3845.5</ChildFare>
<InfantFare>0</InfantFare>
<ResFare>0</ResFare>
<FuelSurcharge>1950</FuelSurcharge>
<Tax>250</Tax>
<AdultVAT>695.5</AdultVAT>
<ChildVAT>695.5</ChildVAT>
<Refundable>F</Refundable>
<FreeBaggage>20 + 5 KG</FreeBaggage>
<AgencyCommission>200</AgencyCommission>
<ChildCommission>null</ChildCommission>
<CallingStationId>103.143.211.25</CallingStationId>
<CallingStation>SAURYA</CallingStation>
</Availability>
<Availability>
<Airline>S1</Airline>
<AirlineLogo><http://usbooking.org/us/apilimages/S1.jpg></AirlineLogo>
<FlightDate>16-JUN-2024</FlightDate>

<FlightNo>S1303</FlightNo>
<Departure>KATHMANDU</Departure>
<DepartureTime>09:00</DepartureTime>
<Arrival>BHADRAPUR</Arrival>
<ArrivalTime>09:35</ArrivalTime>
<AircraftType>CRJ200</AircraftType>
<Adult>1</Adult>
<Child>0</Child>
<Infant>0</Infant>
<FlightId>9e0fe856-081c-4166-8e21-b6ee49f6c02a</FlightId>
<FlightClassCode>P</FlightClassCode>
<Currency>NPR</Currency>
<AdultFare>5201.5</AdultFare>
<ChildFare>5201.5</ChildFare>
<InfantFare>0</InfantFare>
<ResFare>0</ResFare>
<FuelSurcharge>1950</FuelSurcharge>
<Tax>250</Tax>
<AdultVAT>851.5</AdultVAT>
<ChildVAT>851.5</ChildVAT>
<Refundable>T</Refundable>
<FreeBaggage>20 + 5 KG</FreeBaggage>
<AgencyCommission>200</AgencyCommission>
<ChildCommission>100</ChildCommission>
<CallingStationId>103.143.211.25</CallingStationId>
<CallingStation>SAURYA</CallingStation>
</Availability>
<Availability>
<Airline>S1</Airline>
<AirlineLogo><http://usbooking.org/us/apilimages/S1.jpg></AirlineLogo>
<FlightDate>16-JUN-2024</FlightDate>
<FlightNo>S1303</FlightNo>
<Departure>KATHMANDU</Departure>
<DepartureTime>09:00</DepartureTime>
<Arrival>BHADRAPUR</Arrival>
<ArrivalTime>09:35</ArrivalTime>
<AircraftType>CRJ200</AircraftType>
<Adult>1</Adult>
<Child>0</Child>
<Infant>0</Infant>
<FlightId>4873aedd-9ec9-44e3-a34b-c3c55af2e2ab</FlightId>

<FlightClassCode>O</FlightClassCode>
<Currency>NPR</Currency>
<AdultFare>6557.5</AdultFare>
<ChildFare>6557.5</ChildFare>
<InfantFare>0</InfantFare>
<ResFare>0</ResFare>
<FuelSurcharge>1950</FuelSurcharge>
<Tax>250</Tax>
<AdultVAT>1007.5</AdultVAT>
<ChildVAT>1007.5</ChildVAT>
<Refundable>T</Refundable>
<FreeBaggage>20 + 5 KG</FreeBaggage>
<AgencyCommission>200</AgencyCommission>
<ChildCommission>100</ChildCommission>
<CallingStationId>103.143.211.25</CallingStationId>
<CallingStation>SAURYA</CallingStation>
</Availability>
<Availability>
 <Airline>S1</Airline>
 <AirlineLogo><http://usbooking.org/us/apilimages/S1.jpg></AirlineLogo>
 <FlightDate>16-JUN-2024</FlightDate>
 <FlightNo>S1303</FlightNo>
 <Departure>KATHMANDU</Departure>
 <DepartureTime>09:00</DepartureTime>
 <Arrival>BHADRAPUR</Arrival>
 <ArrivalTime>09:35</ArrivalTime>
 <AircraftType>CRJ200</AircraftType>
 <Adult>1</Adult>
 <Child>0</Child>
 <Infant>0</Infant>
 <FlightId>9c9ef39b-e48b-4891-9486-fef8dca5154f</FlightId>
 <FlightClassCode>N</FlightClassCode>
 <Currency>NPR</Currency>
 <AdultFare>7913.5</AdultFare>
 <ChildFare>5396.43</ChildFare>
 <InfantFare>675</InfantFare>
 <ResFare>11812.5</ResFare>
 <FuelSurcharge>1950</FuelSurcharge>
 <Tax>250</Tax>
 <AdultVAT>1163.5</AdultVAT>
 <ChildVAT>873.93</ChildVAT>

<Refundable>T</Refundable>
<FreeBaggage>20 + 5 KG</FreeBaggage>
<AgencyCommission>200</AgencyCommission>
<ChildCommission>100</ChildCommission>
<CallingStationId>103.143.211.25</CallingStationId>
<CallingStation>SAURYA</CallingStation>
</Availability>
<Availability>
 <Airline>S1</Airline>
 <AirlineLogo>http://usbooking.org/us/apilimages/S1.jpg</AirlineLogo>
 <FlightDate>16-JUN-2024</FlightDate>
 <FlightNo>S1301</FlightNo>
 <Departure>KATHMANDU</Departure>
 <DepartureTime>11:10</DepartureTime>
 <Arrival>BHADRAPUR</Arrival>
 <ArrivalTime>11:45</ArrivalTime>
 <AircraftType>CRJ200</AircraftType>
 <Adult>1</Adult>
 <Child>0</Child>
 <Infant>0</Infant>
 <FlightId>688c06a4-64b3-4ae5-94fc-4b7c643cc990</FlightId>
 <FlightClassCode>N</FlightClassCode>
 <Currency>NPR</Currency>
 <AdultFare>7913.5</AdultFare>
 <ChildFare>5396.43</ChildFare>
 <InfantFare>675</InfantFare>
 <ResFare>11812.5</ResFare>
 <FuelSurcharge>1950</FuelSurcharge>
 <Tax>250</Tax>
 <AdultVAT>1163.5</AdultVAT>
 <ChildVAT>873.93</ChildVAT>
 <Refundable>T</Refundable>
 <FreeBaggage>20 + 5 KG</FreeBaggage>
 <AgencyCommission>200</AgencyCommission>
 <ChildCommission>100</ChildCommission>
 <CallingStationId>103.143.211.25</CallingStationId>
 <CallingStation>SAURYA</CallingStation>
</Availability>
</Outbound>
<Inbound/>
</Flightavailability>

NOTE:

FlightId Should be retain and pass in Reservation() and IssueTicket() request parameter.
 Outbound FlightId should be passed as "strFlightId" and Inbound FlightId as "strReturnFlightId".
 Total Adult Fare = AdultFare+ FuelSurcharge +Tax
 Total Child Fare = ChildFare + FuelSurcharge +Tax + ChildTaxAdjustment
 ResFare is fare for foreigners holding residential visa.(Not applicable for agency booking)
 AgencyCommission is agency commission amount for Adult pax booking in particular FlightId.
 ChildCommission is agency commission amount for Child Pax booking in particular FlightId.
 Child Discounted Fare is applicable only in Upper class fare in all sectors except "Mountain Flight".
 Child fare for classes other then Upper Class is same as adult fare.
 Infant ticket booking is not available from API. Infant Ticket shall be issued at Airport Check-In counter.

Function Name **Reservation**

Description Proceed reservation and hold seats on selected flights for maximum 15 Min. IssueTicket() function should be completed within TTL time.

Output Success or Error XML

Parameters		
Name	Data Type	Description
strFlightId	String	Flight Id retained from FlightAvailability Response.
strReturnFlightId	String	Flight Id retained from FlightAvailability Response.(Inbound> This Parameter is optional and require only when Round Trip is selected

Request Sample 1

```
package bookingService;
import org.us.booking.UnitedSolutions;
import org.us.booking.UnitedSolutionsService;
public class sampleCode {
public static void main(String[] args) {
UnitedSolutionsService MyService = new UnitedSolutionsService();
UnitedSolutions bookingservice=MyService.getUnitedSolutionsPort();
bookingservice.reservation("4cbdb05f-c095-44eb-b957-d313d69d731a",
"c6bfdad0-6b99-4603-b8cb-2ff105b54fae"));
}}
```

Request Sample 2

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:book="http://booking.us.org/">
  <soapenv:Header/>
  <soapenv:Body>
    <book:Reservation>
      <!--Optional:-->
      <strFlightId>4cbdb05f-c095-44eb-b957-d313d69d731a</strFlightId>
      <strReturnFlightId>c6bfdad0-6b99-4603-b8cb-2ff105b54fae</strReturnFlightId>
    </book:Reservation>
  </soapenv:Body>
</soapenv:Envelope>
```

Response Sample

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:ReservationResponse xmlns:ns2="http://booking.us.org/">
      <ReservationDetail>
        <PNRDetail>
          <AirlineID>U4</AirlineID>
          <FlightId>d27185d1-dc00-491e-88bf-17905b44c162</FlightId>
          <PNRNO>TMPPNR</PNRNO>
          <ReservationStatus>HK</ReservationStatus>
          <TTLDate>29-DEC-2014</TTLDate>
          <TTLTime>12:20</TTLTime>
        </PNRDetail>
      </ReservationDetail>
    </ns2:ReservationResponse>
  </S:Body>
</S:Envelope>
```

Function Name **IssueTicket**

Description Proceed payment and generate ticket.

Output Itinerary XML

Parameters		
Name	Data Type	Description
strFlightId	String	Flight Id retained from FlightAvailability Response.
strReturnFlightId	String	Flight Id retained from FlightAvailability Response.(Inbound> This Parameter is optional and require only when Round Trip is selected
strContactName	String	Booking contact person
strContactEmail	String	Contact email address
strContactMobile	String	Contact mobile number
strPassengerDetail	XML	Passenger Detail XML (Appendix-1)
strInvoiceParty	String	Invoice Party Name
strPanNo	XML	PAN Number of customer (if Available)

Request Sample

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:book="http://booking.us.org">
  <soapenv:Header/>
  <soapenv:Body>
    <book:IssueTicket>
      <strFlightId>249d4579-c0a0-4fbc-bf59-155c4b943a37</strFlightId>
      <strReturnFlightId></strReturnFlightId>
      <strContactName>CONTACT NAME</strContactName>
      <strContactEmail>EMAIL ADDRESS</strContactEmail>
      <strContactMobile>CONTACT NO</strContactMobile>
      <strPassengerDetail>APPENDIX 1</strPassengerDetail>
      <strInvoiceParty>INVOICE PARTY NAME</strInvoiceParty>
      <strPanNo>PARTY PAN NO</strPanNo>
    </book:IssueTicket>
  </soapenv:Body>
</soapenv:Envelope>
```

</soapenv:Envelope>

APPENDIX 1

```
<![CDATA[<?xml version="1.0" ?>
<PassengerDetail>
  <Passenger>
    <PaxType>ADULT</PaxType>
    <Title>Mr</Title>
    <Gender>M</Gender>
    <FirstName>FIRST NAME</FirstName>
    <LastName>LAST NAME</LastName>
    <Nationality>NP</Nationality>
    <PaxRemarks>XYZ</PaxRemarks>
  </Passenger>
</PassengerDetail>]]>
```

Response Sample

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:IssueTicketResponse xmlns:ns2="http://booking.us.org/">
      <Itinerary>
        <Passenger>
          <Airline>YT</Airline>
          <PnrNo>A1R8UG</PnrNo>
          <Title/>
          <Gender>M</Gender>
          <FirstName>MR BASU DEV GHIMIRE</FirstName>
          <LastName/>
          <PaxNo/>
          <PaxType>ADULT</PaxType>
          <Nationality>NP</Nationality>
          <PaxId/>
          <IssueFrom>PLZ008</IssueFrom>
          <AgencyName>PLZ008</AgencyName>
          <IssueDate>04-SEP-2017</IssueDate>
          <IssueBy>ESEWA</IssueBy>
          <FlightNo>893</FlightNo>
          <FlightDate>05-SEP-2017</FlightDate>
          <Departure>KTM</Departure>
          <FlightTime>1630</FlightTime>
          <TicketNo>9992102407881</TicketNo>
```

```
<BarCodeValue/>
<BarcodeImage/>
<Arrival>BWA</Arrival>
<ArrivalTime>17:00</ArrivalTime>
<Sector>KTM-BWA</Sector>
<ClassCode>N</ClassCode>
<Currency>NPR</Currency>
<Fare>4065</Fare>
<Surcharge>1685</Surcharge>
<TaxCurrency>NPR</TaxCurrency>
<Tax>200</Tax>
<CommissionAmount>447.15</CommissionAmount>
<Refundable>Refundable</Refundable>
<ReportingTime>One Hour Before Flight Time</ReportingTime>
<FreeBaggage>10KG</FreeBaggage>
</Passenger>
</Itinerary>
</ns2:IssueTicketResponse>
</S:Body></S:Envelope>
```

Function Name	GetItinerary
Description	Return Itinerary Detail
Output	XML

Parameters		
Name	Data Type	Description
strPnoNo	String	PNR Number
strTicketNo	String	Ticket Number
strAirlineId	String	Airline ID

Request Sample 1

```
package bookingService;
import org.us.booking.UnitedSolutions;
import org.us.booking.UnitedSolutionsService;
public class sampleCode {public static void main(String[] args){
UnitedSolutionsService MyService = new UnitedSolutionsService();
UnitedSolutions bookingservice=MyService.getUnitedSolutionsPort();
bookingservice.getItinerary("PNRNO","TICKETNO","AGENCYID");
}}
```

Request Sample 2

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:book="http://booking.us.org/">
  <soapenv:Header/>  <soapenv:Body>
    <book:GetItinerary>
      <strPnoNo>PNRNO</strPnoNo>
      <strTicketNo>TICKET NO</strTicketNo>
      <strAgencyId>AGENTID</strAgencyId>
    </book:GetItinerary>
  </soapenv:Body></soapenv:Envelope>
```

Response Sample

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:IssueTicketResponse xmlns:ns2="http://booking.us.org/">
      <Itinerary>
        <Passenger>
          <Airline>YT</Airline>
          <PnrNo>A0X60N</PnrNo>
          <Title></Title>
          <Gender>F</Gender>
          <FirstName>MISS SABITA RAI</FirstName>
          <LastName></LastName>
          <PaxNo></PaxNo>
          <PaxType>ADULT</PaxType>
          <Nationality>NP</Nationality>
          <PaxId></PaxId>
          <IssueFrom>PLZ004</IssueFrom>
          <AgencyName>PLZ004</AgencyName>
          <IssueDate>21-JAN-2014</IssueDate>
          <IssueBy>IPAY</IssueBy>
          <FlightNo>797</FlightNo>
          <FlightDate>21-JAN-2014</FlightDate>
          <Departure>KTM</Departure>
          <FlightTime>1630</FlightTime>
          <TicketNo>9992101191551</TicketNo>
          <BarCodeValue>668402988</BarCodeValue>
          <BarcodeImage> </BarcodeImage>
```

```

    <Arrival>BIR</Arrival>

    <ArrivalTime>N/A</ArrivalTime>

    <Sector>KTM-BIR</Sector>

    <ClassCode>G</ClassCode>

    <Currency>NPR</Currency>

    <Fare>2290</Fare>

    <Surcharge>3075</Surcharge>

    <TaxCurrency>NPR</TaxCurrency>

    <Tax>200</Tax>

    <CommissionAmount>297.7</CommissionAmount>

    <Refundable>Non-Refundable</Refundable>

    <ReportingTime>One Hour Before Flight Time</ReportingTime>

    <FreeBaggage>10KG</FreeBaggage>

  </Passenger>
</Itinerary>
</ns2:IssueTicketResponse>
</S:Body></S:Envelope>

```

Function Name	GetFlightDetail
Description	Return Flight Detail of Given Flight ID
Output	XML

Parameters		
Name	Data Type	Description
strUserId	String	User ID
strFlightId	String	Flight ID

Request Sample 1

```

package bookingService;

import org.us.booking.UnitedSolutions;
import org.us.booking.UnitedSolutionsService;

public class sampleCode {

    public static void main(String[] args)

    {
        UnitedSolutionsService MyService = new UnitedSolutionsService();
        UnitedSolutions bookingservice=MyService.getUnitedSolutionsPort();
        bookingservice.getFlightDetail("USERID", "FLIGHTID");
    }
}

```

Request Sample 2

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:book="http://booking.us.org/">
  <soapenv:Header/>
  <soapenv:Body>
    <book:GetFlightDetail>
      <strUserId>USERID</strUserId>
      <strFlightId>FLIGHTID</strFlightId>
    </book:GetFlightDetail>
  </soapenv:Body>
</soapenv:Envelope>
```

Response Sample

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
  <S:Body>
    <ns2:GetFlightDetailResponse xmlns:ns2="http://booking.us.org/">
      <return>
        <![CDATA[<Availability>
          <Airline>YT</Airline>
          <FlightDate>05-SEP-2017</FlightDate>
          <FlightNo>YT893</FlightNo>
          <Departure>KATHMANDU</Departure>
          <DepartureTime>16:30</DepartureTime>
          <Arrival>BHAIRAHAWA</Arrival>
          <ArrivalTime>17:00</ArrivalTime>
          <AircraftType>J41</AircraftType>
          <Adult>1</Adult>
          <Child>0</Child>
          <Infant>0</Infant>
          <FlightId>611dee5f-bc39-4d93-bf2d-4d86b5518bab</FlightId>
          <FlightClassCode>N</FlightClassCode>
          <Currency>NPR</Currency>
          <AdultFare>4065</AdultFare>
          <ChildFare>30</ChildFare>
```

```
<InfantFare>406.5</InfantFare>
<ResFare>0</ResFare>
<FuelSurcharge>1685</FuelSurcharge>
<Tax>200</Tax>
<Refundable>T</Refundable>
<FreeBaggage>10 KG</FreeBaggage>
<AgencyCommission>813</AgencyCommission>
<CallingStationId>103.255.126.20</CallingStationId>
<CallingStation>ESEWA</CallingStation>
</Availability>]]></return>
</ns2:GetFlightDetailResponse>
</S:Body>
</S:Envelope>
```

Error Response

```
<?xml version="1.0" ?><S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
<S:Body><ns2:GetFlightDetailResponse xmlns:ns2="http://booking.us.org/">
<Error> Flight Detail Not Found in Flight Database</Error>
</ns2:GetFlightDetailResponse>
</S:Body>
</S:Envelope>
```

Function Name	salesReport
Description	Return Flight Detail of Given Flight ID
Output	XML

Parameters		
Name	Data Type	Description
strUserId	String	UserID
strPassword	String	Password
strAgencyId	String	Agency ID
strFromDate	String	Start Date (DD-MM-YYYY) OR (DD-MON-YYYY)
strToDate	String	End Date (DD-MM-YYYY) OR (DD-MON-YYYY)

Request Sample 1

```
package bookingService;
import org.us.booking.UnitedSolutions;
import org.us.booking.UnitedSolutionsService;
public class sampleCode {
public static void main(String[] args)
```

```
{  
UnitedSolutionsService MyService = new UnitedSolutionsService();  
UnitedSolutions bookingservice=MyService.getUnitedSolutionsPort();  
bookingservice.salesReport("USERID","PASSWORD","AGENCYID","01-JAN-2014","30-JAN-2014");  
} }
```

Request Sample 2

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"  
xmlns:book="http://booking.us.org/">  
  <soapenv:Header/><soapenv:Body>  
    <book:SalesReport>  
      <strUserId>USERID</strUserId>  
      <strPassword>PASSWORD</strPassword>  
      <strAgencyId>AGENCYID</strAgencyId>  
      <strPnrNo>STARTDATE</strPnrNo>  
      <strTicketNo>ENDDATE</strTicketNo>  
    </book:SalesReport>  
  </soapenv:Body> </soapenv:Envelope>
```

Response Sample

```
<SalesSummary>  
<TicketDetail>  
<PnrNo>A0S0AD</PnrNo>  
<Airline>U4</Airline>  
<IssueDate>06-AUG-2014</IssueDate>  
<FlightNo>794</FlightNo>  
<FlightDate>17-AUG-2014</FlightDate>  
<SectorPair>BIR-KTM</SectorPair>  
<ClassCode>H</ClassCode>  
<TicketNo>9992100980153</TicketNo>  
<PassengerMame>PASSENGERNAME</PassengerMame>  
<Nationality>NP</Nationality>  
<PaxType>ADULT</PaxType>  
<Currency>NPR</Currency>  
<Fare>990</Fare>  
<FSC>3305</FSC>  
<TAX>200</TAX>  
</TicketDetail>  
<TicketDetail>  
<PnrNo>A0S0AD</PnrNo>  
<Airline>U4</Airline>
```

```

<IssueDate>06-AUG-2014</IssueDate>
<FlightNo>794</FlightNo>
<FlightDate>17-AUG-2014</FlightDate>
<SectorPair>BIR-KTM</SectorPair>
<ClassCode>H</ClassCode>
<TicketNo>9992100980154</TicketNo>
<PassengerMame>PASSENGERNAME</PassengerMame>
<Nationality>NP</Nationality>
<PaxType>ADULT</PaxType>
<Currency>NPR</Currency>
<Fare>990</Fare>
<FSC>3305</FSC>
<TAX>200</TAX>
</TicketDetail>
<TicketDetail>
<PnrNo>A0S0AD</PnrNo>
<Airline>U4</Airline>
<IssueDate>06-AUG-2014</IssueDate>
<FlightNo>794</FlightNo>
<FlightDate>17-AUG-2014</FlightDate>
<SectorPair>BIR-KTM</SectorPair>
<ClassCode>H</ClassCode>
<TicketNo>9992100980155</TicketNo>
<PassengerMame>PASSENGERNAME</PassengerMame>
<Nationality>NP</Nationality>
<PaxType>ADULT</PaxType>
<Currency>NPR</Currency>
<Fare>990</Fare>
<FSC>3305</FSC>
<TAX>200</TAX>
</TicketDetail>
<SalesSummary>

```

Function Name	getPnrDetail
Description	Return URL for PNR Maintenance
Output	XML

Parameters		
Name	Data Type	Description
strUserId	String	UserID
strPassword	String	Password

strAgencyId	String	Agency ID
strPnr	String	PNR number require modification
strLastName	String	Last Name of one passenger present in PNR

Request Sample 1

```
package bookingService;
import org.us.booking.UnitedSolutions;
import org.us.booking.UnitedSolutionsService;
public class sampleCode {public static void main(String[] args) {
UnitedSolutionsService MyService = new UnitedSolutionsService();
UnitedSolutions bookingservice=MyService.getUnitedSolutionsPort();
bookingservice.getPnrDetail("USERID", "PASSWORD","AGENCYID", "PNRNO", "LAST NAME" );
} }
```

Request Sample 2

```
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:book="http://booking.us.org/">
  <soapenv:Header/>
  <soapenv:Body>
    <book:GetPnrDetail>
      <strUserId>USERID</strUserId>
      <strPassword>PASSWORD</strPassword>
      <strAgencyId>AGENCYID</strAgencyId>
      <strPnrNo>PNRNO</strPnrNo>
      <strLastName>LASTNAME</strLastName>
    </book:GetPnrDetail>
  </soapenv:Body>
</soapenv:Envelope>
```

Response Sample

```
<S:Envelope xmlns:S="http://schemas.xmlsoap.org/soap/envelope/">
<S:Body> <ns2:GetPnrDetailResponse xmlns:ns2="http://booking.us.org/">
<PnrDetail>
<AccessURL>https://res.yetiairlines.com/default.aspx?sn=AAbFSRAKKSJJDKI2121SW5DWSAIZT971SkglukKD6XQfCcZLP/1/q
</AccessURL>
</PnrDetail>
</ns2:GetPnrDetailResponse>
</S:Body></S:Envelope>
```

Test Environment

<http://dev.usbooking.org/us/UnitedSolutions?wsdl>

API Implementation Technical Support

API Technical Support Contact				
1	Mr Ritesh Bista Software Engineer PlazmaTech	977 1 4493674	977 1 4499496	ritesh@plazma.com.np cc: apisupport@plazma.com.np