

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
  <title>there is a hidden button</title>
  <link rel="stylesheet" href="index.css"/>
  <style>
    .boton-redireccion {
      position: absolute;
      padding: 10px 20px;
      background-color: transparent;
      color: rgba(159, 159, 159, 0.604);
      text-decoration: underline;
      border-radius: 5px;
      transition: 0.3s;
    }

    .boton-redireccion:hover {
      background-color: rgba(255, 255, 255, 0.332);
    }

    .content {
      padding: 40px;
    }
  </style>
</head>
<body>

  <div class="content">
    <h1>find me</h1>
    <p>i eat glass it does not hurt me</p>
  </div>

  <a href="hall.html" class="boton-redireccion" id="botonClick">do not hurt me</a>

  <script>
    const boton = document.getElementById("botonClick");

    window.onload = () => {
      const maxX = window.innerWidth - 150;
      const maxY = window.innerHeight - 50;

      const randomX = Math.floor(Math.random() * maxX);
      const randomY = Math.floor(Math.random() * maxY);

      boton.style.left = `${randomX}px`;
```

```

        boton.style.top = `${randomY}px`;
    };
</script>

</body>
</html>

body,html{
    font-family:monospace;
    height: 100%;
    width: 100vw;
    display: flex;
    justify-content: center;
    align-items: center;
    background: url(imagenes/fog.jpg);
    background-size:100% ;
}
.content{
    text-align: center;
    padding: 20px;
    background-color: transparent ;
    border-radius: 10px;
    box-shadow: 0 4px 8px rgba(red, green, blue, alpha);
}

.boton-redireccion{
    background-color: transparent;
    color:rgba(168, 168, 168, 0.545);
    padding: 10px 20px;
    display:inline-block ;
    margin-top: 40px;
    border-radius: 5px;
    text-decoration: un;
}
.boton-redireccion:hover{
    background-color: rgba(255, 255, 255, 0.264);
}

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <title>who we are</title>
    <link rel="stylesheet" href="hall.css" />
</head>
<body>

```

```

<div class="menu-bar">
  <a href="givertaker.html"></a>
  <a href="screenfull.html"></a>
  <a href="tuyyo.html"></a>
  <a href="porfavor.html"></a>
  <a href="candados.html"></a>
</div>

```

```

<div class="container">
  <!-- Left Side (static background + text) -->
  <div class="left-side">
    <a href="index.html" class="back-button">go back</a>
    <div class="static-background">
      </div>

    <div class="center-content">
      <h1>this code is a mess, but so is life</h1>
      <p>huhuhhihi hay que poner aqui un pdf</p>
    </div>

```

```

</div>

```

```

<!-- Right Side (scrollable image) -->
<div class="right-side">
  <div class="scroll-image">
    
  </div>
</div>
</div>

```

```

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

```

```

body, html {
  height: 100%;
  font-family: monospace;
  overflow: hidden;
}

```

```

.menu-bar {
  position: absolute ;
  left: 0;
  top: 0;
  width: 60px;
  height: 100%;
}

```

```
background-color: rgba(0, 0, 0, 0.068);
display: flex;
flex-direction: column;
align-items: center;
justify-content: start;
padding-top: 0px;
z-index: 0;

}

.menu-bar a {
color: white;
text-decoration: none;
margin: 15px 0;
font-size: 16px;
}

.menu-bar img {
width: 90px;
padding: 5px 5px;
}

.container {
display: flex;
height: 100vh;
margin-left: 60px; /* Reserve space for menu */
}

.left-side {
width: 60%; /*texto*/
position: relative;
background-color:white;
background-image: url();
overflow: hidden;
font-family: monospace;
}

.back-button {
position: absolute;
top: 0px;
font-size: 14px;
text-decoration: underline;
color: black;
background: transparent;
padding: 4px 8px;
z-index: 3;
}
```

```
.static-background {  
  position: absolute;  
  top: 0;  
  left: 0;  
  width: 100%;  
  height: 100%;  
  background-image: url('your-static-background.jpg');  
  background-size: cover;  
  background-position: center;  
  background-attachment: fixed;  
  z-index: 1;  
}
```

```
.center-content {  
  position: absolute;  
  font-family: monospace;  
  color: black;  
  z-index: 0px;  
  top: 1%;  
  left: 0%;  
  text-align: justify;  
  width: 530px ;  
  padding: 10px;  
  background-color: transparent;  
  border-radius: 0px;  
}
```

```
.right-side {  
  width: 80%;  
  position: relative;  
  overflow-y: scroll;  
  background-color: #fff;  
}
```

```
.scroll-image {  
  width: 100%;  
}
```

```
.scroll-image img {  
  width: 100%;  
  display: block;  
}
```

```
<!DOCTYPE html>  
<html lang="en">  
<head>
```

```
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0"/>
<title>the giver the taker</title>
<style>
* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
  text-decoration: none;
}

body, html {
  height: 100%;
  font-family: monospace;
  text-decoration: underline;
  color: blue;
  overflow: hidden; /* Evita scroll general */
}

.container {
  display: flex;
  height: 100vh;
}

.column {
  flex: 1;
  overflow-y: scroll;
  padding: 20px;
  border-right: 1px solid #ccc;
}

.column:last-child {
  border-right: none;
}

.toc {
  margin-bottom: 20px;
}

.image-section {
  margin-top: 20px;
}

.image-section img {
  width: 100%;
  max-height: 4000px;
  object-fit: cover;
}
```

```

    margin-bottom: 100px;
}

.bottom img {
    display: block;
    margin-left: auto;
    margin-right: auto;
    margin-top: 50px;
    align-content: center;
    width: 70%;
    object-fit: cover;
    margin-bottom: 150px;
}

.boton-link {
    display: inline-block;
    padding: 10px 50px;
    background-color: blue;
    color: rgb(255, 255, 255);
    text-decoration: underline;
    font-family: monospace;
    transition: background-color 0.3s;
}

.boton-link:hover {
    background-color: #3752ff;
}

.popup {
    width: 300px;
    background-color: #e0e0e0;
    border: 2px outset #fff;
    position: absolute;
    top: 100px;
    left: 100px;
    display: none;
    z-index: 1000;
}
</style>
</head>
<body>

<div class="container">
  <!-- Columna Izquierda -->
  <div class="column">
    <div class="toc">
      <h2>the giver</h2>

```

```
<ul>we</ul>
<ul>are</ul>
<ul>so</ul>
<ul>back</ul>
</div>
```

```
<div class="image-section">
  
</div>
<div class="bottom">
  
</div>
```

```
<div class="buttons">
  <a href="when.html" class="boton-link">when</a>
</div>
</div>
```

```
<!-- Columna Derecha -->
<div class="column">
  <div class="toc">
    <h2>the taker</h2>
    <ul>it</ul>
    <ul>is</ul>
    <ul>so</ul>
    <ul>over</ul>
  </div>
```

```
<div class="image-section">
  
</div>
<div class="bottom">
  
</div>
```

```
<div class="buttons">
  <a href="future.html" class="boton-link">how</a>
</div>
</div>
</div>
```

```
</body>
</html>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
```



```

<meta name="viewport" content="width=device-width, initial-scale=1.0"/>
<title>pastandfuture</title>
<link rel="stylesheet" href="when.css" />
</head>
<body>
  <div class="background">
    <div class="half left"></div>
    <div class="half right"></div>
  </div>

  <div class="button-container">
    <a href="hall.html" class="split-button left-button">it is behind us now</a>
    <a href="palim.html" class="split-button right-button">it will happen when you least
expect it</a>
  </div>
</body>
</html>

```

```

<!DOCTYPE html>
<html lang="es">
<head>
  <meta charset="UTF-8">
  <title>Visiones</title>
  <style>
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }
    html, body {
      height: 100%;
      overflow: hidden;
      font-family: Arial, sans-serif;
    }
    .container {
      display: flex;
      height: 100vh;
      width: 100vw;
    }
    .left, .right {
      width: 50%;
      height: 100%;
    }
    .left {
      overflow-y: scroll;
      background-color: #000;
    }
  </style>

```

```

.left img {
  width: 100%;
  display: block;
}
.right {
  display: flex;
  flex-direction: column;
}
.navbar {
  background-color: #ffffff;
  color: rgb(0, 0, 0);
  padding: 1em;
  display: flex;
  justify-content: center;
  gap: 3em;
}
.navbar a {
  color: rgb(0, 0, 0);
  text-decoration: none;
  font-family: monospace;
}
.navbar a:hover {
  text-decoration: underline;
}
.content {
  flex-grow: 1;
  overflow-y: scroll;
  padding: 1em;
  background-color: #ffffff;
  text-align: justify;
  white-space: pre-wrap; /* respeta saltos de línea del .txt */
  font-family: monospace;
}
</style>
</head>
<body>
<div class="container">
  <div class="left">
    
  </div>
  <div class="right">
    <div class="navbar">
      <a href="index.html">REGRET</a>
      <a href="spawn.html">SPAWN</a>
      <a href="letter.html">LETTER</a>
      <a href="#" class="menu-item" onclick="openHelp()">HELP</a>
    </div>
  </div>
</div>

```

```

    </div>
    <div class="content">
      <div class="content" id="texto"></div>
    </div>
  </div>
</div>
<script>
  // Cargar visiones.txt y mostrarlo en el div
  fetch('visiones.txt')
    .then(response => {
      if (!response.ok) {
        throw new Error("No se pudo cargar visiones.txt");
      }
      return response.text();
    })
    .then(data => {
      document.getElementById('texto').textContent = data;
    })
    .catch(error => {
      document.getElementById('texto').textContent = "Error al cargar el texto: " +
error.message;
    });
</script>

```

```

  <script src="future.js"></script>
</body>
</html>
<!DOCTYPE html>
<html lang="es">
<head>
  <meta charset="UTF-8">
  <title>neurons</title>
  <style>
    html, body {
      margin: 0;
      padding: 0;
      width: 100%;
      height: 100%;
      background-color: rgb(0, 0, 0);
    }
  </style>
  #grid {
    width: 100vw;
    height: 100vh; /* Altura total menos el espacio superior */
    margin-top: 10px; /* Espacio desde arriba */
    display: flex;
    grid-template-columns: repeat(5, 1fr);
  }

```

```
    grid-template-rows: repeat(4, 1fr);
    gap: 10;
}

.gif-box {
    position: relative;
    width: 100%;
    height: 100%;
    overflow: hidden;
}

.gif-box img {
    width: 100%;
    height: 100%;
    object-fit: cover;
    pointer-events: none;
}

.gif-overlay {
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    cursor: pointer;
}

.gif-box:hover img {
    display: none;
    transition: opacity 0.5s ease;
    opacity: 0;
}

.gif-box:hover::before {
    content: "";
    background-image: url(imagenes/palimpblanco.jpg);
    background-size: cover;
    background-position: center;
    display: block;
    width: 100%;
    height: 100%;
    filter: grayscale(1);
}
</style>
</head>
<body>
```

```
<div id="grid">  
  <!-- 20 contenedores con el gif -->  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  <div class="gif-box"></div>  
  
<!DOCTYPE html>  
<html lang="en">  
<head>  
  <meta charset="UTF-8" />  
  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>  
  <title>letter</title>  
  <style>  
    html, body {  
      height: 100%;  
      margin: 0;  
      background-color: #000000;  
      display: flex;  
      justify-content: center;  
      align-items: center;  
      font-family: sans-serif;  
      text-align: center;  
    }  
  
    .scroll-box {  
      width: 10cm;  
      height: 10cm;  
      background-color: white;  
      padding: 1rem;
```

```

    overflow-y: auto;
    border: 2px solid rgb(255, 254, 254);
    box-shadow: 0 0 40px rgb(255, 255, 255);
    color: black;
}

/* Opcional: estilizar el texto cargado */
.scroll-box pre {
    white-space: pre-wrap;
    word-wrap: break-word;
}
</style>
</head>
<body>

<div class="scroll-box" id="text-box">
    <pre>Cargando texto...</pre>
</div>

<script>
    fetch('letter.txt')
    .then(response => response.text())
    .then(data => {
        document.getElementById('text-box').innerHTML = `<pre>${data}</pre>`;
    })
    .catch(error => {
        document.getElementById('text-box').innerHTML = `<pre>No se pudo cargar el
texto.</pre>`;
        console.error('Error al cargar el archivo:', error);
    });
</script>

</body>
</html>

```