

---

# User manual of RasPy

*Release 0.0.1*

**bibi21000**

January 11, 2015



<b>1</b>	<b>Installation</b>	<b>1</b>
1.1	Raspbian . . . . .	1
1.2	Update packages . . . . .	1
1.3	Download it . . . . .	1
1.4	Configure your system . . . . .	1
1.5	Installation . . . . .	2
1.6	Run the tests . . . . .	2
1.7	Start it . . . . .	2
1.8	Read the doc . . . . .	2
<b>2</b>	<b>Use it !!</b>	<b>3</b>



---

## Installation

---

### 1.1 Raspbian

Install official raspbian from here : <http://www.raspbian.org/>.

Newbies can install it from : <http://www.raspberrypi.org/downloads/>.

Developpers or others can also install it on standard distributions (Ubuntu, Debian, RedHat, ...).

### 1.2 Update packages

You can now update packages

```
sudo apt-get -y update
sudo apt-get -y dist-upgrade
```

We need to install some packages to download and build RasPy:

```
sudo apt-get -y install build-essential python-dev python-minimal python python2.7-dev python2.7-r
```

Some packages need to be removed as new versions are available from eggs :

```
sudo apt-get remove python-zmq libzmq1 libzmq-dev python-nose pylint
```

### 1.3 Download it

You should now download RasPy using git. You should not download and install RasPy with root user. Ideally, you should create a special user for running RasPy or the pi user. Keep in mind root is baaaddddd.

```
git clone https://github.com/bibi21000/RasPy.git
```

### 1.4 Configure your system

- access rights
- sudo nopasswd
- ...

## 1.5 Installation

If you want to develop for RasPy, you need to install it in develop mode :

```
sudo make develop
```

Otherwise install it normally

```
sudo make install
```

And be patient ... installation need to compile zmq ... It takes a while

## 1.6 Run the tests

You can now check that everything is fine running the tests :

```
make tests
```

If it fails ... run it again :) At last, copy / paste the full screen output and send it to the core team.

## 1.7 Start it

In the next monthes, you should be able to start it :

```
make start
```

## 1.8 Read the doc

- [docs/pdf](#)
- [docs/html](#)

---

**Use it !!**

---