✦ FREE DOWNLOAD

3 Natural GLP-1 Habits for Stable Energy

Start today. No pills. No diet.

WHAT YOU WILL GET:

⚡ *Fewer 4pm cravings — from week one*

🔋 *Stable energy after meals — no extra coffee*

😌 *Less bloating and real satiety*

🧠 *Understand why your body does what it does*

A starter guide. Your hormonal balance is possible.

Does this sound familiar?

CHECK WHAT YOU RECOGNISE IN YOURSELF:

- ✓ You're hungry again 2 hours after eating, even after a full meal
- ✓ Cravings hit you at 4-5pm, especially for something sweet
- ✓ Your energy crashes after lunch — you need coffee or sugar to keep going
- ✓ You eat reasonably well but your weight doesn't budge
- ✓ You feel bloated regularly, especially in the afternoon
- ✓ You've tried diets and nothing works long-term

You are not broken. Your body is sending a signal nobody taught you to read.

What you describe is the classic pattern of **low GLP-1** — your natural satiety hormone. When it works, everything clicks. When it fails, nothing does.

The good news: **you can activate it again.** No pills. With specific habits science has studied for years.

What is GLP-1 and why does it matter?

Your gut produces **GLP-1** naturally every time you eat. It is your body's "I'm full" signal. Ozempic works by mimicking it artificially — you can activate the real thing.

WHAT IT DOES WHEN WORKING WELL:

🧠 Tells your brain you're full — before you overeat

📊 Stabilises blood sugar — no spikes or crashes

🔥 Reduces cravings — especially for sweet and processed foods

⚡ Regulates energy — no mid-afternoon slumps

Ozempic costs €200/month and has side effects.
Your natural GLP-1 is free and you already have it.

From 35 onwards — especially in perimenopause — GLP-1 drops along with oestrogen. It is not your fault. **It is biology. And it has a solution.**

📚 *Holst JJ. Physiol Rev. 2007 · Malin SK et al. J Clin Endocrinol Metab. 2018*

3 habits that activate your GLP-1 today

1 🌾 Protein + Fibre first

Start every meal with protein and vegetables **before the carbs**. This order reduces the glucose spike by up to 75% and activates GLP-1 before blood sugar rises.

→ *TODAY: have Greek yoghurt + seeds before anything else*

📚 Shukla AP, BMJ Open Diab. 2017

2 🚶 10 minutes walking after eating

A gentle walk after eating raises GLP-1 by up to **30%** according to clinical trials. No gym needed. Just move.

→ *TODAY: walk for 10 min after your main meal*

📚 Solomon TP, Diabetologia. 2008

3 🧘 One moment of calm per day

Cortisol directly suppresses GLP-1. **5 minutes of deep breathing**, a walk in nature or music you love activates your satiety hormone through your mind.

→ *TODAY: schedule one calming practice — anything works*

📚 Kiefer M, Psychoneuroendocrinology. 2005

*Start with **one** today. That is enough.*

What women notice

WEEK 1

"Fewer 4pm cravings. I was surprised to find myself eating less without trying."

WEEK 2

"More stable energy after eating. I no longer need afternoon coffee."

WEEK 3

"My trousers fit differently. And I feel less bloated throughout the day."

YOU TRIED THE 3 HABITS!
Ready for your COMPLETE 7-DAY PLAN?

- *Shopping list with local alternatives included*
- *21 GLP-1 meals already planned for you*
- *Substitutes if something is missing*
- *4pm cravings reset routine*
- *Bonus: 7 days free in Lumera app*

LAUNCH PRICE

GLP-1 Natural Complete | 7-Day Plan · Only €6.99

Instant download · No subscription

— or —

TRY FREE FOR 3 DAYS

Get your hormonal balance with LUMI

getlumera.app · No card needed

✦ *Lumera — Science and care designed for you*