Open Source Software

Prof. Dr. Dirk Riehle

Friedrich-Alexander University Erlangen-Nürnberg

COSS C01

Licensed under CC BY 4.0 International

Agenda

- 1. Legal definition (open source software)
- 2. A (very) short history
- 3. Traditional open source
- 4. Challenges to traditional open source
- 5. Open source foundations
- 6. Open source control mechanisms
- 7. Community vs. commercial open source


1. What is Open Source Software?

Free and Open Source Software Definition

- Software is free software [1] if
 - The user is granted rights to
 - Use, study, modify, and distribute the software
 - Free of charge and other restrictions
- Managed by the Free Software Foundation

- Software is open source software [2] if
 - The user is granted rights to
 - Use, modify, and distribute the software
 - Free of charge and other restrictions
- Managed by the Open Source Initiative





For all practical purposes, free and open source software are the same

Example Open Source Software

























The MIT License (Template)

- 1 Copyright <YEAR> <COPYRIGHT HOLDER>
- Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:
- The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.
- THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Anatomy of Open Source Licenses

1. Copyright notice

The name of the owner and when this work was created and updated

2. Rights grant

The rights granted to a user if they fulfill obligations matching the use-case

3. Obligations to fulfill

A set of obligations (requirements) before the rights grant becomes valid

4. Prohibitions (none in the MIT license)

A set of things the user is prohibited from


5. Disclaimer

The usual disclaimer of warranties, guarantees, etc.


The Most Common Obligations

- Legal notices
 - Provide attribution
 - Provide license text
 - Provide disclaimers
 - Provide additional notices
- Copyleft


Open Source License Categories and Families



Distribution and Rights Propagation



The Open Source Software Supply Chain



2. A (Very) Short History


Short History of Open Source

- 1960-1979: Not-born-yet (the first era) [LT02]
 - Little or no recognition of software as intellectual property
 - Free sharing of source code, allowing for rapid diffusion and innovation
- 1980-1989: Philosophy (the second era)
 - Founding of the Free Software Foundation by Richard Stallman in 1985
 - Invention of GNU public license for "freeing software"
- 1990-1999: Pragmatism (the third era)
 - Founding of Open Source Initiative in 1998, increased pragmatism
 - Start of growth in number of projects as well as open source licenses
- 2000-2009: Professionalization (the fourth era)
 - Professionalization of open source, away from pure volunteerism
 - Increased focus on commercialization
- 2010-today: Mainstream (the current era)
 - Continued strong growth, simplified access, improved tooling
 - Open source as an on-ramp to the cloud

Sustainable Open Source Projects

- Non-profit open source organizations
 - Confederated community projects [1]
 - Open source vendor-led foundations
 - Open source user-led foundations
- For-profit open source firms
 - Single-vendor open source firms
 - Open source distributor firms
 - Service and support firms

Open Source Project Strata and History



Commercial Open Source Startups © 2020 Dirk Riehle - Some Rights Reserved

3. Traditional Open Source Software

Aspects of an Open Source Project [1]

- Name
- License / rights
- Place

The Name of an Open Source Project

- Uniquely identifies project
- Ideally supported by place / domain
- Should be trademarked
- Often visually supported







The License of an Open Source Project


2009			
Name	Market Share		
GNU General Public License (GPL) 2.0	52.20%		
GNU Lesser General Public License (LGPL) 2.1	9.84%		
Artistic License (Perl)	9.01%		
BSD License 2.0	6.27%		
GNU General Public License (GPL) 3.0	4.15%		
Code Project Open 1.02 License	3.59%		
Apache License 2.0	3.58%		
MIT License	3.32%		
Mozilla Public License (MPL) 1.1	1.25%		
Common Public License (CPL)	0.64%		
zlib/libpng License	0.51%		
Academic Free License	0.43%		
Eclipse Public License (EPL)	0.40%		
Open Software License (OSL)	0.37%		
GNU Lesser General Public License (LGPL) 3.0	0.37%		
Mozilla Public License (MPL) 1.0	0.30%		
PHP License Version 3.0	0.28%		
Ruby License	0.26%		
Sun Berkeley License (BSD 2+)	0.18%		
Common Development and Distribution License	0.16%		
	Name GNU General Public License (GPL) 2.0 GNU Lesser General Public License (LGPL) 2.1 Artistic License (Perl) BSD License 2.0 GNU General Public License (GPL) 3.0 Code Project Open 1.02 License Apache License 2.0 MIT License Mozilla Public License (MPL) 1.1 Common Public License (CPL) zlib/libpng License Academic Free License Eclipse Public License (EPL) Open Software License (OSL) GNU Lesser General Public License (LGPL) 3.0 Mozilla Public License (MPL) 1.0 PHP License Version 3.0 Ruby License Sun Berkeley License (BSD 2+)		

2016

	20.0	
#	Name	Market Share
1	GNU General Public License (GPL) 2.0	25%
2	MIT License	19%
3	Apache License 2.0	16%
4	GNU General Public License (GPL) 3.0	10%
5	BSD License 2.0 (3-clause, New or Revised)	7%
6	Artistic License (Perl)	5%
7	GNU Lesser General Public License (LGPL) 2.1	5%
8	GNU Lesser General Public License (LGPL) 3.0	2%
9	Microsoft Public License	2%
10	Eclipse Public License (EPL)	2%
11	Code Project Open License 1.02	1%
12	Mozilla Public License (MPL) 1.1	< 1%
13	Simplified BSD LIcense (BSD)	< 1%
14	Common Development and Distribution License	< 1%
15	GNU Affero General Public License v3 or later	< 1%
16	Microsoft Reciprocal License	< 1%
17	Sun GPL with Classpath Exception v2.0	< 1%
18	CDDL-1.1	< 1%
19	zlib/libpng License	< 1%
20	Common Public License (CPL)	< 1%

The Place of an Open Source Project


- Wants to be found
- Wants to explain itself
- Needs to market itself.
- Where work gets done




4. Challenges to Traditional Open Source


Challenges to Traditional Open Source

- Challenges to using open source code
 - Ensuring license compliance
 - Ensuring clean intellectual property
 - Managing security vulnerabilities
 - Managing the technical dependency
- Challenges to contributing to project
 - Avoiding abuse of contributions
 - Maintaining your interests
- Challenges to building a business
 - Ensuring access to trademarks



Ensuring License Compliance





/system/bin/appwidget

0


/system/bin/atrace

/system/bin/bmgr

/system/bin/bzip2

/svstem/bin/bu

<



Notices for file(s):

/system/bin/bzip2 /system/lib/libbz.a

This program, "bzip2", the associated library documentation, are copyright (C) 1996-2010 Ju rights reserved.


Redistribution and use in source and binary f modification, are permitted provided that the are met:

- Redistributions of source code must retain notice, this list of conditions and the fo
- The origin of this software must not be mi not claim that you wrote the original soft software in a product, an acknowledgment i documentation would be appreciated but is
- Altered source versions must be plainly ma not be misrepresented as being the origina
- The name of the author may not be used to products derived from this software withou permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIM WARRANTIES OF MERCHANTABILITY AND FITNESS FOR ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCU

0

<



The following files are from the open source project (git://w1.fi/srv/git/hostap.git)

wlantest_ctrl.h
wpa_ctrl.c
wpa_ctrl.h

These are redistributed using the BSD license

Copyright (c) 2003-2012, Jouni Malinen <j@w1. All Rights Reserved.

This software may be distributed, used, and ${\tt m}$ BSD license:


Redistribution and use in source and binary ${\bf f}$ modification, are permitted provided that the met:

- Redistributions of source code must retain notice, this list of conditions and the fo
- Redistributions in binary form must reprod notice, this list of conditions and the fo documentation and/or other materials provi
- Neither the name(s) of the above-listed co names of its contributors may be used to e derived from this software without specifi


THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HO
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHAN
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EV
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIREC
SPECIAL. EXEMPLARY, OR CONSEQUENTIAL DAMAGES




Ensuring Clean Intellectual Property [1]



Managing Security Vulnerabilities [1]



Managing the Technical Dependency (Maintaining Your Interests)



Ensuring Access to Trademarks (Maintaining Your Interests)













5. Open Source Foundations

Developer-led Open Source Foundations [R10a]

- An developer-led open source foundation is
 - a **non-profit organization** (foundation, consortium)
 - with the purpose of managing and performing the development of
 - non-differentiating open source software
 - made available to foundation members and the general public
- Typical members of a developer-led foundation are
 - Individual developers
 - Software vendors
 - Service providers
 - Consulting firms

Example Developer-led Open Source Foundations


















































Motivation for Developer-led Foundations

- 1. Support and protect people and their projects
 - Protect developers from lawsuits
 - Accept donations; manage books
 - Legally represent project interests
- 2. Create a stronger more competitive ecosystem
 - Increase share of customer wallet
 - Reach more price-sensitive customers
 - Grow addressable market
- 3. Create a fair and equal playing field for members
 - Regulate access to intellectual property
 - Regulate access to marketing channels
 - Regulate product roadmap and development

The Apache Software Foundation [A10]

The Apache Software Foundation [...] provides an established framework for intellectual property and financial contributions that simultaneously limits contributors potential legal exposure. Through a collaborative and meritocratic development process, Apache projects deliver [...] software products [...]

Increase Share of Customer Wallet



"Ganging Up On The 800lb Gorilla"




















Wordpress Foundation [M10b]

The point of the foundation is to ensure free access, in perpetuity, to the software projects [...] As part of this mission, the Foundation will be **responsible for protecting the WordPress, WordCamp, and related trademarks.** A 501(c)3 non-profit organization [...]

Types of Open Source Foundations



6. Open Source Control Mechanisms

Control Points and Steering Mechanisms [R11]

1. Intellectual property control

- 1. Copyright control
- 2. Patent ownership
- 3. Trademark control
- 4. Domain ownership

2. Position of power control

- 1. Social leadership
- 2. Committer rights

Copyright Control and How it Can be Used

- Set-up
 - You are the only party with full copyright or relicensing right
 - Use a contributor (license) agreement to receive these rights from contributors
- Power
 - You can change the license going forward
 - Including to no open source license at all

Patent Ownership and How it Can be Used

- Set-up
 - You register critical patents used in the software
 - You chose a license without a patent usage rights grant
- Power
 - You can selectively keep people and companies from using the software
 - Or charge for the patent usage right

Trademark Control and How it Can be Used

- Set-up
 - You own one or all relevant trademarks
 - In open source, these are mostly textual and visual marks (logos)
- Power
 - You can pull trademark usage right permissions
 - You force the project to fork and start a new identity

Domain Ownership and How it Can be Used

- Set-up
 - You own the domain and/or identifying properties
 - Related properties are social media accounts etc.
- Power
 - Your can pull access to domains and accounts
 - You force the project to fork and start a new identity

Social Leadership and How it Can be Used

- Set-up
 - You are one or the recognized leader of a project
 - You do not have to be a developer, you just need the social recognition
- Power
 - You can split the project community, diminishing its power
 - You can keep unwanted people out of the project

Committer Rights and How it Can be Used

- Set-up
 - You are a committer (core developer) of the project
- Power
 - You can vote to keep unwanted people out of the project
 - You can delay or reject unwanted contributions
 - You lead the technical direction of the project

Control Points and Steering Mechanisms are Negotiation Tools

- You cannot retroactively revoke the open source license
- Your opponents can always (threaten) fork the project

7. Community vs. Commercial Open Source

Definition of Commercial Open Source

- Commercial open source software is open source software that
 - Is being managed and developed by one or more software vendors
 - For the purposes of generating revenues through derived products
- A commercial open source software vendor is a software vendor that
 - Manages and develops commercial open source software
- The product itself, sold by a vendor, is never open source software

Community vs. Commercial Open Source

	Community Open Source		Commercial
	Traditional	Foundation	Open Source
Copyright control	Distributed	Foundation	Company
Patent ownership	Individual	Agreement	Company
Trademark control	Individual, if any	Foundation	Company
Domain ownership	Individual	Foundation	Company
Social leadership	Distributed	Distributed	Company
Committer rights	Earned	Earned	Assigned

Summary

- 1. Legal definition (open source software)
- 2. A (very) short history
- 3. Traditional open source
- 4. Challenges to traditional open source
- 5. Open source foundations
- 6. Open source control mechanisms
- 7. Community vs. commercial open source

Thank you! Questions?

dirk.riehle@fau.de – http://osr.cs.fau.de

dirk@riehle.org – http://dirkriehle.com – @dirkriehle

Credits and License

- Original version
 - © 2020 Dirk Riehle, some rights reserved
 - Licensed under Creative Commons Attribution 4.0 International License
- Contributions
 - None yet