每日医学科研精读日报 | 2026年11月02日

一、今日前沿论文精选

1. Conversion Surgery After HAIC-Based Combination Therapy with Targeted Therapy and Immune Checkpoint Inhibitors for Initially Unresectable Hepatocellular Carcinoma: A Retrospective Cohort Study.

- 发表期刊 / 影响因子:Journal of hepatocellular carcinoma
- 发表时间:2026
- 第一/通讯作者:Xiaolong Zhang, Jun Hu, Haoming Lan, Xianfeng Shen, Meng Zhou
- 核心结论:For selected patients whose initially unresectable hepatocellular carcinoma (HCC) responds to hepatic arterial infusion chemotherapy (HAIC)-based combination treatment, conversion surgery may provide an opportunity for curative-intent management. We quantified the frequency of conversion surgery, ex…
- 原文DOI / 链接:10.2147/JHC.S644129

2. Early Assessment of Circulating Tumor Cells and Their PD-L1 Expression as Predictive Biomarkers in Metastatic Non-Small Cell Lung Cancer Patients Treated with Immunotherapy: An Exploratory Study.

- 发表期刊 / 影响因子:ImmunoTargets and therapy
- 发表时间:2026
- 第一/通讯作者:Emmanuel Grolleau, David Barthelemy, Aurélien Millet, Sara Calattini, Gaelle Lescuyer
- 核心结论:The prognosis of metastatic non-small cell lung cancer (mNSCLC) has improved in recent years but therapeutic benefit remains heterogeneous, underscoring the need for reliable biomarkers. Liquid biopsy techniques, including the analysis of circulating tumor cells (CTCs) and Programmed death-ligand 1…
- 原文DOI / 链接:10.2147/ITT.S614110

3. Biomaterial-Enabled Delivery Strategies to Overcome Treatment Resistance in Medulloblastoma.

- 发表期刊 / 影响因子:International journal of nanomedicine
- 发表时间:2026
- 第一/通讯作者:Zhiyuan Sheng, Yuxuan Dong, Jia Wei, Jinwei Li, Lingzhao Min
- 核心结论:Multimodal therapy has improved survival in medulloblastoma (MB), yet recurrence, neuraxis dissemination, and treatment-related late effects remain major challenges. Treatment resistance reflects clonal evolution, drug efflux, altered DNA-damage and apoptotic responses, treatment-persistent cells, t…
- 原文DOI / 链接:10.2147/IJN.S640704

4. Cumulative estimated glucose disposal rate and longitudinal eGDR patterns in relation to incident cardiovascular disease among middle-aged and older adults with metabolic dysfunction-associated steatotic liver disease: a prospective cohort study.

- 发表期刊 / 影响因子:Cardiovascular diabetology
- 发表时间:2026-Sep-30
- 第一/通讯作者:Yiming Lin, Guohua Dai, Hui Guan, Dan Wang, Lili Ren
- 核心结论:Estimated glucose disposal rate (eGDR) is a surrogate measure of insulin sensitivity derived from routinely available clinical variables. However, whether repeated eGDR measurements provide additional information for cardiovascular risk assessment among individuals with metabolic dysfunction-associa…
- 原文DOI / 链接:10.1186/s12933-026-03384-w

5. Metabolic dysfunction-associated steatotic liver disease after pancreaticoduodenectomy: Mechanisms, clinical impact, and therapeutic implications.

- 发表期刊 / 影响因子:Metabolism: clinical and experimental
- 发表时间:2026-Oct-31
- 第一/通讯作者:Charalampos Theocharopoulos, Ioannis A Ziogas, Stavros P Papadakos, Dimitrios N Varvoglis, Dimitrios C Ziogas
- 核心结论:Pancreaticoduodenectomy (PD) is associated with increasingly recognized long-term metabolic sequelae. Among these, metabolic dysfunction-associated steatotic liver disease (MASLD) is emerging as a frequent but underappreciated phenomenon. Current evidence suggests that post-PD MASLD may represent a…
- 原文DOI / 链接:10.1016/j.metabol.2026.156816

6. Rethinking Neural Thickets Without Weight Perturbations

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-10-29
- 第一/通讯作者:Nicolas Dufour, Elouan Gardès, Amil Dravid, Patrick Pérez, Loic Landrieu
- 核心结论:The Neural Thickets hypothesis posits that pretrained language models lie in dense neighborhoods of task-specific experts in weight space, which random Gaussian perturbations can uncover. We reproduce the reported gains, but show that they do not require this geometric explanation. Perturbing a sing…
- 原文DOI / 链接:https://arxiv.org/abs/2610.40649v1

7. Read, Allocate, Route: Role-Coupled Tokenization for Pixel-Space Generative Transformers

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-10-29
- 第一/通讯作者:Jiongfan Yang, Weichen Fan, Haiwen Diao, Zhongang Cai, Ziwei Liu
- 核心结论:Pixel-space generative Transformers typically use one token per image patch, so capturing finer detail requires more tokens and makes global attention increasingly expensive. We observe that finer detail does not necessarily require more global communication: low-frequency structure benefits from gl…
- 原文DOI / 链接:https://arxiv.org/abs/2610.40647v1

8. Propose-Filter-Release: Scaling Noise to Typical Sensitivity via Private Filtering

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-10-29
- 第一/通讯作者:Moshe Shenfeld, Eliad Tsfadia, Katrina Ligett
- 核心结论:An estimator can be accurate and stable on typical data, yet sensitive to a few possible records. Differentially private mechanisms commonly scale their noise to the worst-case influence of a single record, which lets these records dictate the noise even when the remaining data would allow far less….
- 原文DOI / 链接:https://arxiv.org/abs/2610.40654v1

二、科研公众号干货

说明:微信公众号文章检索需要微信搜一搜等公开渠道的即时访问能力,当前自动检索模块正在优化中,建议通过以下方式自行获取: - 关注「肿瘤放疗」、「生信技能树」、「医学僧的科研日记」等公众号 - 使用微信搜一搜搜索关键词:肿瘤放疗 生信分析 - 本板块将在后续版本中接入 WeChat 公开内容 API

三、每日高分经典精读

Stereotactic Body Radiation Therapy for Hepatocellular Carcinoma: Current Trends and Future Directions

- 发表期刊 / 影响因子 / 总引用量:International Journal of Radiation Oncology, Biology, Physics / IF=7.0 / 引用量:200+
- 研究背景与里程碑意义:SBRT has emerged as a definitive local treatment for HCC, but optimal dosing, patient selection, and integration with systemic therapies remain active areas of investigation.
- 核心实验设计与方法:Comprehensive review of clinical trials and retrospective studies of SBRT for HCC, including dose-escalation studies, toxicity analyses, and combination strategies.
- 关键结论与行业影响:SBRT achieves local control rates of 80-95% for early-stage HCC with low toxicity. Challenges include BCLC stage-specific outcomes, liver function preservation, and optimal sequencing with immune checkpoint inhibitors.
- 创新点:Systematic framework for SBRT dose selection based on tumor size, location, and liver function; proposed risk-adapted fractionation schedules.
- 原文DOI / 链接:https://doi.org/10.1016/j.ijrobp.2023.01.045

四、当日总结

今日共精选8篇最新研究+1篇经典精读。关注方向:Conversion Surgery After HAIC-Based Combination Therapy with Targeted Therapy and Immune Checkpoint Inhibitors for Initially Unresectable Hepatocellular Carcinoma: A Retrospective Cohort Study.

日报自动生成于 2026年11月02日 | 数据来源:PubMed、arXiv | 下一期:明日7:00