

一、今日前沿论文精选

1. A Multimethod Evaluation to Assess Feasibility, Acceptability, and Preliminary Efficacy of HPVvaxFacts, a Tailored Mobile Web App, for Parents With Unvaccinated Children: Pilot 2-Arm Randomized Controlled Trial.

- 发表期刊 / 影响因子:JMIR cancer
- 发表时间:2026-Sep-09
- 第一/通讯作者:Jennifer Cunningham-Erves, Pamela C Hull, Amanda F Dempsey, Tatsuki Koyama, Lili Sun
- 核心结论:Mobile health (mHealth) interventions may improve provider-parent communication on human papillomavirus (HPV) vaccination to reduce concerns, and increase intention and uptake. HPVvaxFacts (233 Analytics) is a novel, mobile web app delivering tailored education based on the Health Belief Model and T...
- 原文DOI / 链接:10.2196/78910

2. Predicting Targeted and Immunotherapeutic Response Outcomes in Melanoma With Single-Cell Raman Spectroscopy and Artificial Intelligence.

- 发表期刊 / 影响因子:JCO precision oncology
- 发表时间:2026
- 第一/通讯作者:Kai Chang, Mamatha Serasanambati, Baba Ogunlade, Hsiu-Ju Hsu, James Agolia
- 核心结论:Identifying reliable predictors of immunotherapeutic response in melanoma remains an outstanding challenge. Existing transcriptomic and proteomic profiling methods for the tumor-immune microenvironment are costly and may not faithfully capture modifications actively affecting tumor behavior. Here, w...
- 原文DOI / 链接:10.1200/PO-25-00591

3. Personalized Circulating Tumor DNA Analysis for Predicting Outcomes and Tracking Response to Radiotherapy and Pembrolizumab in Localized Sarcomas: Analysis of the SU2C-SARC032 Trial.

- 发表期刊 / 影响因子:Journal of clinical oncology : official journal of the American Society of Clinical Oncology
- 发表时间:2026-Sep-09
- 第一/通讯作者:Ajay Subramanian, Serey C L Nouth, Neda Nemat-Gorgani, Shaghayegh Soudi, Karla V Ballman
- 核心结论:Circulating tumor DNA (ctDNA) holds promise for prognostication and disease monitoring in solid tumors. However, rare and heterogenous tumors with low mutational burden like soft tissue sarcomas (STS) present a technical challenge for ctDNA analysis. We investigated the ability of personalized ctDNA...
- 原文DOI / 链接:10.1200/JCO-26-00769

4. Dysregulated m6A via compensatory arginine methylation primes premalignancy in metabolic dysfunction-associated steatotic liver disease.

- 发表期刊 / 影响因子:Science advances
- 发表时间:2026-Sep-11
- 第一/通讯作者:Geun-Woo D Kim, Dahee Choi, Soo-Young Kim, Haengdueng Jeong, Geon Kang
- 核心结论:Hepatocellular carcinoma (HCC) originates from premalignant disease-associated hepatocytes (daHeps) that emerge during the progression of metabolic dysfunction-associated steatotic liver disease (MASLD) to metabolic dysfunction-associated steatohepatitis (MASH). As daHeps are compensatorily primed b...
- 原文DOI / 链接:10.1126/sciadv.aec5094

5. Environmental PFOA exposure and the risk of metabolic dysfunction-associated steatotic liver disease: An integrated computational toxicology and multi-omics study.

- 发表期刊 / 影响因子:PloS one
- 发表时间:2026
- 第一/通讯作者:Tianyu Zhang, Yu Yuan, Chunli Lin, Chao Song, Tianrong Liao
- 核心结论:Perfluorooctanoic acid (PFOA), a pervasive environmental pollutant, has been implicated in hepatic injury and metabolic dysfunction. However, its role as an environmental risk factor in the pathogenesis of Metabolic Dysfunction-Associated Steatotic Liver Disease (MASLD) remains incompletely understo...
- 原文DOI / 链接:10.1371/journal.pone.0357970

6. TANGO: Humanoid Navigation in Cluttered Environments with a Whole-Body Vision-Language-Action Model

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-09-08
- 第一/通讯作者:Anqi Li, Yuxin Chen, Zhaobo Li, Zhuo Cao, Junli Ren
- 核心结论:We study the problem of navigating cluttered indoor environments with a humanoid robot. Unlike conventional methods that model navigation as a 2D path planning problem, humanoid traversal in cluttered environments requires continuous geometry-aware whole-body adaptation, including coordinated arm pl...
- 原文DOI / 链接:https://arxiv.org/abs/2609.09158v1

7. Procedural Graphs: Self-Evolving Execution Structures for LLM Agents

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-09-08
- 第一/通讯作者:Yuxing Lu, Yicheng Chen, Shanchan Wu, Sercan Ö. Arık
- 核心结论:Large language models are increasingly deployed as agents that plan over long horizons and act through external tools. Most agents select actions through unconstrained generation over an accumulating history, leaving implicit the procedural knowledge of what to do, in what order, and under which con...
- 原文DOI / 链接:https://arxiv.org/abs/2609.09153v1

8. Learning Length-Extrapolatable Recurrent Models

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-09-08
- 第一/通讯作者:Hanwen Jiang
- 核心结论:Recurrent models provide a natural path to long-context modeling, yet models trained with backpropagation through time (BPTT) often fail beyond their training horizon. Classical analyses emphasize gradients that vanish or explode along temporal paths. However, dense per-token losses can still train...
- 原文DOI / 链接:https://arxiv.org/abs/2609.09157v1

二、科研公众号干货

说明:微信公众号文章检索需要微信搜一搜等公开渠道的即时访问能力,当前自动检索模块正在优化中,建议通过以下方式自行获取:- 关注「肿瘤放疗」、「生信技能树」、「医学僧的科研日记」等公众号 - 使用微信搜一搜搜索关键词:肿瘤放疗 生信分析 - 本板块将在后续版本中接入 WeChat 公开内容 API

三、每日高分经典精读

Metabolic dysfunction-associated steatotic liver disease (MASLD): a growing global health priority and a real challenge for the internist.

- 发表期刊 / 影响因子 / 总引用量:Internal and emergency medicine / 2026
- 研究背景与里程碑意义:MASLD has emerged as the most prevalent chronic liver disease worldwide, reflecting the global rise in metabolic disorders such as obesity and diabetes.
- 核心实验设计与方法:Narrative review of epidemiology, pathophysiology, diagnostic criteria, and management strategies for MASLD.
- 关键结论与行业影响:Internists play a central role in early detection and multidisciplinary management of MASLD to prevent progression to cirrhosis and hepatocellular carcinoma.
- 创新点:Pragmatic clinical framework for internists to screen, stage, and manage MASLD in routine practice.
- 原文DOI / 链接:https://doi.org/10.1007/s11739-026-04461-4

四、当日总结

今日共精选8篇最新研究+1篇经典精读。关注方向:A Multimethod Evaluation to Assess Feasibility, Acceptability, and Preliminary Efficacy of HPVvaxFacts, a Tailored Mobile Web App, for Parents With Unvaccinated Children: Pilot 2-Arm Randomized Controlled Trial.