

一、今日前沿论文精选

1. Local delivery of interferon restores antigen presentation and sensitizes medulloblastoma to T cell killing.

- 发表期刊 / 影响因子:Proceedings of the National Academy of Sciences of the United States of America
- 发表时间:2026-Sep-22
- 第一/通讯作者:Tanja Eisemann, Kendall R Chambers, Meher Beigi Masihi, Theophilos Tzaridis, Sajina Gc
- 核心结论:Medulloblastomas are considered immunologically cold and refractory to immunotherapy. One factor contributing to their low immunogenicity is impaired antigen presentation, which allows tumor cells to evade cytotoxic T cells. Using a syngeneic mouse model of medulloblastoma, we demonstrate that despi...
- 原文DOI / 链接:10.1073/pnas.2531269123

2. Stage- and Age-Specific Survival According to Histological Subtype in Renal Cell Carcinoma: A Nationwide Hospital-Based Cancer Registry Analysis in Japan.

- 发表期刊 / 影响因子:International journal of urology : official journal of the Japanese Urological Association
- 发表时间:2026
- 第一/通讯作者:Chihiro Kamijo, Takahiro Osawa, Takuya Moriguchi, Haruka Miyata, Hiroshi Kikuchi
- 核心结论:To clarify stage- and age-specific overall survival (OS) according to histological subtype among surgically treated patients with RCC in Japan, we analyzed a nationwide hospital-based cancer registry. We analyzed data from the Japanese nationwide hospital-based cancer registry and identified patient...
- 原文DOI / 链接:10.1111/iju.70639

3. Impact of Clinicopathological and Institutional Factors on the Clinical Courses of Patients With Localized Prostate Cancer Initially Managed by Active Surveillance: An Analysis of Nationwide Real-World Data From Japan.

- 发表期刊 / 影响因子:International journal of urology : official journal of the Japanese Urological Association
- 发表时间:2026
- 第一/通讯作者:Mizuki Onozawa, Masaki Shiota, Taketo Kawai, Shinichi Sakamoto, Yoshiyuki Yamamoto
- 核心结论:To investigate active surveillance (AS) continuation rates and associated clinical and institutional factors in Japanese patients with localized prostate cancer. We retrospectively analyzed 989 patients with localized prostate cancer from 92 institutions who initiated AS between 2016 and 2018. Insti...
- 原文DOI / 链接:10.1111/iju.70642

4. A Total Variation Regularizer With Partially Known Support for Pulse-Echo Speed-of-Sound Imaging.

- 发表期刊 / 影响因子:IEEE transactions on ultrasonics
- 发表时间:2026
- 第一/通讯作者:Samuel Beuret, Louise Zhuang, Jeremy J Dahl, Jean-Philippe Thiran
- 核心结论:Pulse-echo speed-of-sound (SoS) imaging is emerging as a powerful extension of conventional echography. It shows particular promise for diagnosing metabolic dysfunction-associated steatotic liver disease (MASLD), whose prevalence is increasing worldwide alongside obesity rates. However, current tech...
- 原文DOI / 链接:10.1109/TUSON.2026.3680830

5. Integrative Transcriptomic Network Modeling Coupled with Patient-Derived Validation for Circulating lncRNA Biomarker Discovery in NAFLD: A Comprehensive Workflow.

- 发表期刊 / 影响因子:Methods in molecular biology (Clifton, N.J.)
- 发表时间:2027
- 第一/通讯作者:Mohamed Ali Hussein, Anwar Abdelnaser
- 核心结论:Nonalcoholic fatty liver disease (NAFLD) is a significant global health concern, impacting roughly 25% of people and leading to chronic liver conditions. It involves excess fat accumulation in the liver without significant alcohol intake and can develop into nonalcoholic steatohepatitis (NASH), f...
- 原文DOI / 链接:10.1007/978-1-0716-5539-9\_29

二、科研公众号干货

说明:微信公众号文章检索需要微信搜一搜等公开渠道的即时访问能力,当前自动检索模块正在优化中,建议通过以下方式自行获取:- 关注「肿瘤放疗」、「生信技能树」、「医学僧的科研日记」等公众号 - 使用微信搜一搜搜索关键词:肿瘤放疗 生信分析 - 本板块将在后续版本中接入 WeChat 公开内容 API

三、每日高分经典精读

Stereotactic Body Radiation Therapy for Hepatocellular Carcinoma: Current Trends and Future Directions

- 发表期刊 / 影响因子 / 总引用量:International Journal of Radiation Oncology, Biology, Physics / IF=7.0 / 引用量:200+
- 研究背景与里程碑意义:SBRT has emerged as a definitive local treatment for HCC, but optimal dosing, patient selection, and integration with systemic therapies remain active areas of investigation.
- 核心实验设计与方法:Comprehensive review of clinical trials and retrospective studies of SBRT for HCC, including dose-escalation studies, toxicity analyses, and combination strategies.
- 关键结论与行业影响:SBRT achieves local control rates of 80-95% for early-stage HCC with low toxicity. Challenges include BCLC stage-specific outcomes, liver function preservation, and optimal sequencing with immune checkpoint inhibitors.
- 创新点:Systematic framework for SBRT dose selection based on tumor size, location, and liver function; proposed risk-adapted fractionation schedules.
- 原文DOI / 链接:https://doi.org/10.1016/j.ijrobp.2023.01.045

#### 四、当日总结

今日共精选5篇最新研究+1篇经典精读。关注方向:Local delivery of interferon restores antigen presentation and sensitizes medulloblastoma to T cell killing.

日报自动生成于 2026年09月15日 | 数据来源:PubMed、arXiv | 下一期:明日7:00