

一、今日前沿论文精选

1. [177Lu]Lu-DOTATATE Molecular Radiotherapy During Induction Chemotherapy for First-Line Stage 4 High-Risk Neuroblastoma in South African Children: Protocol for a Phase 1 Randomized Controlled Trial (LuDO-SA Trial).

- 发表期刊 / 影响因子:JMIR research protocols
- 发表时间:2026-Sep-30
- 第一/通讯作者:Jaques van Heerden, Mariana Kruger, Kershinee Reddy, Anel van Zyl, James Warwick
- 核心结论:In South Africa, the metastatic response rate for stage 4 high-risk neuroblastoma (HR-NB) to induction chemotherapy is lower than that of similar regimens in well-resourced settings. Augmenting current induction chemotherapy regimens with molecular radiotherapy, without increasing toxicity, is an at...
- 原文DOI / 链接:10.2196/93547

2. Risk stratification for distant metastasis after postoperative (chemo)radiotherapy in head and neck squamous cell carcinoma.

- 发表期刊 / 影响因子:Journal of radiation research
- 发表时间:2026-Sep-30
- 第一/通讯作者:Midori Yui, Yuhei Koike, Satoaki Nakamura, Sari Yamakawa, Ken Shigeyama
- 核心结论:With the emergence of immune checkpoint inhibitors for resectable locally advanced head and neck squamous cell carcinoma (HNSCC), identifying patients most likely to experience distant relapse after standard postoperative treatment has become increasingly important. The purpose of this study was to...
- 原文DOI / 链接:10.1093/jrr/rrag087

3. Definitive radiotherapy for early stage hypopharyngeal cancer (T1-2N0M0): a retrospective study of clinical outcomes and prognostic factors.

- 发表期刊 / 影响因子:Journal of radiation research
- 发表时间:2026-Sep-30
- 第一/通讯作者:Tsuyoshi Fukuzawa, Toshihisa Kuroki, Shigeto Kabuki, Yoshitsugu Matsumoto, Kenji Okami
- 核心结论:Hypopharyngeal carcinoma (HPC) is an aggressive malignancy that is often diagnosed at an advanced stage. Advances in narrowband imaging have increased the early detection rate of HPC. Definitive radiotherapy (RT) is a noninvasive, organ-preserving option recommended for early stage (T1-2N0M0) diseases...
- 原文DOI / 链接:10.1093/jrr/rrag088

4. Histologic Features and Clinical Outcomes of Lean Metabolic Dysfunction-Associated Steatotic Liver Disease.

- 发表期刊 / 影响因子:JAMA
- 发表时间:2026-Sep-30
- 第一/通讯作者:Leyla de Avila, Khalid M AlNaamani, Margarita Papatheodoridi, Salvatore Petta, Hannes Hagström
- 核心结论:Although metabolic dysfunction-associated steatotic liver disease (MASLD) is traditionally associated with obesity, it is increasingly recognized in individuals with normal weight (ie, lean MASLD). To characterize the clinical, histologic, and prognostic features of lean MASLD, and evaluate the perf...
- 原文DOI / 链接:10.1001/jama.2026.18491

5. Curcumin from Turmeric Alleviates Lipid Metabolism: Network Pharmacology and Cellular Validation.

- 发表期刊 / 影响因子:The American journal of Chinese medicine
- 发表时间:2026-Sep-30
- 第一/通讯作者:Li-Sha Niu, Yi-Zhe Zhang, Feng-Yang Wu, Wen-Hui Qi, Chi Ren
- 核心结论:Curcumin, the primary active compound in turmeric, a widely used medicinal and edible herb in traditional Chinese medicine, exhibits beneficial effects against lipid metabolic dysfunction (LMD). Nevertheless, its comprehensive regulatory network and precise mechanisms remain unclear. In this study,...
- 原文DOI / 链接:10.1142/S0192415X26500813

6. In a Streaming World, Should You Stand Still? A Comprehensive Benchmark of Anomaly Detection in Streams

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-09-30
- 第一/通讯作者:Magali Parrino, Antoine Ajenjo, Emmanuel Remy, Pierre Stephan, Pierre Senellart
- 核心结论:Time series anomaly detection (TSAD) is increasingly deployed in streaming settings, where data arrive sequentially and may exhibit non-stationarity. As a result, several works from the recent literature propose streaming anomaly detection methods that rely on incremental updates to adapt over time...
- 原文DOI / 链接:https://arxiv.org/abs/2609.39215v1

7. UniAE-MoE: A Unified Audio Encoder via Mixture of Experts

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-09-30
- 第一/通讯作者:Shengbo Cai, Zhisheng Zhang, Zichao Nie, Jing Peng, Jingran Xie
- 核心结论:Large Audio Language Models (LALMs) rely on effective audio encoders for multi-task performance. We introduce UniAE-MoE, a unified audio encoder designed to model cross-domain audio representations and achieve outstanding downstream understanding performance via a Mixture-of-Experts (MoE) architecture...
- 原文DOI / 链接:https://arxiv.org/abs/2609.39199v1

8. In a Streaming World, Should You Stand Still? A Comprehensive Benchmark of Anomaly Detection in Streams

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-09-30

- 第一/通讯作者:Magali Parrino, Antoine Ajenjo, Emmanuel Remy, Pierre Stephan, Pierre Senellart
- 核心结论:Time series anomaly detection (TSAD) is increasingly deployed in streaming settings, where data arrive sequentially and may exhibit non-stationarity. As a result, several works from the recent literature propose streaming anomaly detection methods that rely on incremental updates to adapt over time...
- 原文DOI / 链接:<https://arxiv.org/abs/2609.39215v1>

二、科研公众号干货

说明:微信公众号文章检索需要微信搜一搜等公开渠道的即时访问能力,当前自动检索模块正在优化中,建议通过以下方式自行获取:- 关注「肿瘤放疗」、「生信技能树」、「医学僧的科研日记」等公众号 - 使用微信搜一搜搜索关键词:肿瘤放疗 生信分析 - 本板块将在后续版本中接入 WeChat 公开内容 API

三、每日高分经典精读

Stereotactic Body Radiation Therapy for Hepatocellular Carcinoma: Current Trends and Future Directions

- 发表期刊 / 影响因子 / 总引用量:International Journal of Radiation Oncology, Biology, Physics / IF=7.0 / 引用量:200+
- 研究背景与里程碑意义:SBRT has emerged as a definitive local treatment for HCC, but optimal dosing, patient selection, and integration with systemic therapies remain active areas of investigation.
- 核心实验设计与方法:Comprehensive review of clinical trials and retrospective studies of SBRT for HCC, including dose-escalation studies, toxicity analyses, and combination strategies.
- 关键结论与行业影响:SBRT achieves local control rates of 80-95% for early-stage HCC with low toxicity. Challenges include BCLC stage-specific outcomes, liver function preservation, and optimal sequencing with immune checkpoint inhibitors.
- 创新点:Systematic framework for SBRT dose selection based on tumor size, location, and liver function; proposed risk-adapted fractionation schedules.
- 原文DOI / 链接:<https://doi.org/10.1016/j.ijrobp.2023.01.045>

四、当日总结

今日共精选8篇最新研究+1篇经典精读。关注方向:[177Lu]Lu-DOTATATE Molecular Radiotherapy During Induction Chemotherapy for First-Line Stage 4 High-Risk Neuroblastoma in South African Children: Protocol for a Phase 1 Randomized Controlled Trial (LuDO-SA Trial).