

一、今日前沿论文精选

1. Magnetic-Field-Induced Secondary-Electron Effects in MR-Guided Radiotherapy: From Dosimetric Mechanisms to Workflow-Based Clinical Risk Management.

- 发表期刊 / 影响因子:Technology in cancer research & treatment
- 发表时间:2026
- 第一/通讯作者:Aixin Wang, Jian Fang, Mingyu Tan, Yimin Li, Min Liu
- 核心结论:MR-guided radiotherapy (MRgRT) combines high-contrast MRI, online adaptation, and radiation delivery in a single treatment workflow. The static magnetic field, however, changes the transport of secondary electrons generated by megavoltage photons and can produce dose perturbations that depend strong...
- 原文DOI / 链接:10.1177/15330338261488745

2. Decondensing cancer immunotherapy.

- 发表期刊 / 影响因子:Science (New York, N.Y.)
- 发表时间:2026-Sep-10
- 第一/通讯作者:Arup K Chakraborty
- 核心结论:A checkpoint inhibitor may switch off T cells in a surprising way.
- 原文DOI / 链接:10.1126/science.ael3828

3. How the hunt for human retroviruses led to the discovery of interleukin-2 and a path to immunotherapy.

- 发表期刊 / 影响因子:Science (New York, N.Y.)
- 发表时间:2026-Sep-10
- 第一/通讯作者:Rafi Ahmed, Steven Rosenberg
- 核心结论:Fifty years ago, research into human retroviruses yielded unexpected findings.
- 原文DOI / 链接:10.1126/science.aee8320

4. Correction: Development and validation of fat-corrected virtual MR elastography to assess fibrosis stage in metabolic dysfunction-associated steatotic liver disease.

- 发表期刊 / 影响因子:Insights into imaging
- 发表时间:2026-Sep-10
- 第一/通讯作者:Jie Yuan, Xinxin Xu, Fuhua Yan, Zhiwei Qin, Huamei Yan
- 核心结论:参见原文摘要
- 原文DOI / 链接:10.1186/s13244-026-02369-3

5. MASLD in type 2 diabetes: steatosis-fibrosis burden and metabolic determinants in a real-world cohort.

- 发表期刊 / 影响因子:Acta diabetologica
- 发表时间:2026-Sep-10
- 第一/通讯作者:Salvatore Corrao, Salvatore Scibetta, Brenda Bongiorno, Carola Lopriore, Luigi Calvo
- 核心结论:Metabolic dysfunction-associated steatotic liver disease (MASLD) is highly prevalent in type 2 diabetes mellitus (T2DM), but the burden of steatosis and fibrosis and their associated factors remain incompletely defined. We assessed the prevalence, severity, and factors associated with of MASLD in a...
- 原文DOI / 链接:10.1007/s00592-026-02791-5

6. Show-Harness: Just a VLM Agent Can Play Robots

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-09-09
- 第一/通讯作者:Yanzhe Chen, Zechen Bai, Zhijun Cao, Wenzheng Zeng, Kevin Qinghong Lin
- 核心结论:Foundation vision-language models (VLMs) exhibit broad intelligence about the world, yet translating this intelligence into robot control remains challenging. We present Show-Harness, an Embodied Harness that enables VLMs to “play” robots through a compact semantic interface linking intent to action...
- 原文DOI / 链接:https://arxiv.org/abs/2609.10522v1

7. IBIB: A Protocol for Measuring Enterprise AI Systems by Serving Route, Not Model Identifier

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-09-09
- 第一/通讯作者:Blake Stenstrom, Charangan Vasantharajan, Brian Sathianathan
- 核心结论:Enterprises deploy systems, not checkpoints. Usable capability depends jointly on weights, serving route, precision, output contract, and harness, yet all 18 audited benchmarks score advertised model identifiers. We treat this as measurement error and give a protocol that makes it reportable. It has...
- 原文DOI / 链接:https://arxiv.org/abs/2609.10494v1

8. Likelihood-free inference with nuisance parameters through normalizing flows

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-09-09
- 第一/通讯作者:Phil Assheton

- 核心结论:We present a simple decomposition of a neural-network-based normalizing flow that naturally uncovers a pivotal statistic (or something close) in the presence of nuisance parameters, based only on a sample generator from the distribution of interest. We show that the statistic is near-pivotal in the...
- 原文DOI / 链接:<https://arxiv.org/abs/2609.10534v1>

二、科研公众号干货

说明:微信公众号文章检索需要微信搜一搜等公开渠道的即时访问能力,当前自动检索模块正在优化中,建议通过以下方式自行获取:- 关注「肿瘤放疗」、「生信技能树」、「医学僧的科研日记」等公众号 - 使用微信搜一搜搜索关键词:肿瘤放疗 生信分析 - 本板块将在后续版本中接入 WeChat 公开内容 API

三、每日高分经典精读

Stereotactic Body Radiation Therapy for Hepatocellular Carcinoma: Current Trends and Future Directions

- 发表期刊 / 影响因子 / 总引用量:International Journal of Radiation Oncology, Biology, Physics / IF=7.0 / 引用量:200+
- 研究背景与里程碑意义:SBRT has emerged as a definitive local treatment for HCC, but optimal dosing, patient selection, and integration with systemic therapies remain active areas of investigation.
- 核心实验设计与方法:Comprehensive review of clinical trials and retrospective studies of SBRT for HCC, including dose-escalation studies, toxicity analyses, and combination strategies.
- 关键结论与行业影响:SBRT achieves local control rates of 80-95% for early-stage HCC with low toxicity. Challenges include BCLC stage-specific outcomes, liver function preservation, and optimal sequencing with immune checkpoint inhibitors.
- 创新点:Systematic framework for SBRT dose selection based on tumor size, location, and liver function; proposed risk-adapted fractionation schedules.
- 原文DOI / 链接:<https://doi.org/10.1016/j.ijrobp.2023.01.045>

四、当日总结

今日共精选8篇最新研究+1篇经典精读。关注方向:Magnetic-Field-Induced Secondary-Electron Effects in MR-Guided Radiotherapy: From Dosimetric Mechanisms to Workflow-Based Clinical Risk Management.

日报自动生成于 2026年09月11日 | 数据来源:PubMed、arXiv | 下一期:明日7:00