

一、今日前沿论文精选

1. Central Nervous System Tumors Among Infants in Canada: A Report From CYP-C.

- 发表期刊 / 影响因子:Pediatric blood & cancer
- 发表时间:2026-Sep-17
- 第一/通讯作者:Samuel Sassine, Hallie Coltin, Sylvia Cheng, Lucie Lafay-Cousin, Vanan Issai Magimairajan
- 核心结论:Central nervous system (CNS) tumors in infants are rare, pose unique clinical challenges, and lack large-scale evidence-based data to guide management. This study seeks to describe CNS tumors in Canadian infants and to compare their outcomes with those of older children. We conducted a retrospective...
- 原文DOI / 链接:10.1002/1545-5017.70691

2. Multilevel factors associated with nonresponse to patient-reported outcome measures in routine radiation oncology care.

- 发表期刊 / 影响因子:Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation
- 发表时间:2026-Sep-17
- 第一/通讯作者:Jason B Liu, Yu-Jen Chen, Maria O Edelen, Andrea L Pusic, Neil E Martin
- 核心结论:Nonresponse to routinely collected patient-reported outcome measures (PROMs) threatens the representativeness of aggregated data. We characterized patient-, provider-, and clinic-level factors associated with PROMIS Global-10 nonresponse in routine radiation oncology care. In this retrospective cohort...
- 原文DOI / 链接:10.1007/s11136-026-04383-w

3. Cancer-Testis Antigens in Immuno Oncology Mechanisms Therapeutic Strategies and Clinical Perspectives.

- 发表期刊 / 影响因子:Journal of immunology research
- 发表时间:2026
- 第一/通讯作者:Ranran Shi, Ling Ran, Tiantian Song, Xiaowen Zhou, Wenshan Zhao
- 核心结论:Cancer-testis antigens (CTAs) represent a unique class of tumor-associated antigens (TAAs) with highly restricted expression in immune-privileged tissues and widespread aberrant activation in various malignancies. Their potent immunogenicity and tumor specificity make CTAs promising targets for cancer immunotherapy...
- 原文DOI / 链接:10.1155/jimr/8131644

4. Hepatic PDIA5 improves hyperglycaemia and insulin resistance through stabilisation of ATF6.

- 发表期刊 / 影响因子:Diabetologia
- 发表时间:2026-Sep-17
- 第一/通讯作者:Jintao Wan, Mingliang Zhang, Teng Ma, Qianqian Yang, Jinghao Cai
- 核心结论:Dysregulation of hepatic glucose production, primarily driven by aberrantly elevated gluconeogenesis, is a core pathological feature of type 2 diabetes. However, the molecular mechanisms governing this process remain incompletely understood. Protein disulfide isomerase A5 (PDIA5) is ubiquitously expressed in liver and improves hyperglycaemia and insulin resistance in mice...
- 原文DOI / 链接:10.1007/s00125-026-06862-8

5. Impact of Combination Therapy With Caffeine and Naringin on Insulin Resistance and Renal Function in a Nonalcoholic Fatty Liver Disease Rat Model.

- 发表期刊 / 影响因子:BioMed research international
- 发表时间:2026
- 第一/通讯作者:Mehrasa Azizollahi, Maedeh Ghasemi, Zahra Nasehi, Mahdi Amani, Fouzieh Zadhoush
- 核心结论:Chronic kidney disease (CKD) is a major global health concern, and evidence indicates that non-alcoholic fatty liver disease (NAFLD) independently increases its risk and progression. This connection involves shared pathways such as chronic inflammation, oxidative stress, and insulin resistance, which are exacerbated in NAFLD...
- 原文DOI / 链接:10.1155/bmri/9927792

6. Objective vs. Search: Decomposing What Makes a Good Tokeniser

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-09-16
- 第一/通讯作者:Ahmetcan Yavuz, Clara Meister, Tiago Pimentel
- 核心结论:Two dominant tokenisation algorithms are used by modern language models: byte-pair encoding (BPE) and UnigramLM. These differ along two orthogonal axes: their optimisation objective (compression vs. log-likelihood) and their search procedure (bottom-up merging vs. top-down pruning). Existing comparisons have not systematically evaluated these differences...
- 原文DOI / 链接:https://arxiv.org/abs/2609.19145v1

7. A Zeroth-Order Paradigm for LLM Preference Alignment

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-09-16
- 第一/通讯作者:Peter Chen, Xi Chen, Wotao Yin, Tianyi Lin
- 核心结论:Direct preference alignment methods are widely used to align large language models (LLMs) with human preferences because of their computational and memory efficiency. However, likelihood displacement motivates alternative ways to extract information from preference pairs with small likelihood margin...
- 原文DOI / 链接:https://arxiv.org/abs/2609.19144v1

8. A Zeroth-Order Paradigm for LLM Preference Alignment

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-09-16

- 第一/通讯作者:Peter Chen, Xi Chen, Wotao Yin, Tianyi Lin
- 核心结论:Direct preference alignment methods are widely used to align large language models (LLMs) with human preferences because of their computational and memory efficiency. However, likelihood displacement motivates alternative ways to extract information from preference pairs with small likelihood margin...
- 原文DOI / 链接:<https://arxiv.org/abs/2609.19144v1>

二、科研公众号干货

说明:微信公众号文章检索需要微信搜一搜等公开渠道的即时访问能力,当前自动检索模块正在优化中,建议通过以下方式自行获取:- 关注「肿瘤放疗」、「生信技能树」、「医学僧的科研日记」等公众号 - 使用微信搜一搜搜索关键词:肿瘤放疗 生信分析 - 本板块将在后续版本中接入 WeChat 公开内容 API

三、每日高分经典精读

Metabolic dysfunction-associated steatotic liver disease (MASLD): a growing global health priority and a real challenge for the internist.

- 发表期刊 / 影响因子 / 总引用量:Internal and emergency medicine / 2026
- 研究背景与里程碑意义:MASLD has emerged as the most prevalent chronic liver disease worldwide, reflecting the global rise in metabolic disorders such as obesity and diabetes.
- 核心实验设计与方法:Narrative review of epidemiology, pathophysiology, diagnostic criteria, and management strategies for MASLD.
- 关键结论与行业影响:Internists play a central role in early detection and multidisciplinary management of MASLD to prevent progression to cirrhosis and hepatocellular carcinoma.
- 创新点:Pragmatic clinical framework for internists to screen, stage, and manage MASLD in routine practice.
- 原文DOI / 链接:<https://doi.org/10.1007/s11739-026-04461-4>

四、当日总结

今日共精选8篇最新研究+1篇经典精读。关注方向:Central Nervous System Tumors Among Infants in Canada: A Report From CYP-C.

日报自动生成于 2026年09月18日 | 数据来源:PubMed、arXiv | 下一期:明日7:00