每日医学科研精读日报 | 2026年10月29日

一、今日前沿论文精选

1. Immunotherapy With Stereotactic Body Radiation Therapy in Early-Stage Non-Small Cell Lung Cancer: Matching Risk, Biology, and Timing.

- 发表期刊 / 影响因子:Journal of clinical oncology : official journal of the American Society of Clinical Oncology
- 发表时间:2026-Oct-28
- 第一/通讯作者:Narek Shaverdian, Gregory J Riely
- 核心结论:参见原文摘要
- 原文DOI / 链接:10.1200/JCO-26-01966

2. Framework for Health Technology Assessment for Universal Cancer Care in India.

- 发表期刊 / 影响因子:JCO global oncology
- 发表时间:2026
- 第一/通讯作者:Nidhi Gupta, Gaurav Jyani, Shankar Prinja
- 核心结论:India faces a growing cancer burden, with late diagnosis, high treatment costs, and out-of-pocket expenditure posing challenges to achieving universal cancer care (UCC). This paper examines the role of health technology assessment (HTA) in informing priority setting, strategic purchasing, and resour…
- 原文DOI / 链接:10.1200/GO-26-00071

3. KEYNOTE-867: A Phase III, Randomized, Double-Blind Study of Stereotactic Body Radiotherapy With Pembrolizumab for Unresected Stage I or II Non-Small Cell Lung Cancer.

- 发表期刊 / 影响因子:Journal of clinical oncology : official journal of the American Society of Clinical Oncology
- 发表时间:2026-Oct-28
- 第一/通讯作者:Salma K Jabbour, Szabolcs Sótér, Michael Eaton, Gabriella Gálffy, Dariusz Kowalski
- 核心结论:Stereotactic body radiotherapy (SBRT) is standard of care for inoperable stage I or II non-small cell lung cancer (NSCLC). KEYNOTE-867 (ClinicalTrials.gov identifier: NCT03924869) evaluated the addition of pembrolizumab to SBRT in participants diagnosed with stage I or II NSCLC that was inoperable o…
- 原文DOI / 链接:10.1200/JCO-26-00404

4. Emerging insights into PPARα’s role in lean metabolic dysfunction-associated steatotic liver disease: Implications for targeted therapies.

- 发表期刊 / 影响因子:Acta pharmaceutica Sinica. B
- 发表时间:2026
- 第一/通讯作者:Yafei Yang, Furong Zhang, Zhuang Peng, Yafei Wu, Ling Li
- 核心结论:Lean metabolic dysfunction-associated steatotic liver disease (MASLD), defined as hepatic steatosis in individuals with normal BMI (<25 kg/m2 in non-Asians; <23 kg/m2 in Asians), is a clinically paradoxical phenotype in which patients face risks of progressive fibrosis, cardiovascular events, and li…
- 原文DOI / 链接:10.1016/j.apsb.2026.06.029

5. Gut-liver axis and intestinal microbiota: Key targets of herbal medicines in treatment of MASLD/MASH.

- 发表期刊 / 影响因子:Chinese herbal medicines
- 发表时间:2026
- 第一/通讯作者:Yiqin Mao, Caihong Wei, Yi Zhang, Yiqin Zheng, Ruifeng Ji
- 核心结论:Metabolic dysfunction-associated steatotic liver disease (MASLD) and metabolic dysfunction-associated steatohepatitis (MASH) represent globally prevalent chronic hepatic conditions, in which gut dysbiosis acts as a key pathogenic driver through dysregulation of the gut-liver axis. Herbal medicines (…
- 原文DOI / 链接:10.1016/j.chmed.2026.08.017

6. Honeycomb-Surfels: Compact Hexagonal Primitives for Efficient Scene Rendering and Reconstruction

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-10-27
- 第一/通讯作者:Prakhar Kaushik, Soumava Paul, Alan Yuille
- 核心结论:Novel view synthesis and 3D reconstruction have advanced rapidly with radiance fields and splatting, yet their memory and computational demands limit their use in resource-constrained settings. We introduce Hexels: novel planar hexagonal surface elements with a first-order spatial color field for ef…
- 原文DOI / 链接:https://arxiv.org/abs/2610.37668v1

7. ThinkWorld: World Imagination Reinforces Chain-of-Dynamics Reasoning

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-10-27
- 第一/通讯作者:Chaehyun Kim, Chi-Pin Huang, Jisoo Kim, Min-Hung Chen, Yu-Chiang Frank Wang
- 核心结论:Vision-Language-Action (VLA) models have made substantial progress in robotic manipulation, but their generalization remains constrained by the diversity and coverage of action-labeled robot demonstrations. Human videos provide much broader behavioral and environmental experience, while learning fro…
- 原文DOI / 链接:https://arxiv.org/abs/2610.37666v1

8. Honeycomb-Surfels: Compact Hexagonal Primitives for Efficient Scene Rendering and Reconstruction

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-10-27
- 第一/通讯作者:Prakhar Kaushik, Soumava Paul, Alan Yuille

- 核心结论:Novel view synthesis and 3D reconstruction have advanced rapidly with radiance fields and splatting, yet their memory and computational demands limit their use in resource-constrained settings. We introduce Hexels: novel planar hexagonal surface elements with a first-order spatial color field for ef…
- 原文DOI / 链接:https://arxiv.org/abs/2610.37668v1

二、科研公众号干货

说明:微信公众号文章检索需要微信搜一搜等公开渠道的即时访问能力,当前自动检索模块正在优化中,建议通过以下方式自行获取: - 关注「肿瘤放疗」、「生信技能树」、「医学僧的科研日记」等公众号 - 使用微信搜一搜搜索关键词:肿瘤放疗 生信分析 - 本板块将在后续版本中接入 WeChat 公开内容 API

三、每日高分经典精读

Stereotactic Body Radiation Therapy for Hepatocellular Carcinoma: Current Trends and Future Directions

- 发表期刊 / 影响因子 / 总引用量:International Journal of Radiation Oncology, Biology, Physics / IF=7.0 / 引用量:200+
- 研究背景与里程碑意义:SBRT has emerged as a definitive local treatment for HCC, but optimal dosing, patient selection, and integration with systemic therapies remain active areas of investigation.
- 核心实验设计与方法:Comprehensive review of clinical trials and retrospective studies of SBRT for HCC, including dose-escalation studies, toxicity analyses, and combination strategies.
- 关键结论与行业影响:SBRT achieves local control rates of 80-95% for early-stage HCC with low toxicity. Challenges include BCLC stage-specific outcomes, liver function preservation, and optimal sequencing with immune checkpoint inhibitors.
- 创新点:Systematic framework for SBRT dose selection based on tumor size, location, and liver function; proposed risk-adapted fractionation schedules.
- 原文DOI / 链接:https://doi.org/10.1016/j.ijrobp.2023.01.045

四、当日总结

今日共精选8篇最新研究+1篇经典精读。关注方向:Immunotherapy With Stereotactic Body Radiation Therapy in Early-Stage Non-Small Cell Lung Cancer: Matching Risk, Biology, and Timing.
