

一、今日前沿论文精选

1. A real-world study of patients with FGFR-altered advanced solid tumors after exhaustion of standard-of-care treatment.

- 发表期刊 / 影响因子:Cancer research communications
- 发表时间:2026-Oct-01
- 第一/通讯作者:Levon Demirdjian, Hussein Sweiti, Raymond Harvey, Kristopher Standish, Nicole Stone
- 核心结论:Real-world outcomes data for patients with fibroblast growth factor receptor (FGFR) gene-alteration-positive (FGFRalt) advanced/metastatic solid tumors after standard-of-care (SOC) exhaustion are lacking. De-identified data from a custom-curated Flatiron Health-Foundation Medicine Clinico-Genomic da...
- 原文DOI / 链接:10.1158/2767-9764.CRC-26-0233

2. Daily image-guided carbon ion stereotactic radiotherapy of hepatocellular carcinoma: paving the way for MR-guided online adaptive treatment.

- 发表期刊 / 影响因子:Radiation oncology (London, England)
- 发表时间:2026-Oct-01
- 第一/通讯作者:Sebastian Regnery, Rita Pestana, Thomas Mielke, Philipp Hoegen-Saßmannshausen, Hanna Waldsperger
- 核心结论:We aim to quantify the dosimetric benefits of daily online adaptive (DOA) carbon ion stereotactic radiotherapy (CISR) in hepatocellular carcinoma (HCC). 13 patients received 4 × 10.5 Gy (RBE-weighted dose) CISR to 14 HCC lesions in challenging locations (N = 10: liver dome, N = 3: < 1 cm from intest...
- 原文DOI / 链接:10.1186/s13014-026-02928-4

3. Tonicity drives collecting duct maturation in the mammalian kidney.

- 发表期刊 / 影响因子:Nature communications
- 发表时间:2026-Oct-02
- 第一/通讯作者:Daisuke Inoue, Koichiro Miike, Shunsuke Tanigawa, Kei-Ichiro Yasunaga, Rae Maeda
- 核心结论:Organ maturation is a fundamental biological process and a major challenge for organoid-based regenerative medicine. During kidney maturation, osmolality increases in the renal medulla for urine concentration, yet whether this extreme environment conversely contributes to kidney maturation remains u...
- 原文DOI / 链接:10.1038/s41467-026-77903-4

4. Diagnostic performance of FIB-6 for identifying FibroScan-defined advanced fibrosis in Metabolic Dysfunction-Associated Steatotic Liver Disease (MASLD): a cross-sectional diagnostic accuracy study.

- 发表期刊 / 影响因子:BMC gastroenterology
- 发表时间:2026-Aug-21
- 第一/通讯作者:Hossein Bagheri, Niloofar Seighali, Mohammad Sadra Gholami-Chahkand, Mahmood Bakhtiyari, Fateme Seighali
- 核心结论:Metabolic dysfunction-associated steatotic liver disease (MASLD) is a major cause of chronic liver disease worldwide. Accurate non-invasive identification of advanced fibrosis is essential for risk stratification and management. The Fibrosis-6 (FIB-6) score is a recently developed serum-based index,...
- 原文DOI / 链接:10.1186/s12876-026-05245-y

5. Comorbid Cardiovascular-Liver Disease Disparities: Current Understanding and Future Directions.

- 发表期刊 / 影响因子:Current cardiology reports
- 发表时间:2026-Oct-03
- 第一/通讯作者:Abdelrahman Hafez, Mohamed Nour, Ramzi Ibrahim, Jenna Othman, Mohamed Reyad Mohamed
- 核心结论:Metabolic dysfunction-associated steatotic liver disease (MASLD) is a prevalent chronic liver disease and a multisystem cardiometabolic disorder. Cardiovascular disease (CVD) is a major cause of morbidity and mortality in this population. This review examines disparities in the recognition and manag...
- 原文DOI / 链接:10.1007/s11886-026-02426-9

6. One Basis to Animate Them All: Gaussian Blendshape Distillation for Real-Time Avatars

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-10-01
- 第一/通讯作者:Ramazan Fazylov, Stamatis Lefkimmatis, Ivan Laptev
- 核心结论:3D Gaussian avatars support fast rendering, however, their real-time animation is often challenged by the costly neural inference. We address this bottleneck and show that the animation of pretrained avatar models can be closely approximated by a linear combination of identity-independent blendshape...
- 原文DOI / 链接:https://arxiv.org/abs/2610.02207v1

7. KaliBench: A Fine-Grained Benchmark for Cybersecurity Tool Use on Kali Linux with Runtime-Free Verifiable Rewards

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-10-01
- 第一/通讯作者:Pengfei Li, Naufal Suryanto, Sicheng Zhang, Muzammal Naseer
- 核心结论:LLMs are increasingly applied to cybersecurity workflows, where they are expected to translate analysts' intent into tool invocations. However, existing evaluations focus on knowledge-based assessments or end-to-end agentic tasks, and do not directly measure LLMs' ability to generate executable comm...
- 原文DOI / 链接:https://arxiv.org/abs/2610.02206v1

8. One Basis to Animate Them All: Gaussian Blendshape Distillation for Real-Time Avatars

- 发表期刊 / 影响因子:arXiv Preprint
- 发表时间:2026-10-01
- 第一/通讯作者:Ramazan Fazylov, Stamatis Lefkimmatis, Ivan Laptev

- 核心结论:3D Gaussian avatars support fast rendering, however, their real-time animation is often challenged by the costly neural inference. We address this bottleneck and show that the animation of pretrained avatar models can be closely approximated by a linear combination of identity-independent blendshape...
- 原文DOI / 链接:<https://arxiv.org/abs/2610.02207v1>

二、科研公众号干货

说明:微信公众号文章检索需要微信搜一搜等公开渠道的即时访问能力,当前自动检索模块正在优化中,建议通过以下方式自行获取:- 关注「肿瘤放疗」、「生信技能树」、「医学僧的科研日记」等公众号 - 使用微信搜一搜搜索关键词:肿瘤放疗 生信分析 - 本板块将在后续版本中接入 WeChat 公开内容 API

三、每日高分经典精读

Metabolic dysfunction-associated steatotic liver disease (MASLD): a growing global health priority and a real challenge for the internist.

- 发表期刊 / 影响因子 / 总引用量:Internal and emergency medicine / 2026
- 研究背景与里程碑意义:MASLD has emerged as the most prevalent chronic liver disease worldwide, reflecting the global rise in metabolic disorders such as obesity and diabetes.
- 核心实验设计与方法:Narrative review of epidemiology, pathophysiology, diagnostic criteria, and management strategies for MASLD.
- 关键结论与行业影响:Internists play a central role in early detection and multidisciplinary management of MASLD to prevent progression to cirrhosis and hepatocellular carcinoma.
- 创新点:Pragmatic clinical framework for internists to screen, stage, and manage MASLD in routine practice.
- 原文DOI / 链接:<https://doi.org/10.1007/s11739-026-04461-4>

四、当日总结

今日共精选8篇最新研究+1篇经典精读。关注方向:A real-world study of patients with FGFR-altered advanced solid tumors after exhaustion of standard-of-care treatment.