

TS_Customer_Register

Execution Environment

Host name	Hp - Admin-PC
Local OS	Windows 10 64bit
Katalon version	9.7.2.223
Browser	Chrome 131.0.0.0
Device name	

Summary

ID	Test Suites/TS_Customer_Register		
Description			
Total	8		
Passed	5	Failed	3
Error	0	Incomplete	0
Skipped	0		
Start	23-11-2024 20:39:19	End	23-11-2024 20:47:37
Elapsed	8m - 17.430s		

#	ID	Description	Status
1	Test Cases/Customer Register/CR_Leave required fields blank		PASSED
2	Test Cases/Customer Register/CR_Email address is not in correct format		PASSED
3	Test Cases/Customer Register/CR_Email address already exists	Condition email: khanhbm@gmail.com already exists in the Customer table database.	PASSED
4	Test Cases/Customer Register/CR_Check phone number validity	Check if the Phone Number is valid (contains only numeric characters from 0-9, no spaces and is 10-15 characters long)	FAILED
5	Test Cases/Customer Register/CR_Check the validity of the zip code	Check for a valid Zip Code (only includes numeric characters from 0-9, no spaces and must be 6 characters long)	FAILED
6	Test Cases/Customer Register/CR_Check strong password	A strong password must be at least 8 characters long and contain at least 1 uppercase letter, 1 lowercase letter, 1 number, and 1 special character.	FAILED
7	Test Cases/Customer Register/CR_Check password and retype password to match		PASSED
8	Test Cases/Customer Register/CR_Account registration successful		PASSED

CR_Leave required fields blank

Information

ID	Test Cases/Customer Register/CR_Leave required fields blank		
Description			
Tag			
Start	23-11-2024 20:39:20	End	23-11-2024 20:40:22
Elapsed	1m - 2.742s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	37.254s	PASSED
2	click(findTestObject("Customer_Register/a_Register")) Object: 'Object Repository/Customer_Register/a_Register' is clicked on	7.258s	PASSED
3	setText(findTestObject("Customer_Register/input_Full Name"), fullname) Text " is set on object 'Object Repository/Customer_Register/input_Full Name'	1.057s	PASSED
4	setText(findTestObject("Customer_Register/input_Company Name"), company_name) Text " is set on object 'Object Repository/Customer_Register/input_Company Name'	0.664s	PASSED
5	setText(findTestObject("Customer_Register/input_Email Address"), email_address) Text " is set on object 'Object Repository/Customer_Register/input_Email Address'	0.705s	PASSED
6	setText(findTestObject("Customer_Register/input_Phone Number"), phone_number) Text " is set on object 'Object Repository/Customer_Register/input_Phone Number'	0.851s	PASSED
7	setText(findTestObject("Customer_Register/textarea_Address"), address) Text " is set on object 'Object Repository/Customer_Register/textarea_Address'	0.780s	PASSED

CR_Leave required fields blank

#	Description	Elapsed	Status
8	setText(findTestObject("Customer_Register/input_Country"), country) Text " is set on object 'Object Repository/Customer_Register/input_Country'	0.784s	PASSED
9	setText(findTestObject("Customer_Register/input_City"), city) Text " is set on object 'Object Repository/Customer_Register/input_City'	0.764s	PASSED
10	setText(findTestObject("Customer_Register/input_State"), state) Text " is set on object 'Object Repository/Customer_Register/input_State'	0.720s	PASSED
11	setText(findTestObject("Customer_Register/input_Zip Code"), zip_code) Text " is set on object 'Object Repository/Customer_Register/input_Zip Code'	0.690s	PASSED
12	setText(findTestObject("Customer_Register/input_Password"), password) Text " is set on object 'Object Repository/Customer_Register/input_Password'	0.747s	PASSED
13	setText(findTestObject("Customer_Register/input_Retype Password"), repassword) Text " is set on object 'Object Repository/Customer_Register/input_Retype Password'	0.776s	PASSED
14	fullName = getAttribute(findTestObject("Customer_Register/input_Full Name"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Full Name' is: "	0.321s	PASSED
15	emailAddress = getAttribute(findTestObject("Customer_Register/input_Email Address"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Email Address' is: "	0.281s	PASSED
16	phoneNumber = getAttribute(findTestObject("Customer_Register/input_Phone Number"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Phone Number' is: "	0.311s	PASSED

CR_Leave required fields blank

#	Description	Elapsed	Status
17	address = getText(findTestObject("Customer_Register/textarea_Address")) Text of object 'Object Repository/Customer_Register/textarea_Address' is: "	0.314s	PASSED
18	country = getAttribute(findTestObject("Customer_Register/input_Country"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Country' is: "	0.297s	PASSED
19	city = getAttribute(findTestObject("Customer_Register/input_City"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_City' is: "	0.306s	PASSED
20	state = getAttribute(findTestObject("Customer_Register/input_State"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_State' is: "	0.296s	PASSED
21	zipCode = getAttribute(findTestObject("Customer_Register/input_Zip Code"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Zip Code' is: "	0.294s	PASSED
22	password = getAttribute(findTestObject("Customer_Register/input_Password"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Password' is: "	0.301s	PASSED
23	rePassword = getAttribute(findTestObject("Customer_Register/input_Retype Password"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Retype Password' is: "	0.309s	PASSED
24	click(findTestObject("Customer_Register/btn_Register_form1")) Object: 'Object Repository/Customer_Register/btn_Register_form1' is clicked on	5.458s	PASSED
25	expectedMessages = []	0.003s	PASSED

CR_Leave required fields blank

#	Description	Elapsed	Status
26	if (fullName == null trim().isEmpty())	0.016s	PASSED
27	if (emailAddress == null trim().isEmpty())	0.009s	PASSED
28	if (phoneNumber == null trim().isEmpty())	0.009s	PASSED
29	if (address == null trim().isEmpty())	0.005s	PASSED
30	if (country == null trim().isEmpty())	0.007s	PASSED
31	if (city == null trim().isEmpty())	0.006s	PASSED
32	if (state == null trim().isEmpty())	0.000s	PASSED
33	if (zipCode == null trim().isEmpty())	0.015s	PASSED
34	if (password == null trim().isEmpty())	0.008s	PASSED
35	if (rePassword == null trim().isEmpty())	0.011s	PASSED

CR_Leave required fields blank

#	Description	Elapsed	Status
36	<pre>actualMessage = getText(findTestObject("Object Repository/Customer_Register/div_Message Present"))</pre> <p>Text of object 'Object Repository/Customer_Register/div_Message Present' is: 'Customer Name can not be empty. Email Address can not be empty. Phone Number can not be empty. Address can not be empty. Country can not be empty. City can not be empty. State can not be empty. Zip Code can not be empty. Password can not be empty. Retype Password can not be empty.'</p>	0.350s	PASSED
37	<pre>actualMessages = toList().findAll({ -> ... })</pre>	0.034s	PASSED
38	<pre>if (actualMessages.size() != expectedMessages.size())</pre>	0.002s	PASSED
39	<pre>else</pre>	0.061s	PASSED
40	<pre>logInfo("All actual notifications match expectations.")</pre> <p>All actual notifications match expectations.</p>	0.013s	PASSED
41	<pre>Start listener action : sampleAfterTestCase</pre>	0.026s	PASSED

CR_Email address is not in correct format

Information

ID	Test Cases/Customer Register/CR_Email address is not in correct format		
Description			
Tag			
Start	23-11-2024 20:40:22	End	23-11-2024 20:41:10
Elapsed	47.798s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	24.455s	PASSED
2	click(findTestObject("Customer_Register/a_Register")) Object: 'Object Repository/Customer_Register/a_Register' is clicked on	5.735s	PASSED
3	setText(findTestObject("Customer_Register/input_Full Name"), fullname) Text 'Nguyen Hoang Minh Khanh' is set on object 'Object Repository/Customer_Register/input_Full Name'	0.952s	PASSED
4	setText(findTestObject("Customer_Register/input_Company Name"), company_name) Text 'ABNS' is set on object 'Object Repository/Customer_Register/input_Company Name'	0.748s	PASSED
5	setText(findTestObject("Customer_Register/input_Email Address"), email_address) Text 'khanhnhm.2.2@gmail.com' is set on object 'Object Repository/Customer_Register/input_Email Address'	0.708s	PASSED
6	setText(findTestObject("Customer_Register/input_Phone Number"), phone_number) Text '0866320960' is set on object 'Object Repository/Customer_Register/input_Phone Number'	0.907s	PASSED

CR_Email address is not in correct format

#	Description	Elapsed	Status
7	setText(findTestObject("Customer_Register/textarea_Address"), address) Text '256 To Hieu' is set on object 'Object Repository/Customer_Register/textarea_Address'	0.715s	PASSED
8	setText(findTestObject("Customer_Register/input_Country"), country) Text 'Viet Nam' is set on object 'Object Repository/Customer_Register/input_Country'	0.746s	PASSED
9	setText(findTestObject("Customer_Register/input_City"), city) Text 'Ho Chi Minh' is set on object 'Object Repository/Customer_Register/input_City'	0.771s	PASSED
10	setText(findTestObject("Customer_Register/input_State"), state) Text 'Tan Phu' is set on object 'Object Repository/Customer_Register/input_State'	0.739s	PASSED
11	setText(findTestObject("Customer_Register/input_Zip Code"), zip_code) Text '203044' is set on object 'Object Repository/Customer_Register/input_Zip Code'	0.923s	PASSED
12	setText(findTestObject("Customer_Register/input_Password"), password) Text 'Khanh@123' is set on object 'Object Repository/Customer_Register/input_Password'	0.784s	PASSED
13	setText(findTestObject("Customer_Register/input_Retype Password"), repassword) Text 'Khanh@123' is set on object 'Object Repository/Customer_Register/input_Retype Password'	0.724s	PASSED
14	email = getAttribute(findTestObject("Customer_Register/input_Email Address"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Email Address' is: 'khanhnhm.2.2@gmail.com'	0.289s	PASSED
15	click(findTestObject("Customer_Register/btn_Register_form1")) Object: 'Object Repository/Customer_Register/btn_Register_form1' is clicked on	5.878s	PASSED

CR_Email address is not in correct format

#	Description	Elapsed	Status
16	if (isValidEmail(email))	0.003s	PASSED
17	if (!(e.contains("@")))	0.005s	PASSED
18	parts = e.split("@")	0.004s	PASSED
19	if (length != 2)	0.003s	PASSED
20	user = parts[0]	0.013s	PASSED
21	domain = parts[1]	0.003s	PASSED
22	if (user.isEmpty() user.startsWith(".") user.endsWith("."))	0.002s	PASSED
23	for (char c : user.toCharArray())	0.024s	PASSED
24	if (domain.isEmpty() domain.startsWith(".") domain.endsWith("."))	0.007s	PASSED

CR_Email address is not in correct format

#	Description	Elapsed	Status
25	else Actual text 'Email address must be valid.' and expected text 'Email address must be valid.' are matched	0.788s	PASSED
26	delay(1) Delayed 1 second(s)	1.026s	PASSED
27	Start listener action : sampleAfterTestCase	0.000s	PASSED

CR_Email address already exists

Information

ID	Test Cases/Customer Register/CR_Email address already exists		
Description	Condition email: khanhbm@gmail.com already exists in the Customer table database.		
Tag			
Start	23-11-2024 20:41:10	End	23-11-2024 20:42:02
Elapsed	51.894s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	24.330s	PASSED
2	click(findTestObject("Customer_Register/a_Register")) Object: 'Object Repository/Customer_Register/a_Register' is clicked on	7.379s	PASSED
3	setText(findTestObject("Customer_Register/input_Full Name"), fullname) Text 'Ho Mai Khanh' is set on object 'Object Repository/Customer_Register/input_Full Name'	0.806s	PASSED
4	setText(findTestObject("Customer_Register/input_Company Name"), company_name) Text 'ANBC' is set on object 'Object Repository/Customer_Register/input_Company Name'	0.678s	PASSED
5	setText(findTestObject("Customer_Register/input_Email Address"), email_address) Text 'khanhbm@gmail.com' is set on object 'Object Repository/Customer_Register/input_Email Address'	0.665s	PASSED
6	setText(findTestObject("Customer_Register/input_Phone Number"), phone_number) Text '0866320660' is set on object 'Object Repository/Customer_Register/input_Phone Number'	0.911s	PASSED

CR_Email address already exists

#	Description	Elapsed	Status
7	setText(findTestObject("Customer_Register/textarea_Address"), address) Text '240 An Duong Vuong' is set on object 'Object Repository/Customer_Register/textarea_Address'	0.667s	PASSED
8	setText(findTestObject("Customer_Register/input_Country"), country) Text 'Viet Nam' is set on object 'Object Repository/Customer_Register/input_Country'	0.692s	PASSED
9	setText(findTestObject("Customer_Register/input_City"), city) Text 'Ho Chi Minh' is set on object 'Object Repository/Customer_Register/input_City'	0.705s	PASSED
10	setText(findTestObject("Customer_Register/input_State"), state) Text 'Quan 5' is set on object 'Object Repository/Customer_Register/input_State'	0.707s	PASSED
11	setText(findTestObject("Customer_Register/input_Zip Code"), zip_code) Text '880234' is set on object 'Object Repository/Customer_Register/input_Zip Code'	5.937s	PASSED
12	setText(findTestObject("Customer_Register/input_Password"), password) Text 'Khanh@112' is set on object 'Object Repository/Customer_Register/input_Password'	0.928s	PASSED
13	setText(findTestObject("Customer_Register/input_Retype Password"), repassword) Text 'Khanh@112' is set on object 'Object Repository/Customer_Register/input_Retype Password'	0.918s	PASSED
14	click(findTestObject("Customer_Register/btn_Register_form1")) Object: 'Object Repository/Customer_Register/btn_Register_form1' is clicked on	5.322s	PASSED
15	errorPresent = waitForElementPresent(findTestObject("Customer_Register/div_Message Present"), 1, OPTIONAL) Object 'Object Repository/Customer_Register/div_Message Present' is present	0.415s	PASSED

CR_Email address already exists

#	Description	Elapsed	Status
16	if (errorPresent)	0.310s	PASSED
17	Start listener action : sampleAfterTestCase	0.002s	PASSED

CR_Check phone number validity

Information

ID	Test Cases/Customer Register/CR_Check phone number validity		
Description	Check if the Phone Number is valid (contains only numeric characters from 0-9, no spaces and is 10-15 characters long)		
Tag			
Start	23-11-2024 20:42:02	End	23-11-2024 20:42:46
Elapsed	44.139s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	23.359s	PASSED
2	click(findTestObject("Customer_Register/a_Register")) Object: 'Object Repository/Customer_Register/a_Register' is clicked on	5.457s	PASSED
3	setText(findTestObject("Customer_Register/input_Full Name"), fullname) Text 'Nguyen Hoang Minh Khanh' is set on object 'Object Repository/Customer_Register/input_Full Name'	0.863s	PASSED
4	setText(findTestObject("Customer_Register/input_Company Name"), company_name) Text 'ABNS' is set on object 'Object Repository/Customer_Register/input_Company Name'	0.688s	PASSED
5	setText(findTestObject("Customer_Register/input_Email Address"), email_address) Text 'khanhnhm@gmail.com' is set on object 'Object Repository/Customer_Register/input_Email Address'	0.704s	PASSED
6	setText(findTestObject("Customer_Register/input_Phone Number"), phone_number) Text '03 24@73a7' is set on object 'Object Repository/Customer_Register/input_Phone Number'	0.797s	PASSED

CR_Check phone number validity

#	Description	Elapsed	Status
7	setText(findTestObject("Customer_Register/textarea_Address"), address) Text '123 Ly Thai To' is set on object 'Object Repository/Customer_Register/textarea_Address'	0.681s	PASSED
8	setText(findTestObject("Customer_Register/input_Country"), country) Text 'Viet Nam' is set on object 'Object Repository/Customer_Register/input_Country'	0.699s	PASSED
9	setText(findTestObject("Customer_Register/input_City"), city) Text 'Ho Chi Minh' is set on object 'Object Repository/Customer_Register/input_City'	0.669s	PASSED
10	setText(findTestObject("Customer_Register/input_State"), state) Text 'Quan 11' is set on object 'Object Repository/Customer_Register/input_State'	0.711s	PASSED
11	setText(findTestObject("Customer_Register/input_Zip Code"), zip_code) Text '110211' is set on object 'Object Repository/Customer_Register/input_Zip Code'	0.722s	PASSED
12	setText(findTestObject("Customer_Register/input_Password"), password) Text 'Khanh@112' is set on object 'Object Repository/Customer_Register/input_Password'	0.698s	PASSED
13	setText(findTestObject("Customer_Register/input_Retype Password"), repassword) Text 'Khanh@112' is set on object 'Object Repository/Customer_Register/input_Retype Password'	0.698s	PASSED
14	phoneNumber = getAttribute(findTestObject("Customer_Register/input_Phone Number"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Phone Number' is: '03 24@73a7'	0.288s	PASSED
15	click(findTestObject("Customer_Register/btn_Register_form1")) Object: 'Object Repository/Customer_Register/btn_Register_form1' is clicked on	5.960s	PASSED

CR_Check phone number validity

#	Description	Elapsed	Status
16	isLength = phoneNumber.length() >= 10 && phoneNumber.length() <= 15	0.002s	PASSED
17	isDigit = phoneNumber.isNumber()	0.003s	PASSED
18	hasWhiteSpace = phoneNumber.contains(" ")	0.003s	PASSED
19	messagePresent = waitForElementPresent(findTestObject("Customer_Register/div_Message Present"), 1) Object 'Object Repository/Customer_Register/div_Message Present' is present	0.386s	PASSED

CR_Check phone number validity

#	Description	Elapsed	Status
20	if (messagePresent) Unable to verify match between actual text 'Your registration is completed. Please check your email address to follow the process to confirm your registration.' and expected text 'Phone numbers must contain only numbers, be 10 - 15 characters long and contain no spaces.' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text 'Your registration is completed. Please check your email address to follow the process to confirm your registration.' and expected text 'Phone numbers must contain only numbers, be 10 - 15 characters long and contain no spaces.' are not matched at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57) at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch (VerifyMatchKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute (VerifyMatchKeyword.groovy:45) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords. groovy:78) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at CR_Check phone number validity.run(CR_Check phone number validity:66) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1732369155413.run(TempTestSuite1732369155413.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)	0.333s	FAILED

CR_Check phone number validity

#	Description	Elapsed	Status
)		
21	Start listener action : sampleAfterTestCase	0.001s	PASSED

CR_Check the validity of the zip code

Information

ID	Test Cases/Customer Register/CR_Check the validity of the zip code		
Description	Check for a valid Zip Code (only includes numeric characters from 0-9, no spaces and must be 6 characters long)		
Tag			
Start	23-11-2024 20:42:46	End	23-11-2024 20:43:46
Elapsed	59.560s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	38.179s	PASSED
2	click(findTestObject("Customer_Register/a_Register")) Object: 'Object Repository/Customer_Register/a_Register' is clicked on	5.896s	PASSED
3	setText(findTestObject("Customer_Register/input_Full Name"), fullname) Text 'Phan Dang Thanh Phu' is set on object 'Object Repository/Customer_Register/input_Full Name'	0.936s	PASSED
4	setText(findTestObject("Customer_Register/input_Company Name"), company_name) Text 'JJBC' is set on object 'Object Repository/Customer_Register/input_Company Name'	0.890s	PASSED
5	setText(findTestObject("Customer_Register/input_Email Address"), email_address) Text 'phupdt@gmail.com' is set on object 'Object Repository/Customer_Register/input_Email Address'	0.850s	PASSED
6	setText(findTestObject("Customer_Register/input_Phone Number"), phone_number) Text '0237345678' is set on object 'Object Repository/Customer_Register/input_Phone Number'	0.754s	PASSED

CR_Check the validity of the zip code

#	Description	Elapsed	Status
7	setText(findTestObject("Customer_Register/textarea_Address"), address) Text '11 An Duong Vuong' is set on object 'Object Repository/Customer_Register/textarea_Address'	0.637s	PASSED
8	setText(findTestObject("Customer_Register/input_Country"), country) Text 'Viet Nam' is set on object 'Object Repository/Customer_Register/input_Country'	0.665s	PASSED
9	setText(findTestObject("Customer_Register/input_City"), city) Text 'Ho Chi Minh' is set on object 'Object Repository/Customer_Register/input_City'	0.699s	PASSED
10	setText(findTestObject("Customer_Register/input_State"), state) Text 'Quan 5' is set on object 'Object Repository/Customer_Register/input_State'	0.706s	PASSED
11	setText(findTestObject("Customer_Register/input_Zip Code"), zip_code) Text '88ab3@' is set on object 'Object Repository/Customer_Register/input_Zip Code'	0.697s	PASSED
12	setText(findTestObject("Customer_Register/input_Password"), password) Text 'Thanhphu@12' is set on object 'Object Repository/Customer_Register/input_Password'	0.930s	PASSED
13	setText(findTestObject("Customer_Register/input_Retype Password"), repassword) Text 'Thanhphu@12' is set on object 'Object Repository/Customer_Register/input_Retype Password'	0.716s	PASSED
14	zipCode = getAttribute(findTestObject("Customer_Register/input_Zip Code"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Zip Code' is: '88ab3@'	0.325s	PASSED
15	click(findTestObject("Customer_Register/btn_Register_form1")) Object: 'Object Repository/Customer_Register/btn_Register_form1' is clicked on	5.533s	PASSED

CR_Check the validity of the zip code

#	Description	Elapsed	Status
16	isLength = zipCode.length() == 6	0.003s	PASSED
17	isDigit = zipCode.isNumber()	0.002s	PASSED
18	hasWhiteSpace = zipCode.contains(" ")	0.001s	PASSED
19	messagePresent = waitForElementPresent(findTestObject("Customer_Register/div_Message Present"), 1) Object 'Object Repository/Customer_Register/div_Message Present' is present	0.439s	PASSED

CR_Check the validity of the zip code

#	Description	Elapsed	Status
20	if (messagePresent) Unable to verify match between actual text 'Your registration is completed. Please check your email address to follow the process to confirm your registration.' and expected text 'Zip Code must contain only numbers, be 6 characters long and contain no spaces.' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text 'Your registration is completed. Please check your email address to follow the process to confirm your registration.' and expected text 'Zip Code must contain only numbers, be 6 characters long and contain no spaces.' are not matched at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57) at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch (VerifyMatchKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute (VerifyMatchKeyword.groovy:45) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords. groovy:78) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at CR_Check the validity of the zip code.run(CR_Check the validity of the zip code:63) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1732369155413.run(TempTestSuite1732369155413.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	0.304s	FAILED

CR_Check the validity of the zip code

#	Description	Elapsed	Status
	(DelegatingMethodAccessorImpl.java:43))		
21	Start listener action : sampleAfterTestCase	0.001s	PASSED

CR_Check strong password

Information

ID	Test Cases/Customer Register/CR_Check strong password		
Description	A strong password must be at least 8 characters long and contain at least 1 uppercase letter, 1 lowercase letter, 1 number, and 1 special character.		
Tag			
Start	23-11-2024 20:43:46	End	23-11-2024 20:44:56
Elapsed	1m - 9.630s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	43.190s	PASSED
2	click(findTestObject("Customer_Register/a_Register")) Object: 'Object Repository/Customer_Register/a_Register' is clicked on	6.328s	PASSED
3	setText(findTestObject("Customer_Register/input_Full Name"), fullname) Text 'Dang Thanh Ngoc' is set on object 'Object Repository/Customer_Register/input_Full Name'	0.843s	PASSED
4	setText(findTestObject("Customer_Register/input_Company Name"), company_name) Text 'JJBDC' is set on object 'Object Repository/Customer_Register/input_Company Name'	0.729s	PASSED
5	setText(findTestObject("Customer_Register/input_Email Address"), email_address) Text 'thanhngocdt@gmail.com' is set on object 'Object Repository/Customer_Register/input_Email Address'	2.841s	PASSED
6	setText(findTestObject("Customer_Register/input_Phone Number"), phone_number) Text '0397342342' is set on object 'Object Repository/Customer_Register/input_Phone Number'	0.791s	PASSED

CR_Check strong password

#	Description	Elapsed	Status
7	setText(findTestObject("Customer_Register/textarea_Address"), address) Text '82 An Duong Vuong' is set on object 'Object Repository/Customer_Register/textarea_Address'	0.707s	PASSED
8	setText(findTestObject("Customer_Register/input_Country"), country) Text 'Viet Nam' is set on object 'Object Repository/Customer_Register/input_Country'	0.762s	PASSED
9	setText(findTestObject("Customer_Register/input_City"), city) Text 'Ho Chi Minh' is set on object 'Object Repository/Customer_Register/input_City'	2.599s	PASSED
10	setText(findTestObject("Customer_Register/input_State"), state) Text 'Quan 5' is set on object 'Object Repository/Customer_Register/input_State'	0.804s	PASSED
11	setText(findTestObject("Customer_Register/input_Zip Code"), zip_code) Text '880234' is set on object 'Object Repository/Customer_Register/input_Zip Code'	0.773s	PASSED
12	setText(findTestObject("Customer_Register/input_Password"), password) Text 'ngoc123' is set on object 'Object Repository/Customer_Register/input_Password'	0.747s	PASSED
13	setText(findTestObject("Customer_Register/input_Retype Password"), repassword) Text 'ngoc123' is set on object 'Object Repository/Customer_Register/input_Retype Password'	0.753s	PASSED
14	password = getAttribute(findTestObject("Customer_Register/input_Password"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Password' is: 'ngoc123'	0.282s	PASSED
15	click(findTestObject("Customer_Register/btn_Register_form1")) Object: 'Object Repository/Customer_Register/btn_Register_form1' is clicked on	6.125s	PASSED

CR_Check strong password

#	Description	Elapsed	Status
16	messagePresent = waitForElementPresent(findTestObject("Customer_Register/div_Message Present"), 1) Object 'Object Repository/Customer_Register/div_Message Present' is present	0.521s	PASSED
17	if (messagePresent)	0.306s	PASSED
18	if (pw.contains(" "))	0.002s	PASSED

CR_Check strong password

#	Description	Elapsed	Status
19	if (pw.length() < 8) Unable to verify match between actual text 'Your registration is completed. Please check your email address to follow the process to confirm your registration.' and expected text 'Password must be at least 8 characters, not including spaces. Must contain at least 1 lowercase letter, 1 uppercase letter, 1 number and 1 special character' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text 'Your registration is completed. Please check your email address to follow the process to confirm your registration.' and expected text 'Password must be at least 8 characters, not including spaces. Must contain at least 1 lowercase letter, 1 uppercase letter, 1 number and 1 special character' are not matched at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57) at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch (VerifyMatchKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute (VerifyMatchKeyword.groovy:45) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords. groovy:78) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at CR_Check strong password.run(CR_Check strong password:64) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1732369155413.run(TempTestSuite1732369155413.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)	0.027s	FAILED

CR_Check strong password

#	Description	Elapsed	Status
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43))		
20	Start listener action : sampleAfterTestCase	0.002s	PASSED

CR_Check password and retype password to match

Information

ID	Test Cases/Customer Register/CR_Check password and retype password to match		
Description			
Tag			
Start	23-11-2024 20:44:56	End	23-11-2024 20:46:07
Elapsed	1m - 11.792s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	49.818s	PASSED
2	click(findTestObject("Customer_Register/a_Register")) Object: 'Object Repository/Customer_Register/a_Register' is clicked on	5.744s	PASSED
3	setText(findTestObject("Customer_Register/input_Full Name"), fullname) Text 'Pham Minh Thu' is set on object 'Object Repository/Customer_Register/input_Full Name'	0.934s	PASSED
4	setText(findTestObject("Customer_Register/input_Company Name"), company_name) Text 'DBCG' is set on object 'Object Repository/Customer_Register/input_Company Name'	0.599s	PASSED
5	setText(findTestObject("Customer_Register/input_Email Address"), email_address) Text 'thupm@gmail.com' is set on object 'Object Repository/Customer_Register/input_Email Address'	0.985s	PASSED
6	setText(findTestObject("Customer_Register/input_Phone Number"), phone_number) Text '0327890890' is set on object 'Object Repository/Customer_Register/input_Phone Number'	0.904s	PASSED

CR_Check password and retype password to match

#	Description	Elapsed	Status
7	setText(findTestObject("Customer_Register/textarea_Address"), address) Text '293 An Duong Vuong' is set on object 'Object Repository/Customer_Register/textarea_Address'	0.672s	PASSED
8	setText(findTestObject("Customer_Register/input_Country"), country) Text 'Viet Nam' is set on object 'Object Repository/Customer_Register/input_Country'	0.649s	PASSED
9	setText(findTestObject("Customer_Register/input_City"), city) Text 'Ho Chi Minh' is set on object 'Object Repository/Customer_Register/input_City'	0.710s	PASSED
10	setText(findTestObject("Customer_Register/input_State"), state) Text 'Quan 5' is set on object 'Object Repository/Customer_Register/input_State'	0.676s	PASSED
11	setText(findTestObject("Customer_Register/input_Zip Code"), zip_code) Text '880234' is set on object 'Object Repository/Customer_Register/input_Zip Code'	0.761s	PASSED
12	setText(findTestObject("Customer_Register/input_Password"), password) Text 'Minhthu@123' is set on object 'Object Repository/Customer_Register/input_Password'	0.708s	PASSED
13	setText(findTestObject("Customer_Register/input_Retype Password"), repassword) Text 'minhthu@12' is set on object 'Object Repository/Customer_Register/input_Retype Password'	0.705s	PASSED
14	password = getAttribute(findTestObject("Customer_Register/input_Password"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Password' is: 'Minhthu@123'	0.286s	PASSED
15	repassword = getAttribute(findTestObject("Customer_Register/input_Retype Password"), "value") Attribute 'value' of object 'Object Repository/Customer_Register/input_Retype Password' is: 'minhthu@12'	0.312s	PASSED

CR_Check password and retype password to match

#	Description	Elapsed	Status
16	click(findTestObject("Customer_Register/btn_Register_form1")) Object: 'Object Repository/Customer_Register/btn_Register_form1' is clicked on	5.086s	PASSED
17	messagePresent = waitForElementPresent(findTestObject("Customer_Register/div_Message Present"), 1) Object 'Object Repository/Customer_Register/div_Message Present' is present	0.428s	PASSED
18	if (messagePresent)	1.282s	PASSED
19	Start listener action : sampleAfterTestCase	0.000s	PASSED

CR_Account registration successful

Information

ID	Test Cases/Customer Register/CR_Account registration successful		
Description			
Tag			
Start	23-11-2024 20:46:07	End	23-11-2024 20:47:36
Elapsed	1m - 28.384s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	53.944s	PASSED
2	click(findTestObject("Customer_Register/a_Register")) Object: 'Object Repository/Customer_Register/a_Register' is clicked on	8.405s	PASSED
3	setText(findTestObject("Customer_Register/input_Full Name"), fullname) Text 'Pham Thanh Minh' is set on object 'Object Repository/Customer_Register/input_Full Name'	10.291s	PASSED
4	setText(findTestObject("Customer_Register/input_Company Name"), company_name) Text 'ANV' is set on object 'Object Repository/Customer_Register/input_Company Name'	0.708s	PASSED
5	setText(findTestObject("Customer_Register/input_Email Address"), email_address) Text 'phamthanhhinh@gmail.com' is set on object 'Object Repository/Customer_Register/input_Email Address'	0.699s	PASSED
6	setText(findTestObject("Customer_Register/input_Phone Number"), phone_number) Text '0349347568' is set on object 'Object Repository/Customer_Register/input_Phone Number'	0.868s	PASSED

CR_Account registration successful

#	Description	Elapsed	Status
7	setText(findTestObject("Customer_Register/textarea_Address"), address) Text '120 An Duong Vuong' is set on object 'Object Repository/Customer_Register/textarea_Address'	0.697s	PASSED
8	setText(findTestObject("Customer_Register/input_Country"), country) Text 'Viet Nam' is set on object 'Object Repository/Customer_Register/input_Country'	0.708s	PASSED
9	setText(findTestObject("Customer_Register/input_City"), city) Text 'Ho Chi Minh' is set on object 'Object Repository/Customer_Register/input_City'	0.677s	PASSED
10	setText(findTestObject("Customer_Register/input_State"), state) Text 'Quan 5' is set on object 'Object Repository/Customer_Register/input_State'	0.678s	PASSED
11	setText(findTestObject("Customer_Register/input_Zip Code"), zip_code) Text '880234' is set on object 'Object Repository/Customer_Register/input_Zip Code'	0.653s	PASSED
12	setText(findTestObject("Customer_Register/input_Password"), password) Text 'Minh@123' is set on object 'Object Repository/Customer_Register/input_Password'	1.080s	PASSED
13	setText(findTestObject("Customer_Register/input_Retype Password"), repassword) Text 'Minh@123' is set on object 'Object Repository/Customer_Register/input_Retype Password'	0.707s	PASSED
14	click(findTestObject("Customer_Register/btn_Register_form1")) Object: 'Object Repository/Customer_Register/btn_Register_form1' is clicked on	6.209s	PASSED
15	messagePresent = waitForElementPresent(findTestObject("Customer_Register/div_Message Present"), 1) Object 'Object Repository/Customer_Register/div_Message Present' is present	0.391s	PASSED

CR_Account registration successful

#	Description	Elapsed	Status
16	if (messagePresent) Actual text 'Your registration is completed. Please check your email address to follow the process to confirm your registration.' and expected text 'Your registration is completed. Please check your email address to follow the process to confirm your registration.' are matched	0.285s	PASSED
17	delay(1) Delayed 1 second(s)	1.016s	PASSED
18	closeBrowser() Browser is closed	0.199s	PASSED
19	Start listener action : sampleAfterTestCase	0.002s	PASSED