

TS_Payment

Execution Environment

Host name	Hp - host.docker.internal
Local OS	Windows 10 64bit
Katalon version	9.7.2.223
Browser	Chrome 131.0.0.0
Device name	

Summary

ID	Test Suites/TS_Payment		
Description			
Total	8		
Passed	6	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	07-12-2024 09:11:05	End	07-12-2024 09:23:39
Elapsed	12m - 33.962s		

#	ID	Description	Status
1	Test Cases/Payment/PM_Verify login account before payment	Displays a login request and redirects to the login page if the user is not logged into the account.	PASSED
2	Test Cases/Payment/PM_Confirm after user login, redirect back to payment page	On the checkout page, redirect the user to the login page if they are not logged in. Then redirect them back to the checkout page to continue payment.	FAILED
3	Test Cases/Payment/PM_Check that the ordered product information is displayed correctly	Check the accuracy of product information.	PASSED
4	Test Cases/Payment/PM_Check final order value calculation	Calculate the value of the order including subtotal, shipping fee and total order amount.	FAILED
5	Test Cases/Payment/PM_Check Billing Address and Shipping Address	Check that the "Billing Address" and "Shipping Address" fields are not blank. If they are blank, a red message will appear with a link to the page to update your billing and shipping addresses.	PASSED
6	Test Cases/Payment/PM_Check that the Back to Cart button is working	The "Back to Cart" button works correctly, redirecting the user to the cart page	PASSED
7	Test Cases/Payment/PM_Check that the Paypal Checkout button is working	Check the "Paypal Checkout" button to redirect users to Paypal's payment page	PASSED
8	Test Cases/Payment/PM_Check the operation of the QR MoMo Payment button	Check the "MoMo QR Payment" button redirects to the MoMo QR code payment page	PASSED

PM_Verify login account before payment

Information

ID	Test Cases/Payment/PM_Verify login account before payment		
Description	Displays a login request and redirects to the login page if the user is not logged into the account.		
Tag			
Start	07-12-2024 09:11:05	End	07-12-2024 09:12:06
Elapsed	1m - 0.815s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("http://shopbachhoaweb.wuaze.com/") Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	19.665s	PASSED
2	clickProductByIndex(6)	0.027s	PASSED
3	dynamicProduct = new com.kms.katalon.core.testobject.TestObject()	0.039s	PASSED
4	xpath = "(//a[contains(text(),'Product Details')])[\"" + index + "\"]"	0.011s	PASSED
5	dynamicProduct.addProperty("xpath", EQUALS, xpath)	0.048s	PASSED
6	click(dynamicProduct) Object: " is clicked on	6.178s	PASSED
7	click(findTestObject("Payment/btn_Add to cart")) Object: 'Object Repository/Payment/btn_Add to cart' is clicked on	8.300s	PASSED

PM_Verify login account before payment

#	Description	Elapsed	Status
8	click(findTestObject("Payment/a_Home")) Object: 'Object Repository/Payment/a_Home' is clicked on	6.306s	PASSED
9	click(findTestObject("Payment/a_Cart")) Object: 'Object Repository/Payment/a_Cart' is clicked on	5.560s	PASSED
10	click(findTestObject("Payment/a_Proceed to Checkout")) Object: 'Object Repository/Payment/a_Proceed to Checkout' is clicked on	5.897s	PASSED
11	verifyElementPresent(findTestObject("Payment/a_Please login as customer to checkout"), 1) Object 'Object Repository/Payment/a_Please login as customer to checkout' is present	0.478s	PASSED
12	click(findTestObject("Payment/a_Please login as customer to checkout")) Object: 'Object Repository/Payment/a_Please login as customer to checkout' is clicked on	5.668s	PASSED
13	currentUrl = getUrl() Current window's url is: 'http://shopbachhoaweb.wuaze.com/login.php'	0.085s	PASSED
14	expectedUrl = "http://shopbachhoaweb.wuaze.com/login.php"	0.006s	PASSED
15	verifyMatch(currentUrl, expectedUrl, false) Actual text 'http://shopbachhoaweb.wuaze.com/login.php' and expected text 'http://shopbachhoaweb.wuaze.com/login.php' are matched	0.127s	PASSED
16	delay(2) Delayed 2 second(s)	2.052s	PASSED

PM_Verify login account before payment

#	Description	Elapsed	Status
17	Start listener action : sampleAfterTestCase	0.052s	PASSED

PM_Confirm after user login, redirect back to payment page

Information

ID	Test Cases/Payment/PM_Confirm after user login, redirect back to payment page		
Description	On the checkout page, redirect the user to the login page if they are not logged in. Then redirect them back to the checkout page to continue payment.		
Tag			
Start	07-12-2024 09:12:06	End	07-12-2024 09:13:23
Elapsed	1m - 16.783s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	18.012s	PASSED
2	clickProductByIndex(6)	0.008s	PASSED
3	dynamicProduct = new com.kms.katalon.core.testobject.TestObject()	0.008s	PASSED
4	xpath = "(//a[contains(text(),'Product Details')])[\" + index + \"]"	0.008s	PASSED
5	dynamicProduct.addProperty("xpath", EQUALS, xpath)	0.007s	PASSED
6	click(dynamicProduct) Object: " is clicked on	5.734s	PASSED

PM_Confirm after user login, redirect back to payment page

#	Description	Elapsed	Status
7	click(findTestObject("Payment/btn_Add to cart")) Object: 'Object Repository/Payment/btn_Add to cart' is clicked on	8.395s	PASSED
8	click(findTestObject("Payment/a_Home")) Object: 'Object Repository/Payment/a_Home' is clicked on	6.564s	PASSED
9	click(findTestObject("Payment/a_Cart")) Object: 'Object Repository/Payment/a_Cart' is clicked on	6.498s	PASSED
10	click(findTestObject("Payment/a_Proceed to Checkout")) Object: 'Object Repository/Payment/a_Proceed to Checkout' is clicked on	6.465s	PASSED
11	verifyElementPresent(findTestObject("Payment/a_Please login as customer to checkout"), 1) Object 'Object Repository/Payment/a_Please login as customer to checkout' is present	0.515s	PASSED
12	click(findTestObject("Payment/a_Please login as customer to checkout")) Object: 'Object Repository/Payment/a_Please login as customer to checkout' is clicked on	8.841s	PASSED
13	setText(findTestObject("Payment/input_Email Address"), email_address) Text 'hoangtran@gmail.com' is set on object 'Object Repository/Payment/input_Email Address'	2.287s	PASSED
14	setText(findTestObject("Payment/input_Password"), password) Text 'Hoang@123' is set on object 'Object Repository/Payment/input_Password'	0.982s	PASSED
15	click(findTestObject("Payment/btn_Login")) Object: 'Object Repository/Payment/btn_Login' is clicked on	11.584s	PASSED

PM_Confirm after user login, redirect back to payment page

#	Description	Elapsed	Status
16	currentUrl = getUrl() Current window's url is: 'http://shopbachhoaweb.wuaze.com/index.php'	0.180s	PASSED
17	expectedUrl = "http://shopbachhoaweb.wuaze.com/checkout.php"	0.004s	PASSED

PM_Confirm after user login, redirect back to payment page

#	Description	Elapsed	Status
18	verifyMatch(currentUrl, expectedUrl, false) Unable to verify match between actual text 'http://shopbachhoaweb.wuaze.com/index.php' and expected text 'http://shopbachhoaweb.wuaze.com/checkout.php' (Root cause: com.kms.katalon.core.exception.StepFailedException: Actual text 'http://shopbachhoaweb.wuaze.com/index.php' and expected text 'http://shopbachhoaweb.wuaze.com/checkout.php' are not matched at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.doCall(VerifyMatchKeyword.groovy:57) at com.kms.katalon.core.keyword.builtin. VerifyMatchKeyword\$_verifyMatch_closure1.call(VerifyMatchKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.verifyMatch (VerifyMatchKeyword.groovy:60) at com.kms.katalon.core.keyword.builtin.VerifyMatchKeyword.execute (VerifyMatchKeyword.groovy:45) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.verifyMatch(BuiltinKeywords. groovy:78) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at PM_Confirm after user login, redirect back to payment page.run(PM_Confirm after user login, redirect back to payment page:65) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180) at TempTestSuite1733537460972.run(TempTestSuite1733537460972.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)	0.086s	FAILED

PM_Confirm after user login, redirect back to payment page

#	Description	Elapsed	Status
)		
19	Start listener action : sampleAfterTestCase	0.006s	PASSED

PM_Check that the ordered product information is displayed correctly

Information

ID	Test Cases/Payment/PM_Check that the ordered product information is displayed correctly		
Description	Check the accuracy of product information.		
Tag			
Start	07-12-2024 09:13:23	End	07-12-2024 09:15:29
Elapsed	2m - 5.890s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	28.446s	PASSED
2	click(findTestObject("Payment/a_Login")) Object: 'Object Repository/Payment/a_Login' is clicked on	9.947s	PASSED
3	setText(findTestObject("Payment/input_Email Address"), email_address) Text 'hoangtran@gmail.com' is set on object 'Object Repository/Payment/input_Email Address'	0.920s	PASSED
4	setText(findTestObject("Payment/input_Password"), password) Text 'Hoang@123' is set on object 'Object Repository/Payment/input_Password'	1.364s	PASSED
5	click(findTestObject("Payment/btn_Login")) Object: 'Object Repository/Payment/btn_Login' is clicked on	9.691s	PASSED
6	clickProductByIndex(7)	0.009s	PASSED

PM_Check that the ordered product information is displayed correctly

#	Description	Elapsed	Status
7	dynamicProduct = new com.kms.katalon.core.testobject.TestObject()	0.006s	PASSED
8	xpath = "(//a[contains(text(),'Product Details')])[\" + index + \"]"	0.005s	PASSED
9	dynamicProduct.addProperty("xpath", EQUALS, xpath)	0.006s	PASSED
10	click(dynamicProduct) Object: " is clicked on	12.687s	PASSED
11	click(findTestObject("Payment/btn_Add to cart")) Object: 'Object Repository/Payment/btn_Add to cart' is clicked on	9.332s	PASSED
12	click(findTestObject("Payment/a_Home")) Object: 'Object Repository/Payment/a_Home' is clicked on	9.094s	PASSED
13	clickProductByIndex(8)	0.005s	PASSED
14	dynamicProduct = new com.kms.katalon.core.testobject.TestObject()	0.002s	PASSED
15	xpath = "(//a[contains(text(),'Product Details')])[\" + index + \"]"	0.002s	PASSED

PM_Check that the ordered product information is displayed correctly

#	Description	Elapsed	Status
16	dynamicProduct.addProperty("xpath", EQUALS, xpath)	0.002s	PASSED
17	click(dynamicProduct) Object: " is clicked on	5.817s	PASSED
18	click(findTestObject("Payment/btn_Add to cart")) Object: 'Object Repository/Payment/btn_Add to cart' is clicked on	9.557s	PASSED
19	click(findTestObject("Payment/a_Home")) Object: 'Object Repository/Payment/a_Home' is clicked on	6.225s	PASSED
20	click(findTestObject("Payment/a_Cart")) Object: 'Object Repository/Payment/a_Cart' is clicked on	6.387s	PASSED
21	cartItems = []	0.004s	PASSED
22	driver = getWebDriver()	0.061s	PASSED
23	cartProductRows = driver.findElements(By.xpath("//table/tbody/tr"))	0.331s	PASSED
24	for ([i = 1, i < cartProductRows.size() - 1, (i++)])	3.662s	PASSED

PM_Check that the ordered product information is displayed correctly

#	Description	Elapsed	Status
25	<code>println(cartItems.size())</code>	0.005s	PASSED
26	<code>click(findTestObject("Payment/a_Proceed to Checkout"))</code> Object: 'Object Repository/Payment/a_Proceed to Checkout' is clicked on	6.225s	PASSED
27	<code>checkoutItems = []</code>	0.004s	PASSED
28	<code>checkoutProductRows = driver.findElements(By.xpath("//table)[1]/tbody/tr"))</code>	0.433s	PASSED
29	<code>println(checkoutProductRows.size())</code>	0.002s	PASSED
30	<code>for ([i = 1, i < checkoutProductRows.size() - 2, (i++)])</code>	4.646s	PASSED
31	<code>println(checkoutItems.size())</code>	0.000s	PASSED
32	<code>assert cartItems.size() != checkoutItems.size() : "Tng s dòng sn phm không khp!"</code>	0.009s	PASSED
33	<code>for ([i = 0, i < cartItems.size(), (i++)])</code>	0.075s	PASSED

PM_Check that the ordered product information is displayed correctly

#	Description	Elapsed	Status
34	Start listener action : sampleAfterTestCase	0.004s	PASSED

PM_Check final order value calculation

Information

ID	Test Cases/Payment/PM_Check final order value calculation		
Description	Calculate the value of the order including subtotal, shipping fee and total order amount.		
Tag			
Start	07-12-2024 09:15:29	End	07-12-2024 09:17:26
Elapsed	1m - 57.117s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	42.523s	PASSED
2	click(findTestObject("Payment/a_Login")) Object: 'Object Repository/Payment/a_Login' is clicked on	7.243s	PASSED
3	setText(findTestObject("Payment/input_Email Address"), email_address) Text 'hoangtran@gmail.com' is set on object 'Object Repository/Payment/input_Email Address'	1.211s	PASSED
4	setText(findTestObject("Payment/input_Password"), password) Text 'Hoang@123' is set on object 'Object Repository/Payment/input_Password'	1.794s	PASSED
5	click(findTestObject("Payment/btn_Login")) Object: 'Object Repository/Payment/btn_Login' is clicked on	8.574s	PASSED
6	clickProductByIndex(7)	0.005s	PASSED
7	dynamicProduct = new com.kms.katalon.core.testobject.TestObject()	0.005s	PASSED

PM_Check final order value calculation

#	Description	Elapsed	Status
8	xpath = "(/a[contains(text(),'Product Details')])[\" + index + \"]"	0.003s	PASSED
9	dynamicProduct.addProperty("xpath", EQUALS, xpath)	0.008s	PASSED
10	click(dynamicProduct) Object: " is clicked on	5.804s	PASSED
11	click(findTestObject("Payment/btn_Add to cart")) Object: 'Object Repository/Payment/btn_Add to cart' is clicked on	8.056s	PASSED
12	click(findTestObject("Payment/a_Home")) Object: 'Object Repository/Payment/a_Home' is clicked on	5.829s	PASSED
13	clickProductByIndex(8)	0.002s	PASSED
14	dynamicProduct = new com.kms.katalon.core.testobject.TestObject()	0.001s	PASSED
15	xpath = "(/a[contains(text(),'Product Details')])[\" + index + \"]"	0.004s	PASSED
16	dynamicProduct.addProperty("xpath", EQUALS, xpath)	0.003s	PASSED
17	click(dynamicProduct) Object: " is clicked on	6.094s	PASSED

PM_Check final order value calculation

#	Description	Elapsed	Status
18	click(findTestObject("Payment/btn_Add to cart")) Object: 'Object Repository/Payment/btn_Add to cart' is clicked on	5.888s	PASSED
19	click(findTestObject("Payment/a_Home")) Object: 'Object Repository/Payment/a_Home' is clicked on	6.504s	PASSED
20	click(findTestObject("Payment/a_Cart")) Object: 'Object Repository/Payment/a_Cart' is clicked on	5.609s	PASSED
21	click(findTestObject("Payment/a_Proceed to Checkout")) Object: 'Object Repository/Payment/a_Proceed to Checkout' is clicked on	6.529s	PASSED
22	driver = getWebDriver()	0.005s	PASSED
23	products = driver.findElements(By.xpath("(//table)[1]/tbody/tr"))	0.393s	PASSED
24	totalPrice = 0.0	0.000s	PASSED
25	for ([i = 1, i < products.size() - 3, (i++)])	2.906s	PASSED
26	println("Total Price of products: " + totalPrice)	0.015s	PASSED
27	sSubTotal = getText(findTestObject("Payment/th_Sub Total")).split(" ")[0] Text of object 'Object Repository/Payment/th_Sub Total' is: '530,900 VND'	0.403s	PASSED

PM_Check final order value calculation

#	Description	Elapsed	Status
28	subTotal = Double.parseDouble(sSubTotal.replace(", ", ""))	0.007s	PASSED
29	println(subTotal)	0.000s	PASSED
30	sShippingCost = getText(findTestObject("Payment/td_Shipping Cost")).split(" ")[0] Text of object 'Object Repository/Payment/td_Shipping Cost' is: '100 VND'	0.377s	PASSED
31	shippingCost = Double.parseDouble(sShippingCost.replace(", ", ""))	0.003s	PASSED
32	println(shippingCost)	0.003s	PASSED
33	sTotalOrder = getText(findTestObject("Payment/th_Total")).split(" ")[0] Text of object 'Object Repository/Payment/th_Total' is: '531,000 VND'	0.408s	PASSED
34	totalOrder = Double.parseDouble(sTotalOrder.replace(", ", ""))	0.000s	PASSED
35	println(totalOrder)	0.006s	PASSED
36	EPSILON = 0.0001	0.005s	PASSED
37	assert Math.abs(totalPrice - subTotal) < EPSILON : "Total amount does not match!"	0.025s	PASSED

PM_Check final order value calculation

#	Description	Elapsed	Status
38	shipping = 0.00	0.002s	PASSED
39	if (subTotal < 300000 - EPSILON)	0.044s	PASSED
40	else	0.013s	PASSED
41	assert Math.abs(shippingCost - shipping) < EPSILON : "Shipping charges are incorrect!"	0.007s	FAILED
<p>Test Cases/Payment/PM_Check final order value calculation FAILED.</p> <p>Reason:</p> <p>java.lang.AssertionError: Shipping charges are incorrect!. Expression: (java.lang.Math.abs((shippingCost - shipping)) < EPSILON). Values: EPSILON = 1.0E-4</p> <p>at PM_Check final order value calculation.run(PM_Check final order value calculation:120)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1733537460972.run(TempTestSuite1733537460972.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p>			

PM_Check final order value calculation

#	Description	Elapsed	Status
42	Start listener action : sampleAfterTestCase	0.000s	PASSED

PM_Check Billing Address and Shipping Address

Information

ID	Test Cases/Payment/PM_Check Billing Address and Shipping Address		
Description	Check that the "Billing Address" and "Shipping Address" fields are not blank. If they are blank, a red message will appear with a link to the page to update your billing and shipping addresses.		
Tag			
Start	07-12-2024 09:17:26	End	07-12-2024 09:19:22
Elapsed	1m - 55.591s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	30.366s	PASSED
2	click(findTestObject("Payment/a_Login")) Object: 'Object Repository/Payment/a_Login' is clicked on	6.755s	PASSED
3	setText(findTestObject("Payment/input_Email Address"), email_address) Text 'khanhbm@gmail.com' is set on object 'Object Repository/Payment/input_Email Address'	0.935s	PASSED
4	setText(findTestObject("Payment/input_Password"), password) Text 'Khanh@123' is set on object 'Object Repository/Payment/input_Password'	1.177s	PASSED
5	click(findTestObject("Payment/btn_Login")) Object: 'Object Repository/Payment/btn_Login' is clicked on	9.074s	PASSED
6	clickProductByIndex(7)	0.003s	PASSED

PM_Check Billing Address and Shipping Address

#	Description	Elapsed	Status
7	dynamicProduct = new com.kms.katalon.core.testobject.TestObject()	0.002s	PASSED
8	xpath = "(//a[contains(text(),'Product Details')])[\" + index + \"]"	0.002s	PASSED
9	dynamicProduct.addProperty("xpath", EQUALS, xpath)	0.003s	PASSED
10	click(dynamicProduct) Object: " is clicked on	5.512s	PASSED
11	click(findTestObject("Payment/btn_Add to cart")) Object: 'Object Repository/Payment/btn_Add to cart' is clicked on	8.445s	PASSED
12	click(findTestObject("Payment/a_Home")) Object: 'Object Repository/Payment/a_Home' is clicked on	10.029s	PASSED
13	clickProductByIndex(8)	0.002s	PASSED
14	dynamicProduct = new com.kms.katalon.core.testobject.TestObject()	0.000s	PASSED
15	xpath = "(//a[contains(text(),'Product Details')])[\" + index + \"]"	0.002s	PASSED
16	dynamicProduct.addProperty("xpath", EQUALS, xpath)	0.001s	PASSED

PM_Check Billing Address and Shipping Address

#	Description	Elapsed	Status
17	click(dynamicProduct) Object: " is clicked on	9.657s	PASSED
18	click(findTestObject("Payment/btn_Add to cart")) Object: 'Object Repository/Payment/btn_Add to cart' is clicked on	6.740s	PASSED
19	click(findTestObject("Payment/a_Home")) Object: 'Object Repository/Payment/a_Home' is clicked on	6.522s	PASSED
20	click(findTestObject("Payment/a_Cart")) Object: 'Object Repository/Payment/a_Cart' is clicked on	6.250s	PASSED
21	click(findTestObject("Payment/a_Proceed to Checkout")) Object: 'Object Repository/Payment/a_Proceed to Checkout' is clicked on	5.877s	PASSED
22	billingCells = ["Payment/td_BA_Full Name", "Payment/td_BA_Company Name", "Payment/td_BA_Phone Number", "Payment/td_BA_Country", "Payment/td_BA_Address", "Payment/td_BA_City", "Payment/td_BA_State", "Payment/td_BA_Zip Code"]	0.002s	PASSED
23	shippingCells = ["Payment/td_SA_Full Name", "Payment/td_SA_Company Name", "Payment/td_SA_Phone Number", "Payment/td_SA_Country", "Payment/td_SA_Address", "Payment/td_SA_City", "Payment/td_SA_State", "Payment/td_SA_Zip Code"]	0.002s	PASSED
24	isBillingMissing = checkEmptyFields(billingCells, "Billing Address")	0.006s	PASSED
25	isEmpty = false	0.001s	PASSED

PM_Check Billing Address and Shipping Address

#	Description	Elapsed	Status
26	for (String cellPath : cellPaths)	0.850s	PASSED
27	return isEmpty	0.001s	PASSED
28	isShippingMissing = checkEmptyFields(shippingCells, "Shipping Address")	0.001s	PASSED
29	isEmpty = false	0.000s	PASSED
30	for (String cellPath : cellPaths)	0.648s	PASSED
31	return isEmpty	0.003s	PASSED
32	if (isBillingMissing isShippingMissing) Actual text 'http://shopbachhoaweb.wuaze.com/customer-billing-shipping-update.php' and expected text 'http://shopbachhoaweb.wuaze.com/customer-billing-shipping-update.php' are matched	6.100s	PASSED
33	Start listener action : sampleAfterTestCase	0.003s	PASSED

PM_Check that the Back to Cart button is working

Information

ID	Test Cases/Payment/PM_Check that the Back to Cart button is working		
Description	The "Back to Cart" button works correctly, redirecting the user to the cart page		
Tag			
Start	07-12-2024 09:19:22	End	07-12-2024 09:20:54
Elapsed	1m - 32.411s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	20.575s	PASSED
2	click(findTestObject("Payment/a_Login")) Object: 'Object Repository/Payment/a_Login' is clicked on	6.074s	PASSED
3	setText(findTestObject("Payment/input_Email Address"), email_address) Text 'hoangtran@gmail.com' is set on object 'Object Repository/Payment/input_Email Address'	0.872s	PASSED
4	setText(findTestObject("Payment/input_Password"), password) Text 'Hoang@123' is set on object 'Object Repository/Payment/input_Password'	0.811s	PASSED
5	click(findTestObject("Payment/btn_Login")) Object: 'Object Repository/Payment/btn_Login' is clicked on	9.107s	PASSED
6	clickProductByIndex(7)	0.003s	PASSED
7	dynamicProduct = new com.kms.katalon.core.testobject.TestObject()	0.004s	PASSED

PM_Check that the Back to Cart button is working

#	Description	Elapsed	Status
8	xpath = "(/a[contains(text(),'Product Details')])[" + index + "]"	0.002s	PASSED
9	dynamicProduct.addProperty("xpath", EQUALS, xpath)	0.004s	PASSED
10	click(dynamicProduct) Object: " is clicked on	6.123s	PASSED
11	click(findTestObject("Payment/btn_Add to cart")) Object: 'Object Repository/Payment/btn_Add to cart' is clicked on	8.105s	PASSED
12	click(findTestObject("Payment/a_Home")) Object: 'Object Repository/Payment/a_Home' is clicked on	5.687s	PASSED
13	clickProductByIndex(8)	0.001s	PASSED
14	dynamicProduct = new com.kms.katalon.core.testobject.TestObject()	0.001s	PASSED
15	xpath = "(/a[contains(text(),'Product Details')])[" + index + "]"	0.002s	PASSED
16	dynamicProduct.addProperty("xpath", EQUALS, xpath)	0.001s	PASSED
17	click(dynamicProduct) Object: " is clicked on	5.668s	PASSED

PM_Check that the Back to Cart button is working

#	Description	Elapsed	Status
18	click(findTestObject("Payment/btn_Add to cart")) Object: 'Object Repository/Payment/btn_Add to cart' is clicked on	5.736s	PASSED
19	click(findTestObject("Payment/a_Home")) Object: 'Object Repository/Payment/a_Home' is clicked on	5.865s	PASSED
20	click(findTestObject("Payment/a_Cart")) Object: 'Object Repository/Payment/a_Cart' is clicked on	5.522s	PASSED
21	click(findTestObject("Payment/a_Proceed to Checkout")) Object: 'Object Repository/Payment/a_Proceed to Checkout' is clicked on	6.289s	PASSED
22	click(findTestObject("Payment/a_Back to Cart")) Object: 'Object Repository/Payment/a_Back to Cart' is clicked on	5.721s	PASSED
23	currentUrl = getUrl() Current window's url is: 'http://shopbachhoaweb.wuaze.com/cart.php'	0.089s	PASSED
24	expectedUrl = "http://shopbachhoaweb.wuaze.com/cart.php"	0.000s	PASSED
25	verifyMatch(currentUrl, expectedUrl, false) Actual text 'http://shopbachhoaweb.wuaze.com/cart.php' and expected text 'http://shopbachhoaweb.wuaze.com/cart.php' are matched	0.004s	PASSED
26	Start listener action : sampleAfterTestCase	0.001s	PASSED

PM_Check that the Paypal Checkout button is working

Information

ID	Test Cases/Payment/PM_Check that the Paypal Checkout button is working		
Description	Check the "Paypal Checkout" button to redirect users to Paypal's payment page		
Tag			
Start	07-12-2024 09:20:54	End	07-12-2024 09:22:09
Elapsed	1m - 14.817s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	19.157s	PASSED
2	click(findTestObject("Payment/a_Login")) Object: 'Object Repository/Payment/a_Login' is clicked on	5.682s	PASSED
3	setText(findTestObject("Payment/input_Email Address"), email_address) Text 'hoangtran@gmail.com' is set on object 'Object Repository/Payment/input_Email Address'	1.105s	PASSED
4	setText(findTestObject("Payment/input_Password"), password) Text 'Hoang@123' is set on object 'Object Repository/Payment/input_Password'	0.747s	PASSED
5	click(findTestObject("Payment/btn_Login")) Object: 'Object Repository/Payment/btn_Login' is clicked on	8.175s	PASSED
6	clickProductByIndex(8)	0.001s	PASSED
7	dynamicProduct = new com.kms.katalon.core.testobject.TestObject()	0.000s	PASSED

PM_Check that the Paypal Checkout button is working

#	Description	Elapsed	Status
8	xpath = "(//a[contains(text(),'Product Details')])[" + index + "]"	0.001s	PASSED
9	dynamicProduct.addProperty("xpath", EQUALS, xpath)	0.001s	PASSED
10	click(dynamicProduct) Object: " is clicked on	5.471s	PASSED
11	click(findTestObject("Payment/btn_Add to cart")) Object: 'Object Repository/Payment/btn_Add to cart' is clicked on	7.981s	PASSED
12	click(findTestObject("Payment/a_Home")) Object: 'Object Repository/Payment/a_Home' is clicked on	6.373s	PASSED
13	click(findTestObject("Payment/a_Cart")) Object: 'Object Repository/Payment/a_Cart' is clicked on	5.474s	PASSED
14	click(findTestObject("Payment/a_Proceed to Checkout")) Object: 'Object Repository/Payment/a_Proceed to Checkout' is clicked on	6.259s	PASSED
15	click(findTestObject("Payment/btn_Payment Section_Paypal")) Object: 'Object Repository/Payment/btn_Payment Section_Paypal' is clicked on	0.742s	PASSED
16	delay(5) Delayed 5 second(s)	5.015s	PASSED
17	driver = getWebDriver()	0.002s	PASSED

PM_Check that the Paypal Checkout button is working

#	Description	Elapsed	Status
18	windowHandles = driver.getWindowHandles()	0.022s	PASSED
19	switchTo().window(windowHandles.toArray()[1])	0.063s	PASSED
20	currentUrl = getUrl() Current window's url is: 'https://sandbox.paypal.com/us/home?business=sb-s52qe32074312%40business.example.com&item_name=Product+Item%28s%29&amount=7.5652173913&item_number=1733538122&cmd=_xclick&no_note=1&lc=UK¤cy_code=USD&bn=PP-BuyNowBF%3Abtn_buynow_LG.gif%3ANonHostedGuest&final_total=174000&form1=Paypal+Payment&return=payment_success.php&cancel_return=payment.php¬ify_url=payment%2Fpaypal%2Fverify_process.php'	2.377s	PASSED
21	println("URL ca PayPal: " + currentUrl)	0.003s	PASSED
22	verifyMatch(currentUrl, ".*sandbox.paypal.com.*", true) Actual text 'https://sandbox.paypal.com/us/home?business=sb-s52qe32074312%40business.example.com&item_name=Product+Item%28s%29&amount=7.5652173913&item_number=1733538122&cmd=_xclick&no_note=1&lc=UK¤cy_code=USD&bn=PP-BuyNowBF%3Abtn_buynow_LG.gif%3ANonHostedGuest&final_total=174000&form1=Paypal+Payment&return=payment_success.php&cancel_return=payment.php¬ify_url=payment%2Fpaypal%2Fverify_process.php' and expected text '.*sandbox.paypal.com.*' are	0.004s	PASSED
23	verifyMatch(currentUrl, ".*return=payment_success.php.*", true) Actual text 'https://sandbox.paypal.com/us/home?business=sb-s52qe32074312%40business.example.com&item_name=Product+Item%28s%29&amount=7.5652173913&item_number=1733538122&cmd=_xclick&no_note=1&lc=UK¤cy_code=USD&bn=PP-BuyNowBF%3Abtn_buynow_LG.gif%3ANonHostedGuest&final_total=174000&form1=Paypal+Payment&return=payment_success.php&cancel_return=payment.php¬ify_url=payment%2Fpaypal%2Fverify_process.php' and expected text '.*return=payment_success.php.*'	0.003s	PASSED
24	Start listener action : sampleAfterTestCase	0.002s	PASSED

PM_Check the operation of the QR MoMo Payment button

Information

ID	Test Cases/Payment/PM_Check the operation of the QR MoMo Payment button		
Description	Check the "MoMo QR Payment" button redirects to the MoMo QR code payment page		
Tag			
Start	07-12-2024 09:22:09	End	07-12-2024 09:23:36
Elapsed	1m - 26.912s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser(url) Browser is opened with url: 'http://shopbachhoaweb.wuaze.com/'	30.770s	PASSED
2	click(findTestObject("Payment/a_Login")) Object: 'Object Repository/Payment/a_Login' is clicked on	6.878s	PASSED
3	setText(findTestObject("Payment/input_Email Address"), email_address) Text 'hoangtran@gmail.com' is set on object 'Object Repository/Payment/input_Email Address'	1.100s	PASSED
4	setText(findTestObject("Payment/input_Password"), password) Text 'Hoang@123' is set on object 'Object Repository/Payment/input_Password'	0.839s	PASSED
5	click(findTestObject("Payment/btn_Login")) Object: 'Object Repository/Payment/btn_Login' is clicked on	8.005s	PASSED
6	clickProductByIndex(7)	0.000s	PASSED
7	dynamicProduct = new com.kms.katalon.core.testobject.TestObject()	0.008s	PASSED

PM_Check the operation of the QR MoMo Payment button

#	Description	Elapsed	Status
8	xpath = "(//a[contains(text(),'Product Details')])[" + index + "]"	0.001s	PASSED
9	dynamicProduct.addProperty("xpath", EQUALS, xpath)	0.000s	PASSED
10	click(dynamicProduct) Object: " is clicked on	5.742s	PASSED
11	click(findTestObject("Payment/btn_Add to cart")) Object: 'Object Repository/Payment/btn_Add to cart' is clicked on	7.886s	PASSED
12	click(findTestObject("Payment/a_Home")) Object: 'Object Repository/Payment/a_Home' is clicked on	6.884s	PASSED
13	click(findTestObject("Payment/a_Cart")) Object: 'Object Repository/Payment/a_Cart' is clicked on	5.581s	PASSED
14	click(findTestObject("Payment/a_Proceed to Checkout")) Object: 'Object Repository/Payment/a_Proceed to Checkout' is clicked on	6.121s	PASSED
15	click(findTestObject("Payment/btn_Payment Section_MoMo")) Object: 'Object Repository/Payment/btn_Payment Section_MoMo' is clicked on	0.839s	PASSED
16	delay(5) Delayed 5 second(s)	5.012s	PASSED
17	driver = getWebDriver()	0.003s	PASSED

PM_Check the operation of the QR MoMo Payment button

#	Description	Elapsed	Status
18	windowHandles = driver.getWindowHandles()	0.019s	PASSED
19	switchTo().window(windowHandles.toArray()[1])	0.007s	PASSED
20	currentUrl = getUrl() Current window's url is: 'https://test-payment.momo.vn/v2/gateway/pay?s=f398546be17346a10fd3008880874853f1f4145ef897a8f1f464362ab1577e4f&t=TU9NT0JLVU4yMDE4MDUyOXwxNzMzNTM4MjEwNjkwMQ'	1.063s	PASSED
21	println("URL ca PayPal: " + currentUrl)	0.001s	PASSED
22	currentUrl.contains("test-payment.momo.vn")	0.000s	PASSED
23	Start listener action : sampleAfterTestCase	0.003s	PASSED