

Gorge

Ecos

Anamnèse

- Tuméfaction
- Érythème
- Chaleur
- Limitation des mouvements (torticolis)
- Douleurs
 - Lors de la déglutition
 - Lors de mouvement
 - Localisation
- Sensation de corps étranger
 - Dépendant – indépendant de la palpation



Nous examinons le cou avec les mains uniquement



J'aimerais aborder les ganglions lymphatiques cervicaux.

A medical professional, a middle-aged man with glasses and a white short-sleeved shirt, is examining a young male patient's neck. The patient is seated in a white medical chair, facing left. The professional is kneeling or sitting low, reaching forward with his right hand to palpate the patient's neck. The background shows a clinical setting with a blue door and a poster on the wall.

je recherche une tuméfaction, erythème et chaleur



On voit ici le SCM qui s'étend du sternum et de la clavicule vers la mastoïde.

A man with glasses and a white t-shirt is standing behind a patient who is seated and wearing a white t-shirt. The man is using both hands to palpate the patient's neck, specifically the level I area. The patient is looking directly at the camera. The background is a plain, light-colored wall.

Je me place derrière le patient et commence la palpation du niveau I.

A man in a white lab coat is shown from the side, palpating the neck of a patient. The patient is seated in a dental chair, and the man's hands are positioned on the patient's neck, specifically near the submandibular area. The patient has brown hair and is looking forward. The background is a plain, light-colored wall.

De là, je me dirige vers le niveau II, sous-mandibulaire.

A man with glasses and a white t-shirt is standing behind a seated patient, also in a white t-shirt. He is performing a physical therapy maneuver on the patient's neck, with his hands placed on the sides of the neck. The patient is looking directly at the camera. The background is a plain, light-colored wall.

Je me dirige caudalement u niveau III et IV, le long de la gaine vasculo-nerveuse et du SCM



puis en passant par le niveau V, vers la mastoïde, des deux côtés.

A middle-aged man with a shaved head, a short beard, and round glasses is speaking. He is wearing a white t-shirt. The background is a plain, light-colored wall. A small black lavalier microphone is clipped to his shirt. The text "Normalement, aucun ganglion lymphatique n'est palpable" is overlaid at the bottom of the frame.

Normalement, aucun ganglion lymphatique n'est palpable



Mais cela ne signifie pas que tout ganglion palpable est pathologique



L'examineur doit obligatoirement se tenir derrière le patient

A medical professional, a man with glasses and a white t-shirt, is performing a physical examination on a patient. He is standing behind the patient, who is seated and wearing a white t-shirt. The professional is using both hands to palpate the patient's thyroid gland in the neck area. The patient has his eyes closed. The background is a plain, light-colored wall. A small black lavalier microphone is clipped to the white t-shirt of both individuals.

La douleur à la pression peut évoquer une thyroïdite

A medical professional, a middle-aged man with glasses and a white t-shirt, is examining a young male patient's neck. The patient is also wearing a white t-shirt and is seated. The professional is standing behind the patient, with his hands placed on the patient's neck, specifically on the thyroid gland area. The background is a plain, light-colored wall. The text at the bottom of the image reads: "Faites attention à une augmentation en taille ou aux nodules (e.g., goitre)".

Faites attention à une augmentation en taille ou aux nodules (e.g., goitre)



Il est important de voir si la thyroïde se mobilise avec la déglutition.

A man with glasses and a white t-shirt is standing behind a seated man, also in a white t-shirt. The man standing is performing a manual mobilization on the neck of the seated man, with his hands placed on the sides of the neck. The seated man is looking directly at the camera. The background is a plain, light-colored wall. The text 'La thyroïde se mobilise vers le haut.' is overlaid at the bottom of the image.

La thyroïde se mobilise vers le haut.



En cas de tumeurs thyroïdiennes infiltrant les tissus voisins,



la thyroïde reste fixée lors de la déglutition.