

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES							
10							***** MODULAR VALVES *****			812	NIPPLE TO BE CUT FROM SS SCH XXS PIPE.						
20										817	USE ONLY FOR TIE IN						
20	U04		MODULAR DBB	K03AC02	0.75	2	MODULAR VALVE DB&B BALL TYPE 300# RF LTCS A350 LF2 CL.1 316 SS TRIM METAL LO - FULL SIZE TYPE 2BV	0	0	821	TO BE USED FOR LINES SUBJECT TO AIV OR WHERE REQUIRED BY STRESS.						
30	U04	VAV	MODULAR DBB	K03AC02	3	3	MODULAR VALVE DB&B BALL TYPE 300# RF LTCS A350 LF2 CL.1 316 SS TRIM METAL LO - FULL SIZE TYPE 2BV	0	0	B1	ALL BOLTS ARE METRIC DIA.						
40	U04		MODULAR DBB	M03AC02	0.5	3	MODULAR VALVE DB&B BALL TYPE 300# RF LTCS A350 LF2 CL.1 316 SS TRIM METAL LO - CONTROLLED BORE TYPE 2BVR	0	0	B2	7/8" X 145MM BOLTS ONLY TO BE USED FOR 1 INCH 1500# PERAR BALL VALVES ITEM CODE B15AM10						
50	U04	VAW	MODULAR DBB	M03EC02	0.75	0.75	MODULAR VALVE DB&B BALL TYPE 300# RF LTCS A350 LF2 CL.1 316SS TRIM METAL LO REDUCING - CONTROLLED BORE TYPE 2BVR	1.5	1.5	B6	7/8" X 145MM BOLTS ONLY TO BE USED FOR 1 INCH 1500# PERAR BALL VALVES ITEM CODE B15AS22						
60	U04	VAW	MODULAR DBB	M03EC02	0.75	1	MODULAR VALVE DB&B BALL TYPE 300# RF LTCS A350 LF2 CL.1 316SS TRIM METAL LO REDUCING - CONTROLLED BORE TYPE 2BVR	2	2	FA8	USE THREADED FLANGES FOR INSTRUMENT CONNECTIONS ONLY.						
70	U04	VAW	MODULAR DBB	M03EC02	1	1	MODULAR VALVE DB&B BALL TYPE 300# RF LTCS A350 LF2 CL.1 316SS TRIM METAL LO REDUCING - CONTROLLED BORE TYPE 2BVR	3	3	FF5	FLAT BOTTOM NIPOFLANGES FOR USE ON WELD CAPS AND BLIND FLANGES						
80							***** BALL VALVES *****			FS1	USE FLANGES, GASKETS & VALVES AS REQUIRED TO MATCH EQUIPMENT OR VESSEL NOZZLES.						
80		VB2															
90																	
90	U04		BALL	A03AC01	3	4	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT RB LO	0	0								
100	U04		BALL	A03AC02	3	4	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL RB LO	0	0	GA6	SPECIAL GASKET ONLY FOR USE AS SPECIFIED IN ENG-200-117						
110	U04		BALL	A03AC07	6	8	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT RB GO	0	0								
120	U04		BALL	A03AC08	6	8	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL RB GO	0	0	ND9	USE ONLY WITH CONSENT OF MATERIALS ENGINEER.						
130	U04		BALL	B03AC01	0.75	2	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT FB LO	0	0								
140	U04	VA5	BALL	B03AC01	3	3	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT FB LO	0	0	NDF	USE ONLY WITH CONSENT OF STRESS ENGINEER.						
150	U04		BALL	B03AC02	0.5	2	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL FB LO	0	0								
160	U04	VA5	BALL	B03AC02	3	3	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL FB LO	0	0	NT6	THIS ITEM IS SUBJECT TO CONFIRMATION BY VENDOR DATA.						
170	U04	VA5	BALL	B03AC03	4	4	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT FB LO	0	0								
180	U04	VA5	BALL	B03AC04	4	4	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL FB LO	0	0	SB6	USE JACKSCREWS FOR PADDLE BLANKS/SPACERS AND FLANGE SPREADERS FOR SPECTACLE BLINDS.						
190	U04	VA5	BALL	B03AC07	6	24	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT FB GO	0	0								
200	U04	VA5	BALL	B03AC08	6	24	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL FB GO	0	0								
210	U04	VA5	BALL	B03JC07	26	48	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT FB GO B16.47 SERIES A	0	0	UD7	USE THREDOLET AND SCREWED PLUG FOR HYDROSTATIC TEST VENTS AND DRAINS. SEAL WELD AFTER HYDROSTATIC TEST						
220	U04	VA5	BALL	B03JC08	26	48	BALL 300# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL FB GO B16.47 SERIES A	0	0								
230							***** RISING STEM BALL VALVES *****			UJ2	USE 1 1/2IN WITH THERMOWELL CONNECTIONS ONLY & 3/4IN (IF SHOWN) FOR DBB PRESSURE CONNECTIONS WITH CHEMICAL SEALS.						
230																	
240	U04	VA5	BALL	R03AC06	1	8	BALL RISING STEM 300# RF LTCS A352 LCC 316SS TRIM METAL RB HO	0	0								
250		VA5	BALL	R03AC08	6	10	BALL RISING STEM 300# RF LTCS A352 LCC 316SS TRIM METAL RB GO	0	0								
260							***** BUTTERFLY VALVES *****			UJ4	FOR 2 INCH THERMOWELL CONNECTIONS ONLY						
260										UJ5	FOR 4 INCH THERMOWELL CONNECTIONS ONLY						
270			BUTTERFLY	T03AC61	10	24	BUTTERFLY 300# RF LTCS A352 LCC 316SS TRIM TOV METAL DBL FLG SHORT PAT GO	0	0	UK9	DO NOT USE FOR ORIFICE FLANGE TAP ASSEMBLIES.						
270			BUTTERFLY	T03JC61	26	48	BUTTERFLY 300# RF LTCS A352 LCC 316SS TRIM TOV METAL DBL FLG SHORT PAT GO ASME B16.47 SERIES A	0	0	VA5	USE THESE VALVES ONLY WHERE SPECIFIED ON PIPING AND INSTRUMENT DIAGRAMS						
280	U04	VDA		T06AC61	24	24	BUTTERFLY 600# RF LTCS A352 LCC 316SS TRIM TOV METAL DBL FLG SHORT PAT GO	0	0	VAV	USAGE IS LIMITED TO INSTRUMENT ISOLATION PURPOSE.						
290							***** GATE VALVES *****			VB2	SOFT SEATED BALL VALVES ARE LIMITED TO MAXIMUM TEMPERATURE OF 200°C.						
300										VC1	SPRING PISTON CHECK VALVES ARE PREFERRED IN THE HORIZONTAL POSITION, BUT MAY BE USED IN THE VERTICAL POSITION WITH ENGINEERING APPROVAL.						
300										VDA	USE ONLY WITH CONSENT OF MATERIALS ENGINEER. ONLY TO BE USED WHEN SPECIFIED ON THE P&ID.						
310			GATE	G03AC41	2	2	GATE 300# RF LTCS A352 LCC TRIM 16 WEDGE HW	0	0	VQ2	QUARTER TURN VALVES ARE TO BE SELECTED FOR PROCESS APPLICATIONS.						
320	U04		GATE	G03AC48	0.75	1	GATE 300# RF LTCS A350 LF2 CL.1 TRIM 16 WEDGE HW	0	0								
330							***** THROUGH CONDUIT GATE VALVES *****										
330		VQ2															
340																	
340			GATE	W03AC70	3	8	GATE 300# RF LTCS A352 LCC 316 SS TRIM THROUGH COND SOLID SLAB HW	0	0								
350	U04		GATE	W03AC71	8	24	GATE 300# RF LTCS A352 LCC 316 SS TRIM THROUGH COND SOLID SLAB GO	0	0								
360			GATE	W03JC71	26	48	GATE 300# RF LTCS A352 LCC 316 SS TRIM THROUGH COND SOLID SLAB GO B16.47 SERIES A	0	0								
370							***** GLOBE VALVES *****										
370																	
380																	
380	U04		GLOBE	L03AC48	0.75	1.5	GLOBE 300# RF LTCS A350 LF2 CL.1 TRIM 16 OS&Y HW	0	0								
390			GLOBE	L03AC41	2	6	GLOBE 300# RF LTCS A352 LCC TRIM 16 OS&Y HW	0	0								
400	U04		GLOBE	L03AC42	8	12	GLOBE 300# RF LTCS A352 LCC TRIM 16 OS&Y GO	0	0								
410							***** CHECK VALVES *****										
410																	
420																	
420	U04	VC1	CHECK	C03AC50	0.75	1.5	CHECK PISTON 300# RF LTCS A350 LF2 CL.1 TRIM 16	0	0								
430			CHECK	C03AC45	2	10	CHECK DUAL WAFER LUG 300# RF LTCS A352 LCC TRIM 16 THROU BOLTED	0	0								
440			CHECK	C03AC52	12	24	CHECK DUAL DBL FLG 300# RF LTCS A352 LCC TRIM 16	0	0								
450			CHECK	C03JC52	26	48	CHECK DUAL DBL FLG 300# RF LTCS A352 LCC TRIM 16 B16.47 SERIES A	0	0								
460							***** PIPE *****										
460																	
470	U04		PIPE	5358512	0.5	0.75	PIPE SCH 160 SMLS LTCS A333 GR.6 PE	0	0								
480			PIPE	5358508	1	1.5	PIPE SCH XS SMLS LTCS A333 GR.6 PE	0	0								
490			PIPE	5358514	2	2	PIPE SCH XS SMLS LTCS A333 GR.6 BE	0	0								
			TENGIZCHEVROIL TCO TENGIZ, KAZAKHSTAN		CONSTRUCTION		CORR.ALLOW.		SERVICE		MATERIAL		DATE	BY	REV	SHEET	PIPING LINE CLASS
					ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE		CORR. ALLOW. 3 MM		SOUR SERVICE - NACE MR0175/ ISO 15156, DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO		MATERIAL: LTCS FLANGE RATING: 300 RF TEMPERATURE RANGE: -40 / 260 °C COMMENT: REFER NOTE 800		12/16/2024	BY OZAC	U04	Page 1 of 6	300K21

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES												
500			PIPE	5358514	10	14	PIPE SCH XS SMLS LTCS A333 GR.6 BE	0	0													
510			PIPE	5358505	3	8	PIPE SCH STD SMLS LTCS A333 GR.6 BE	0	0													
520			PIPE	5358504	16	16	PIPE SCH 40 SMLS LTCS A333GR.6 BE	0	0													
530			PIPE	5358598	18	24	PIPE SCH 40 EFW LTCS A671 CC60 CL.22 BE	0	0													
540	U04	NDF		5358599	24	24	PIPE SCH 80 EFW LTCS A671 CC60 CL.22 BE	0	0													
550	U04	NDF		5358507	16	16	PIPE SCH 80 SMLS LTCS A333 GR.6 BE	0	0													
560	U04	ND9		5358611	28	28	PIPE WT 18MM EFW LTCS A671 CC60 CL.22 BE	0	0													
570			PIPE	5358612	26	30	PIPE WT 20.0MM EFW LTCS A671 CC60 CL.22 BE	0	0													
580			PIPE	5358617	32	40	PIPE WT 25MM EFW LTCS A671 CC60 CL.22 BE	0	0													
590			PIPE	5358620	42	48	PIPE WT 29MM EFW LTCS A671 CC60 CL.22 BE	0	0													
600			PIPE	5358616	56	56	PIPE WT 34.0MM EFW LTCS A671 CC60 CL.22 BE	0	0													
610			PIPE	5358630	60	60	PIPE WT 36.0MM EFW LTCS A671 CC60 CL.22 BE	0	0													
620		812	PIPE	5358511	0.5	0.5	PIPE SCH XXS SMLS LTCS A333 GR.6 PE	0	0													
630	U04	UK9	PIPE	5358511	0.75	0.75	PIPE SCH XXS SMLS LTCS A333 GR.6 PE	0	0													
640																						
640							***** FITTINGS *****															
650																						
650	U04		ELBOW	5392816	0.5	0.75	ELL BW 90 DEG LR SCH 160 LTCS A420 WPL6	0	0													
660	U04	NDF		5392546	16	16	ELL BW 90 DEG LR SCH 80 LTCS A420 WPL6	0	0													
670	U04	UK9	ELBOW	5392815	0.5	0.75	ELL BW 90 DEG LR SCH XXS LTCS A420 WPL6	0	0													
680			ELBOW	5392600	1	2	ELL BW 90 DEG LR SCH XS LTCS A420 WPL6	0	0													
690			ELBOW	5392600	10	14	ELL BW 90 DEG LR SCH XS LTCS A420 WPL6	0	0													
700			ELBOW	5392438	3	8	ELL BW 90 DEG LR SCH STD LTCS A420 WPL6	0	0													
710			ELBOW	5392384	16	16	ELL 90 DEG LR SCH 40 LTCS A420 WPL6	0	0													
720			ELBOW	5392386	18	24	ELL 90 DEG LR SCH 40 LTCS A420 WPL6-W	0	0													
730	U04	NDF		5392387	24	24	ELL BW 90 DEG LR SCH 80 LTCS A420 WPL6-W	0	0													
740			ELBOW	5392535	26	30	ELL 90 DEG LR WT 20.0MM LTCS A420 WPL6-W	0	0													
750			ELBOW	5392532	32	40	ELL 90 DEG LR WT 25.0MM LTCS A420 WPL6-W	0	0													
760			ELBOW	5392534	42	48	ELL 90 DEG LR WT 29.0MM LTCS A420 WPL6-W	0	0													
770			ELBOW	5392566	56	56	ELL 90 DEG LR WT 34.0MM LTCS A420 WPL6-W	0	0													
780			ELBOW	5392587	60	60	ELL 90 DEG LR WT 36.0MM LTCS A420 WPL6-W	0	0													
790																						
790			INDUC BEND	5556911	6	6	INDUCTION BEND 90 DEG. X 5D RADIUS SCH STD ASTM A671 CC60 CL.22 - C/W 1.5D TANGENT ENDS BE	0	0													
800			INDUC BEND	5800058	60	60	INDUCTION BEND 90 DEG. X 5D RADIUS WT 36.0MM ASTM A671 CC60 CL.22 - C/W 1.5D TANGENT ENDS BE	0	0													
810																						
810	U04		ELBOW	5392822	0.5	0.75	ELL BW 45 DEG LR SCH 160 LTCS A420 WPL6	0	0													
820	U04	UK9	ELBOW	5392831	0.5	0.75	ELL BW 45 DEG LR SCH XXS LTCS A420 WPL6	0	0													
830			ELBOW	5392606	1	2	ELL BW 45 DEG LR SCH XS LTCS A420 WPL6	0	0													
840			ELBOW	5392606	10	14	ELL BW 45 DEG LR SCH XS LTCS A420 WPL6	0	0													
850			ELBOW	5392444	3	8	ELL BW 45 DEG LR SCH STD LTCS A420 WPL6	0	0													
860			ELBOW	5392390	16	16	ELL 45 SCH 40 LTCS A420 WPL6	0	0													
870			ELBOW	5392389	18	24	ELL 45 DEG SCH 40 LTCS A420 WPL6 -W	0	0													
880			ELBOW	5392545	26	30	ELL 45 DEG LR WT 20.0MM LTCS A420 WPL6-W	0	0													
890			ELBOW	5392542	32	40	ELL BW 45 DEG LR WT 25.0MM LTCS A420 WPL6 -W	0	0													
900			ELBOW	5392544	42	48	ELL 45 DEG LR WT 29.0MM LTCS A420 WPL6-W	0	0													
910			ELBOW	5392569	56	56	ELL 45 DEG LR WT 34.0MM LTCS A420 WPL6-W	0	0													
920																						
920			INDUC BEND	5800087	60	60	INDUCTION BEND 45 DEG. X 5D RADIUS WT 36.0MM ASTM A671 CC60 CL.22 - C/W 1.5D TANGENT ENDS BE	0	0													
930																						
930	U04		TEE	5392825	0.5	0.75	TEE BW SCH 160 LTCS A420 WPL6	0	0													
940			TEE	5392609	1	2	TEE BW SCH XS LTCS A420 WPL6	0	0													
950			TEE	5392609	10	14	TEE BW SCH XS LTCS A420 WPL6	0	0													
960	U04	UK9	TEE	5392879	0.5	0.75	TEE SCH XXS LTCS A420 WPL6	0	0													
970			TEE	5392447	3	8	TEE BW SCH STD LTCS A420 WPL6	0	0													
980			TEE	5392400	18	24	TEE SCH 40 LTCS A420 WPL6-W	0	0													
990			TEE	5392415	26	30	TEE BW WT 20.0MM LTCS A420 WPL6-W	0	0													
1000			TEE	5392410	32	40	TEE WT 25.0MM LTCS A420 WPL6-W	0	0													
1010			TEE	5392414	42	48	TEE BW WT 29.0MM LTCS A420 WPL6-W	0	0													
1020			TEE	5392553	56	56	TEE BW WT 34.0MM LTCS A420 WPL6-W	0	0													
1030			TEE RED	5392469	0.75	0.75	TEE RED BW SCH XS/160 LTCS A420 WPL6	1	1.5													
1040			TEE RED	5392661	1	1.5	TEE RED BW SCH XS LTCS A420 WPL6	1.5	2													
1050			TEE RED	5392661	10	12	TEE RED BW SCH XS LTCS A420 WPL6	12	14													
1060			TEE RED	5392454	1.5	1.5	TEE RED BW SCH STD/XS LTCS A420 WPL6	3	3													
1070			TEE RED	5392454	2	2	TEE RED BW SCH STD/XS LTCS A420 WPL6	3	4													
1080			TEE RED	5392445	3	6	TEE RED BW SCH STD LTCS A420 WPL6	4	8													
1090			TEE RED	5392460	4	8	TEE RED BW SCH XS/STD LTCS A420 WPL6	10	14													
1100			TEE RED	5392293	6	8	TEE RED SCH 40/STD LTCS A420 WPL6	16	16													
1110			TEE RED	5392299	8	8	TEE RED SCH 40/STD LTCS A420 WPL6-W	18	20													
1120			TEE RED	5392294	10	14	TEE RED SCH 40/XS LTCS A420 WPL6	16	16													
1130			TEE RED	5392304	10	14	TEE RED BW SCH 40/XS LTCS A420 WPL6-W	18	24													
			TENGIZCHEVROIL TCO TENGIZ, KAZAKHSTAN		CONSTRUCTION		CORR.ALLOW.		SERVICE		MATERIAL		DATE	BY	REV	SHEET	PIPING LINE CLASS					
					ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE		CORR. ALLOW. 3 MM		SOUR SERVICE - NACE MR0175/ ISO 15156, DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO		MATERIAL: LTCS FLANGE RATING: 300 RF TEMPERATURE RANGE: -40 / 260 °C COMMENT: REFER NOTE 800											
																		12/16/2024	BY OZAC	U04	Page 2 of 6	300K21

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES
1140			TEE RED	5392474	16	20	TEE RED SCH 40 LTCS A420 WPL6-W	18	24	
1150	U04	NDF		5392555	16	16	TEE BW SCH 80 LTCS A420 WPL6	0	0	
1160	U04	NDF		5392402	24	24	TEE SCH 80 LTCS A420 WPL6-W	0	0	
1170			TEE RED	5392672	16	24	TEE RED WT 20.0MM/SCH 40 LTCS A420 WPL6-W	26	30	
1180			TEE RED	5392671	14	14	TEE RED WT 20.0MM/XS LTCS A420 WPL6-W	30	30	
1190			TEE RED	5392670	26	28	TEE RED WT 20.0MM LTCS A420 WPL6-W	28	30	
1200			TEE RED	5393017	16	24	TEE RED WT 25.0MM/ SCH 40 LTCS A420 WPL6-W	36	36	
1210			TEE RED	5392687	26	30	TEE RED WT 25.0MM/20.0MM LTCS A420 WPL6-W	32	40	
1220			TEE RED	5392324	32	38	TEE RED WT 25.0MM LTCS A420 WPL6-W	34	40	
1230			TEE RED	5392673	18	24	TEE RED WT 29.0MM/ SCH 40 LTCS A420 WPL6-W	42	48	
1240			TEE RED	5393021	26	30	TEE RED WT 29.0MM/20.0MM LTCS A420 WPL6-W	42	48	
1250			TEE RED	5392697	32	40	TEE RED WT 29.0MM/25.0MM LTCS A420 WPL6-W	42	48	
1260			TEE RED	5392690	42	46	TEE RED WT 29.0MM LTCS A420 WPL6-W	44	48	
1270			TEE RED	5392581	30	30	TEE RED WT 34.0MM/20.0MM LTCS A420 WPL6-W	56	56	
1280		NT6	TEE RED	5392588	20	20	TEE RED WT 34.0MM/SCH 40 LTCS A420 WPL6-W	56	56	
1290										
1290	U04		CAP	5392826	0.5	0.75	CAP BW SCH 160 LTCS A420 WPL6	0	0	
1300			CAP	5392610	1	2	CAP BW SCH XS LTCS A420 WPL6	0	0	
1310			CAP	5392610	10	14	CAP BW SCH XS LTCS A420 WPL6	0	0	
1320			CAP	5392448	3	8	CAP BW SCH STD LTCS A420 WPL6	0	0	
1330	U04	NDF		5392556	16	16	CAP SCH 80 LTCS STL A420 WPL6	0	0	
1340			CAP	5392394	16	24	CAP SCH 40 LTCS STL A420 WPL6	0	0	
1350			CAP	5392625	26	30	CAP WT 20.0MM LTCS A420 WPL6	0	0	
1360			CAP	5392618	32	40	CAP WT 25.0MM LTCS A420 WPL6	0	0	
1370			CAP	5392624	42	48	CAP WT 29.0MM LTCS A420 WPL6	0	0	
1380										
1380			RED CONC	5392462	0.75	0.75	REDUCER CONC SCH XS/160 LTCS A420 WPL6	1	2	
1390			RED CONC	5392458	1	1.5	REDUCER CONC SCH XS LTCS A420 WPL6	1.5	2	
1400			RED CONC	5392458	10	12	REDUCER CONC SCH XS LTCS A420 WPL6	12	14	
1410			RED CONC	5392452	1.5	2	REDUCER CONC SCH STD/XS LTCS A420 WPL6	3	4	
1420	U04		RED CONC	5392827	0.5	0.5	REDUCER CONC SCH 160 LTCS A420 WPL6	0.75	0.75	
1430			RED CONC	5392449	3	6	REDUCER CONC SCH STD LTCS A420 WPL6	4	8	
1440			RED CONC	5392300	8	8	REDUCER CONC SCH 40/STD LTCS A420 WPL6	16	16	
1450			RED CONC	5392457	4	8	REDUCER CONC SCH XS/STD LTCS A420 WPL6	10	14	
1460			RED CONC	5392305	10	14	REDUCER CONC SCH 40/XS LTCS A420 WPL6	16	16	
1470			RED CONC	5392306	10	14	REDUCER CONC SCH 40/XS LTCS A420 WPL6-W	18	20	
1480			RED CONC	5392395	16	20	REDUCER CONC SCH 40 LTCS A420 WPL6-W	18	24	
1490			RED CONC	5392971	18	24	REDUCER CONC WT 20.0MM/SCH 40 LTCS A420 WPL6-W	26	30	
1500			RED CONC	5392981	24	24	REDUCER CONC WT 25.0MM/SCH 40 LTCS A420 WPL6-W	32	36	
1510			RED CONC	5392969	26	28	REDUCER CONC WT 20MM LTCS A420 WPL6-W	28	30	
1520			RED CONC	5392987	26	30	REDUCER CONC WT 25.0MM/20.0MM LTCS A420 WPL6-W	32	40	
1530			RED CONC	5392996	30	30	REDUCER CONC WT 29.0MM/20.0MM LTCS A420 WPL6-W	42	42	
1540			RED CONC	5392979	32	38	REDUCER CONC WT 25.0MM LTCS A420 WPL6-W	34	40	
1550			RED CONC	5392997	32	40	REDUCER CONC WT 29.0MM/25.0MM LTCS A420 WPL6-W	42	48	
1560			RED CONC	5392989	42	46	REDUCER CONC WT 29.0MM LTCS A420 WPL6-W	44	48	
1570			RED CONC	5392582	36	36	REDUCER CONC WT 34.0MM/25.0MM LTCS A420 WPL6-W	56	56	
1580			RED CONC	5392585	42	42	REDUCER CONC WT 34.0MM/29.0MM LTCS A420 WPL6-W	56	56	
1590			RED CONC	5392965	48	48	REDUCER CONC WT 36.0MM/29.0MM LTCS A420 WPL6-W	60	60	
1600			RED ECC	5392465	0.75	0.75	REDUCER ECC SCH XS/160 LTCS A420 WPL6	1	2	
1610			RED ECC	5392461	1	1.5	REDUCER ECC SCH XS LTCS A420 WPL6	1.5	2	
1620			RED ECC	5392453	1.5	2	REDUCER ECC SCH STD/XS LTCS A420 WPL6	3	4	
1630			RED ECC	5392450	3	6	REDUCER ECC SCH STD LTCS A420 WPL6	4	8	
1640			RED ECC	5392459	4	8	REDUCER ECC SCH XS/STD LTCS A420 WPL6	10	14	
1650			RED ECC	5392302	8	8	REDUCER ECC SCH 40/STD LTCS A420 WPL6	16	16	
1660			RED ECC	5392612	10	12	REDUCER ECC SCH XS LTCS A420 WPL6	12	14	
1670			RED ECC	5392307	10	14	REDUCER ECC SCH 40/XS LTCS A420 WPL6	16	16	
1680			RED ECC	5392264	10	14	REDUCER ECC SCH 40/XS LTCS A420 WPL6-W	18	20	
1690			RED ECC	5392396	16	20	REDUCER ECC SCH 40 LTCS A420 WPL6-W	18	24	
1700			RED ECC	5392972	18	24	REDUCER ECC WT 20.0MM/SCH 40 LTCS A420 WPL6-W	26	30	
1710			RED ECC	5392982	24	24	REDUCER ECC WT 25.0MM/SCH 40 LTCS A420 WPL6-W	32	36	
1720			RED ECC	5392970	26	28	REDUCER ECC WT 20MM LTCS A420 WPL6-W	28	30	
1730			RED ECC	5392988	26	30	REDUCER ECC WT 25.0MM/20.0MM LTCS A420 WPL6-W	32	40	
1740			RED ECC	5392996	30	30	REDUCER ECC WT 29.0MM/20.0MM LTCS A420 WPL6-W	42	42	
1750			RED ECC	5392980	32	38	REDUCER ECC WT 25.0MM LTCS A420 WPL6-W	34	40	
1760			RED ECC	5392998	32	40	REDUCER ECC WT 29.0MM/25.0MM LTCS A420 WPL6-W	42	48	
1770			RED ECC	5392990	42	46	REDUCER ECC WT 29.0MM LTCS A420 WPL6-W	44	48	
1780			RED ECC	5392583	36	36	REDUCER ECC WT 34.0MM/25.0MM LTCS A420 WPL6-W	56	56	
1790			RED ECC	5392584	42	42	REDUCER ECC WT 34.0MM/29.0MM LTCS A420 WPL6-W	56	56	
1800			RED ECC	5392966	48	48	REDUCER ECC WT 36.0MM/29.0MM LTCS A420 WPL6-W	60	60	
1810										
1810	U04		OLETS	5504450	0.75	0.75	NIPOFLANGE 300# RF SCH XS/160 LTCS A350 LF2 CL.1	2	2	
1820	U04		OLETS	5504450	0.75	0.75	NIPOFLANGE 300# RF SCH XS/160 LTCS A350 LF2 CL.1	10	14	
1830	U04		OLETS	5504451	0.75	0.75	NIPOFLANGE 300# RF SCH STD/SCH 160 LTCS A350 LF2 CL.1	3	8	

	TENGIZCHEVROI TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 3 MM	SOUR SERVICE - NACE MR0175/ ISO 15156, DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 300 RF TEMPERATURE RANGE: -40 / 260 °C COMMENT: REFER NOTE 800	12/16/2024	BY OZAC	U04	Page 3 of 6	300K21

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES
1840	U04		OLETS	5504452	0.75	0.75	NIPOFLANGE 300# RF SCH 40/160 LTCS A350 LF2 CL.1	16	24	
1850	U04		OLETS	5504453	0.75	0.75	NIPOFLANGE 300# RF WT 20.0MM/160 LTCS A350 LF2 CL.1	26	30	
1860	U04		OLETS	5504454	0.75	0.75	NIPOFLANGE 300# RF WT 25.0MM/SCH 160 LTCS A350 LF2 CL.1	32	40	
1870	U04		OLETS	5504455	0.75	0.75	NIPOFLANGE 300# RF WT 29.0MM/SCH 160 LTCS A350 LF2 CL.1	42	48	
1880	U04		OLETS	5504473	0.75	0.75	NIPOFLANGE 300# RF WT 34.0MM/SCH 160 LTCS A350 LF2 CL.1	56	56	
1890	U04		OLETS	5504476	0.75	0.75	NIPOFLANGE 300# RF WT 36.0MM/SCH 160 LTCS A350 LF2 CL.1	60	60	
1900	U04	FF5	OLETS	5504515	0.75	0.75	NIPOFLANGE FLAT BOTTOM 300# RF SCH 160 LTCS A350 LF2 CL.1	0	0	
1910	U04	FF5	OLETS	5504501	1	1.5	NIPOFLANGE FLAT BOTTOM 300# RF SCH XS LTCS A350 LF2 CL.1	0	0	
1920	U04		OLETS	5504020	1	1.5	NIPOFLANGE 300# RF SCH XS LTCS A350 LF2 CL.1	2	2	
1930	U04		OLETS	5504020	1	2	NIPOFLANGE 300# RF SCH XS LTCS A350 LF2 CL.1	10	14	
1940	U04	UJ4	OLETS	5504110	2	2	NIPOFLANGE 300# RF SCH 40/160 LTCS A350 LF2 CL.1	20	20	
1950	U04	UJ5	OLETS	5504324	4	4	NIPOFLANGE 300# RF SCH 40/160 LTCS A350 LF2 CL.1	20	20	
1960	U04	NDF		5503998	1.5	1.5	NIPOFLANGE 300# RF SCH 80/XS LTCS A350 LF2 CL.1	16	16	
1970	U04	NDF		5503998	1.5	1.5	NIPOFLANGE 300# RF SCH 80/XS LTCS A350 LF2 CL.1	24	24	
1980	U04	UJ4	OLETS	5504327	2	2	NIPOFLANGE 300# RF SCH XS/160 LTCS A350 LF2 CL.1	10	10	
1990	U04	UJ4	OLETS	5504328	2	2	NIPOFLANGE 300# RF WT 34.0MM/160 LTCS A350 LF2 CL.1	56	56	
2000	U04		OLETS	5504461	0.75	0.75	NIPOFLANGE 600# RF SCH XS/160 LTCS A350 LF2 CL.1	10	10	
2010	U04		OLETS	5504021	1	2	NIPOFLANGE 300# RF SCH STD/XS LTCS A350 LF2 CL.1	3	8	
2020	U04		OLETS	5504022	1	2	NIPOFLANGE 300# RF SCH 40/XS LTCS A350 LF2 CL.1	16	24	
2030	U04		OLETS	5504105	1	2	NIPOFLANGE 300# RF 20.0MM/XS LTCS A350 LF2 CL.1	26	30	
2040	U04		OLETS	5504107	1	2	NIPOFLANGE 300# RF WT 25MM/XS LTCS A350 LF2 CL.1	32	40	
2050	U04		OLETS	5504109	1	2	NIPOFLANGE 300# RF WT 29MM/XS LTCS A350 LF2 CL.1	42	48	
2060	U04		OLETS	5504103	1	2	NIPOFLANGE 300# RF WT 34.0MM/XS LTCS A350 LF2 CL.1	56	56	
2070	U04		OLETS	5504140	1	2	NIPOFLANGE 300# RF WT 36.0MM/XS LTCS A350 LF2 CL.1	60	60	
2080	U04	UJ2	OLETS	5504025	1.5	1.5	NIPOFLANGE 300# RF SCH STD/160 LTCS A350 LF2 CL.1	4	8	
2090	U04	UJ2	OLETS	5504023	1.5	1.5	NIPOFLANGE 300# RF SCH XS/160 LTCS A350 LF2 CL.1	10	14	
2100	U04	UJ2	OLETS	5504018	1.5	1.5	NIPOFLANGE 300# RF SCH 40/160 LTCS A350 LF2 CL.1	16	24	
2110	U04	UJ2	OLETS	5504115	1.5	1.5	NIPOFLANGE 300# RF WT 20.0MM/160 LTCS A350 LF2 CL.1	26	30	
2120	U04	UJ4	OLETS	5504115	2	2	NIPOFLANGE 300# RF WT 20.0MM/160 LTCS A350 LF2 CL.1	30	30	
2130	U04	UJ2	OLETS	5504117	1.5	1.5	NIPOFLANGE 300# RF WT 25MM/160 LTCS A350 LF2 CL.1	32	40	
2140	U04	UJ2	OLETS	5504119	1.5	1.5	NIPOFLANGE 300# RF WT 29.0MM/160 LTCS A350 LF2 CL.1	42	48	
2150	U04	UJ2	OLETS	5504120	1.5	1.5	NIPOFLANGE 300# RF WT 34.0MM/160 LTCS A350 LF2 CL.1	56	56	
2160	U04	UJ2	OLETS	5504139	1.5	1.5	NIPOFLANGE 300# RF WT 36.0MM/160 LTCS A350 LF2 CL.1	60	60	
2170							***** OLETS *****			
2170										
2180										
2180	U04		OLETS	5505393	0.75	0.75	WELDOLET SCH XS/160 LTCS A350 LF2 CL.1	2	2	
2190	U04		OLETS	5505393	0.75	0.75	WELDOLET SCH XS/160 LTCS A350 LF2 CL.1	10	14	
2200	U04		OLETS	5505192	0.75	0.75	WELDOLET STD/160 LTCS A350 LF2 CL.1	3	8	
2210	U04		OLETS	5505591	0.75	0.75	WELDOLET SCH 40/ SCH 160 LTCS A350 LF2 CL.1	18	18	
2220	U04		OLETS	5505591	0.75	0.75	WELDOLET SCH 40/ SCH 160 LTCS A350 LF2 CL.1	24	24	
2230	U04		OLETS	5505333	1	1	WELDOLET SCH XS LTCS A350 LF2 CL.1	2	2	
2240	U04		OLETS	5505333	1	2	WELDOLET SCH XS LTCS A350 LF2 CL.1	10	14	
2250	U04		OLETS	5505179	1	2	WELDOLET SCH STD/XS LTCS A350 LF2 CL.1	3	8	
2260	U04		OLETS	5505574	1	2	WELDOLET SCH 40/XS LTCS A350 LF2 CL.1	16	24	
2270	U04		OLETS	5505582	1	2	WELDOLET WT 20.0MM/XS LTCS A350 LF2 CL.1	26	30	
2280	U04		OLETS	5505582	10	12	WELDOLET WT 20.0MM/XS LTCS A350 LF2 CL.1	26	30	
2290	U04		OLETS	5505587	1	2	WELDOLET WT 25MM/XS LTCS A350 LF2 CL.1	32	40	
2300	U04		OLETS	5505587	10	12	WELDOLET WT 25MM/XS LTCS A350 LF2 CL.1	32	40	
2310	U04		OLETS	5505597	1	2	WELDOLET WT 29.0MM/XS LTCS A350 LF2 CL.1	42	48	
2320	U04		OLETS	5505597	10	12	WELDOLET WT 29.0MM/XS LTCS A350 LF2 CL.1	42	48	
2330	U04		OLETS	5505164	3	3	WELDOLET SCH STD LTCS A350 LF2 CL.1	8	8	
2340	U04		OLETS	5505334	3	4	WELDOLET SCH XS/STD LTCS A350 LF2 CL.1	10	14	
2350	U04		OLETS	5505554	3	8	WELDOLET SCH 40/STD LTCS A350 LF2 CL.1	16	24	
2360	U04		OLETS	5505583	3	8	WELDOLET WT 20.0MM/STD LTCS A350 LF2 CL.1	26	30	
2370	U04		OLETS	5505588	3	8	WELDOLET WT 25.0MM/STD LTCS A350 LF2 CL.1	32	40	
2380	U04		OLETS	5505598	3	8	WELDOLET WT 29.0MM/ STD LTCS A350 LF2 CL.1	42	48	
2390	U04		OLETS	5505599	3	3	WELDOLET WT 36.0MM/ STD LTCS A350 LF2 CL.1	60	60	
2400	U04		OLETS	5504376	4	4	WELDOLET FLAT BOTTOM SCH STD LTCS A350 LF2 CL.1	0	0	
2410										
2410	U04	UJ2	ELBOFLG	5516625	1.5	1.5	ELBOFLANGE 300# RF SCH STD/160 LTCS A350 LF2 CL.1	4	8	
2420	U04	UJ2	ELBOFLG	5516623	1.5	1.5	ELBOFLANGE 300# RF SCH XS/160 LTCS A350 LF2 CL.1	10	14	
2430	U04	UJ2	ELBOFLG	5516618	1.5	1.5	ELBOFLANGE 300# RF SCH 40/160 LTCS A350 LF2 CL.1	16	24	
2440	U04	UJ2	ELBOFLG	5516685	1.5	1.5	ELBOFLANGE 300# RF WT 20.0MM/160 LTCS A350 LF2 CL.1	26	30	
2450	U04	UJ2	ELBOFLG	5516689	1.5	1.5	ELBOFLANGE 300# RF WT 29.0MM/160 LTCS A350 LF2 CL.1	42	48	
2460										
2460	U04		OLETS	5533071	0.75	1.5	SOCKOLET 6000# LTCS A350 LF2 CL.1	2	48	
2470	U04		OLETS	5533233	0.75	1.5	SOCKOLET FLAT BOTTOM 6000# LTCS A350 LF2 CL.1	2	48	
2480										
2480	U04	UD7	OLETS	5514772	0.75	1	THREDOLET 3000# LTCS A350 LF2 CL.1	2	48	
2490										
2490	U04	821	OLETS	5509724	2	2	SWEEPOLET STD/XS LTCS A350 LF2 CL.1	6	6	
2500										

	TENGIZCHEVROIL TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 3 MM	SOUR SERVICE - NACE MR0175/ ISO 15156, DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 300 RF TEMPERATURE RANGE: -40 / 260 °C COMMENT: REFER NOTE 800	12/16/2024	BY OZAC	U04	Page 4 of 6	300K21

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES				
2500							***** COUPLINGS, UNIONS & PLUGS *****							
2510														
2510	U04		COUPLING	5478807	0.75	1.5	COUPLING 6000# SW LTCS A350 LF2 CL.1	0	0					
2520	U04		TEE RED	5478812	0.75	1	COUPLING RED 6000# SW LTCS A350 LF2 CL.1	1	1.5					
2530														
2530	U04		UNION	5478809	0.75	1.5	UNION 6000# SW LTCS STL A350 LF2 CL.1	0	0					
2540														
2540	U04		FITTING SCRD	5491303	0.5	1	PLUG ROUND HEAD SCRD LTCS A350 LF2 CL.1	0	0					
2550														
2550							**** FLANGES ****							
2560														
2560	U04	FA8	FLANGE	5599703	0.5	0.5	FLG SCRD (FNPT) REDUCING 300# RF LTCS A350 LF2 CL.1	0.75	2					
2570	U04	FA8		5599716	0.75	0.75	FLG SCRD(FNPT) 300# RF LTCS A350 LF2 CL.1	0	0					
2580	U04		FLANGE	5556480	0.5	0.75	FLG WN 300# RF LTCS A350 LF2 CL.1 SCH 160	0	0					
2590	U04		FLANGE	5556476	1	2	FLG WN 300# RF LTCS A350 LF2 CL.1 SCH XS	0	0					
2600	U04		FLANGE	5556476	10	14	FLG WN 300# RF LTCS A350 LF2 CL.1 SCH XS	0	0					
2610	U04		FLANGE	5556473	3	8	FLG WN 300# RF LTCS A350 LF2 CL.1 SCH STD	0	0					
2620	U04		FLANGE	5556472	16	24	FLG WN 300# RF LTCS A350 LF2 CL.1 SCH 40 BORE	0	0					
2630	U04		FLANGE	5556492	26	30	FLG WN 300# RF LTCS A350 LF2 CL.1 WT 20.0MM B16.47 SERIES A	0	0					
2640	U04		FLANGE	5556484	32	40	FLG WN 300# RF LTCS A350 LF2 CL.1 WT 25.0MM B16.47 SERIES A	0	0					
2650	U04		FLANGE	5556498	42	48	FLG WN 300# RF LTCS A350 LF2 CL.1 WT 29.0MM B16.47 SERIES A	0	0					
2660	U04		FLANGE	5556496	56	56	FLG WN 300# RF LTCS A350 LF2 CL.1 WT 34.0MM B16.47 SERIES A	0	0					
2670	U04		FLANGE	5556464	60	60	FLG WN 300# RF LTCS A350 LF2 CL.1 WT 36.0MM B16.47 SERIES A	0	0					
2680	U04	FS1	FLANGE	5557036	1	2	FLG WN 600# RF LTCS A350 LF2 CL.1 SCH XS	0	0					
2690	U04	FS1	FLANGE	5557036	10	12	FLG WN 600# RF LTCS A350 LF2 CL.1 SCH XS	0	0					
2700	U04	NDF		5556500	16	16	FLG WN 300# RF LTCS A350 LF2 CL.1 SCH 80 BORE	0	0					
2710	U04	NDF		5556500	24	24	FLG WN 300# RF LTCS A350 LF2 CL.1 SCH 80 BORE	0	0					
2720	U04	UK9	FLANGE	5556481	0.5	0.5	FLG WN 300# RF LTCS A350 LF2 CL.1 SCH XXS	0	0					
2730	U04	FS1	FLANGE	5557033	3	8	FLG WN 600# RF LTCS A350 LF2 CL.1 SCH STD	0	0					
2740	U04	FS1	FLANGE	5556967	16	24	FLG WN 600# RF LTCS A350 LF2 CL.1 SCH 40	0	0					
2750	U04	FS1	FLANGE	5556558	42	42	FLG WN 600# RF LTCS A350 LF2 CL.1 WT 29.0MM	0	0					
2760	U04	FS1	FLANGE	5557038	0.5	0.5	FLG WN 600# RF LTCS A350 LF2 CL.1 SCH 160	0	0					
2770	U04	FS1	FLANGE	5555935	3	8	FLG WN 900# RF LTCS A350 LF2 CL.1 SCH STD	0	0					
2780	U04	FS1	FLANGE	5557141	10	10	FLG WN 900# RF LTCS A350 LF2 CL.1 SCH XS	0	0					
2790	U04	FS1	FLANGE	5557393	0.75	2	FLG WN 1500# RF LTCS A350 LF2 CL.1 SCH XS	0	0					
2800	U04	FS1, 817	FLANGE	5557704	1	1	FLG WN 2500# RTJ LTCS A350 LF2 CL.1 SCH XS	0	0					
2810	U04	FS1, 817	FLANGE	5557704	2	2	FLG WN 2500# RTJ LTCS A350 LF2 CL.1 SCH XS	0	0					
2820	U04		BLIND	5615576	0.5	24	FLG BLIND 300# RF LTCS A350 LF2 CL.1	0	0					
2830	U04		BLIND	5615579	26	48	FLG BLIND 300# RF LTCS A350 LF2 CL.1 B16.47 SERIES A	0	0					
2840														
2840	U04		FLG ADAPTER	5851289	0.75	0.75	FLANGE ADAPTER 300# RF 316 SS X 6 MM TUBE	0	0					
2850			FLANGE	5851203	0.5	2	FLANGE ADAPTER 300# RF 316 SS X 12 MM TUBE	0	0					
2860														
2860							***** ORIFICE FLANGES *****							
2870														
2870	U04		ORIFICE FLG	5623947	2	2	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 SCH XS	0	0					
2880	U04		ORIFICE FLG	5623947	10	14	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 SCH XS	0	0					
2890	U04		ORIFICE FLG	5623944	3	8	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 SCH STD	0	0					
2900	U04		ORIFICE FLG	5623943	16	24	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 SCH 40	0	0					
2910	U04		ORIFICE FLG	5624815	26	26	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 20.0MM WT ASME B16.47 SERIES A	0	0					
2920	U04		ORIFICE FLG	5624816	28	28	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 20.0MM WT 671.2MM BORE ASME B16.47 SERIES A	0	0					
2930	U04		ORIFICE FLG	5624817	30	30	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 20.0MM WT ASME B16.47 SERIES A	0	0					
2940	U04		ORIFICE FLG	5624818	32	32	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 25.0MM WT ASME B16.47 SERIES A	0	0					
2950	U04		ORIFICE FLG	5624819	34	34	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 25.0MM WT ASME B16.47 SERIES A	0	0					
2960	U04		ORIFICE FLG	5624820	36	36	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 25.0MM WT ASME B16.47 SERIES A	0	0					
2970	U04		ORIFICE FLG	5624821	38	38	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 25.0MM WT ASME B16.47 SERIES A	0	0					
2980	U04		ORIFICE FLG	5624811	40	40	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 25.0MM WT ASME B16.47 SERIES A	0	0					
2990	U04		ORIFICE FLG	5624822	42	42	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 29.0MM WT ASME B16.47 SERIES A	0	0					
3000	U04		ORIFICE FLG	5624823	44	44	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 29.0MM WT ASME B16.47 SERIES A	0	0					
3010	U04		ORIFICE FLG	5624824	46	46	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 29.0MM WT ASME B16.47 SERIES A	0	0					
3020	U04		ORIFICE FLG	5624825	48	48	WN ORIF SET 300# RF LTCS A350 LF2 CL.1 29.0MM WT ASME B16.47 SERIES A	0	0					
3030														
3030							***** PIPE NIPPLES *****							
3040														
3040		812		0			NIPPLE PBE - CUT FROM PIPE							
3050	U04	812					NIPPLE PBE - CUT FROM PIPE							
3060														
3060							***** GASKETS *****							
3070														
3070			GASKET	5673033	0.5	24	GASKET 300# 316SS SPIRAL WOUND GRAPHITE IR	0	0					
3080			GASKET	5674032	26	60	GASKET 300# 316SS KAMMPROFILE GRAPHITE ASME B16.47 SERIES A	0	0					

	TENGIZCHEVROIL TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION		CORR.ALLOW.		SERVICE		MATERIAL		DATE	BY	REV	SHEET	PIPING LINE CLASS
		All SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE		CORR. ALLOW. 3 MM		SOUR SERVICE - NACE MR0175/ ISO 15156, DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO		MATERIAL: LTCS FLANGE RATING: 300 RF TEMPERATURE RANGE: -40 / 260 °C COMMENT: REFER NOTE 800						
										12/16/2024	BY OZAC	U04	Page 5 of 6	300K21

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES
3090	U04	GA6	GASKET	5673017	2	3	GASKET 300# 316SS KAMMPROFILE GRAPHITE ASME B16.5	0	0	
3100	U04	FS1	GASKET	5673103	0.5	24	GASKET 600# 316SS SPIRAL WOUND GRAPHITE IR	0	0	
3110		FS1	GASKET	5674012	42	42	GASKET 600# 316SS KAMMPROFILE GRAPHITE ASME B16.47 SERIES A	0	0	
3120		FS1	GASKET	5673117	3	10	GASKET 900# 316SS SPIRAL WOUND GRAPHITE IR	0	0	
3130	U04	FS1	GASKET	5672251	0.75	2	GASKET 1500# 316SS SPIRAL WOUND GRAPHITE IR	0	0	
3140	U04	FS1, 817	GASKET	5674480	1	1	GASKET 2500# RTJ SS OCTAGONAL RING	0	0	
3150	U04	FS1, 817	GASKET	5674480	2	2	GASKET 2500# RTJ SS OCTAGONAL RING	0	0	
3160		B1					***** BOLTING *****			
3170										
3170	U04		BOLTING	5675770	0.5	99	STUD-BOLT A320 GR L7M/A194 GR 7M (S3) WITH 2 NUTS	0	0	
3180	U04	817	BOLTING	5675669	0.5	99	STUD-BOLT A320 GR L7M/A194 GR 7M NUTS	0	0	
3190										
3190		SB6	BOLTING	5675675	12	60	JACK SCREW HEX HEAD A320 GR L7M	0	0	
3200							***** BLINDS AND SPACERS *****			
3200										
3210										
3210			SPEC BLIND	5749581	0.75	10	SPECTACLE BLIND 300# RF LTCS A516 GR.70	0	0	
3220										
3220			PADDLE	5750100	12	24	PADDLE BLANK 300# RF LTCS A516 GR.70	0	0	
3230			PADDLE	5750028	26	60	PADDLE BLANK 300# RF LTCS A516 GR70 B16.47 SERIES A	0	0	
3240			PADDLE	5750200	12	24	PADDLE SPACER 300# RF LTCS A516 GR.70	0	0	
3250			PADDLE	5750198	26	60	PADDLE SPACER 300# RF LTCS A516 GR70 B16.47 SERIES A	0	0	
3260										
3270							***** MISCELLANEOUS *****			
3270										
3280										
3280	U04		FLG GUARD	5558882	0.75	10	SAFETY SHIELD PTFE SUITABLE FOR 300# FLANGE	0	0	

	TENGIZCHEVROIL TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 3 MM	SOUR SERVICE - NACE MR0175/ ISO 15156, DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 300 RF TEMPERATURE RANGE: -40 / 260 °C COMMENT: REFER NOTE 800	12/16/2024	BY OZAC	U04	Page 6 of 6	300K21