

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES	
10	U04						***** MODULAR VALVES *****			810	NIPPLE TO BE CUT FROM SCH 160 PIPE.
20										816	COMPACT FLANGES CAN BE USED FOR TIE-IN PURPOSE ONLY TO EXISTING PIPING AND EQUIPMENT.
30	U04	VB2	MODULAR DBB	M01AC02	0.75	2	MODULAR VALVE DB&B BALL TYPE 150# RF LTCS A350 LF2 CL.1 316 SS TRIM METAL LO	0	0		
40							***** BALL VALVES *****			817	USE ONLY FOR TIE IN
40	U04		BALL	A01AC01	3	4	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT RB LO	0	0	B1	ALL BOLTS ARE METRIC DIA.
50	U04		BALL	A01AC02	3	4	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL RB LO	0	0	B2	7/8" X 145MM BOLTS ONLY TO BE USED FOR 1 INCH 1500# PERAR BALL VALVES ITEM CODE B15AM10
60	U04		BALL	A01AC03	6	6	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT RB GO	0	0		
70	U04		BALL	A01AC04	6	6	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL RB GO	0	0	BE3	MITRE BENDS SHALL BE FABRICATED FROM THE FOLLOWING WALL THICKNESS PIPE:
80	U04		BALL	A01AC07	8	8	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT RB GO	0	0		36" NB THRU 44" NB - 10.0MM,
90	U04		BALL	A01AC08	8	8	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL RB GO	0	0		48" NB THRU 56" NB - 12.0MM,
100	U04	B1	BALL	B01AC01	0.75	3	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT FB LO	0	0		60" NB THRU 80" NB - 14.0MM,
110	U04	B1	BALL	B01AC02	0.75	3	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL FB LO	0	0		84" NB THRU 92" NB - 16.0MM.
120	U04	VA5	BALL	B01AC03	4	4	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT FB GO	0	0		BUTT WELD ENDS OF BENDS TO BE BEVELLED TO SUIT 10.0MM PIPE.
130	U04	VA5	BALL	B01AC04	4	4	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL FB GO	0	0		
140	U04	VA5	BALL	B01AC07	6	24	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT FB GO	0	0	FA8	USE THREADED FLANGES FOR INSTRUMENT CONNECTIONS ONLY.
150	U04	VA5	BALL	B01AC08	6	24	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL FB GO	0	0		
160	U04	VA5	BALL	B01JC07	26	60	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT FB GO B16.47 SERIES A	0	0	FS1	USE FLANGES, GASKETS & VALVES AS REQUIRED TO MATCH EQUIPMENT OR VESSEL NOZZLES.
170	U04	VA5	BALL	B01JC08	26	60	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL FB GO B16.47 SERIES A	0	0	NN7	ENDS OF MAIN RUN AND BRANCH SHALL BE BEVELLED, SUITABLE FOR ATTACHMENT TO 10.0MM WT. PIPE
180	U04						***** BUTTERFLY VALVE *****			UJ2	USE 1 1/2IN WITH THERMOWELL CONNECTIONS ONLY & 3/4IN (IF SHOWN) FOR DBB PRESSURE CONNECTIONS WITH CHEMICAL SEALS.
190	U04		BUTTERFLY	T01AC61	10	24	BUTTERFLY 150# RF LTCS A352 LCC 316SS TRIM TOV METAL DBL FLG SHORT PAT GO	0	0	VA5	USE THESE VALVES ONLY WHERE SPECIFIED ON PIPING AND INSTRUMENT DIAGRAMS
200	U04		BUTTERFLY	T01JC61	26	60	BUTTERFLY 150# RF LTCS A352 LCC 316SS TRIM TOV METAL DBL FLG SHORT PAT GO ASME B16.47 SERIES A	0	0	VB2	SOFT SEATED BALL VALVES ARE LIMITED TO MAXIMUM TEMPERATURE OF 200°C.
210							***** GATE VALVES *****			VC1	SPRING PISTON CHECK VALVES ARE PREFERRED IN THE HORIZONTAL POSITION, BUT MAY BE USED IN THE VERTICAL POSITION WITH ENGINEERING APPROVAL.
210	U04										
220											
220	U04		GATE	G01AC48	0.75	1.5	GATE 150# RF LTCS A350 LF2 CL.1 TRIM 16 WEDGE HW	0	0		
230	U04		GATE	G01AC41	2	8	GATE 150# RF LTCS A352 LCC TRIM 16 WEDGE HW	0	0		
240							***** GLOBE VALVES *****				
240	U04										
250											
250	U04		GLOBE	L01AC48	0.75	1.5	GLOBE 150# RF LTCS A350 LF2 CL.1 TRIM 16 OS&Y HW	0	0		
260	U04		GLOBE	L01AC41	2	6	GLOBE 150# RF LTCS A352 LCC TRIM 16 OS&Y HW	0	0		
270	U04		GLOBE	L01AC42	8	10	GLOBE 150# RF LTCS A352 LCC TRIM 16 OS&Y GO	0	0		
280							***** CHECK VALVES *****				
280	U04										
290											
290	U04	VC1	CHECK	C01AC50	0.75	1.5	CHECK PISTON 150# RF LTCS A350 LF2 CL.1 TRIM 16	0	0		
300	U04		CHECK	C01AC45	2	6	CHECK DUAL WAFER LUG 150# RF LTCS A352 LCC TRIM 16 THROU BOLTED	0	0		
310	U04		CHECK	C01AC52	8	24	CHECK DUAL DBL FLG 150# RF LTCS A352 LCC TRIM 16	0	0		
320	U04		CHECK	C01JC52	26	60	CHECK DUAL DBL FLG 150# RF LTCS A352 LCC TRIM 16 B16.47 SERIES A	0	0		
330							***** PIPE *****				
330	U04										
340											
340	U04		PIPE	5358508	0.75	1.5	PIPE SCH XS SMLS LTCS A333 GR.6 PE	0	0		
350	U04		PIPE	5358514	2	2	PIPE SCH XS SMLS LTCS A333 GR.6 BE	0	0		
360	U04		PIPE	5358505	3	14	PIPE SCH STD SMLS LTCS A333 GR.6 BE	0	0		
370	U04		PIPE	5358501	16	16	PIPE SCH 20 SMLS LTCS A333 GR.6 BE	0	0		
380	U04		PIPE	5358597	18	24	PIPE SCH 20 EFW LTCS A671 CC60 CL.22 BE	0	0		
390	U04		PIPE	5358605	30	30	PIPE SCH 10 EFW LTCS A671 CC70 CL.22 BE	0	0		
400	U04		PIPE	5358607	36	92	PIPE WT 10.0MM EFW LTCS SHOP FABRICATED A671 CC70 CL.22 BE	0	0		
410	U04	810	PIPE	5358512	0.5	0.5	PIPE SCH 160 SMLS LTCS A333 GR.6 PE	0	0		
420							***** FITTINGS *****				
420	U04										
430											
430	U04		ELBOW	5392600	0.75	2	ELL BW 90 DEG LR SCH XS LTCS A420 WPL6	0	0		
440	U04		ELBOW	5392438	3	14	ELL BW 90 DEG LR SCH STD LTCS A420 WPL6	0	0		
450	U04		ELBOW	5392276	16	16	ELL BW 90 DEG LR SCH 20 LTCS A420 WPL6	0	0		
460	U04		ELBOW	5392280	18	24	ELL BW 90 DEG LR SCH 20 LTCS A420 WPL6-W	0	0		
470	U04		ELBOW	5392265	30	30	ELL BW 90 DEG LR SCH 10 LTCS A420 WPL6-W	0	0		
480	U04		ELBOW SR	5392240	30	30	ELL BW 90 DEG SR SCH 10 LTCS A420 WPL6-W	0	0		
490											
490	U04	BE3	ELBOW SR	5393010	36	92	90 DEG THREE CUT MITRE BEND SHORT RADIUS SHOP FABRICATED ASTM A671 CC70 CL2	0	0		
500	U04	BE3	ELBOW	5393006	36	92	90 DEG THREE CUT MITRE BEND LONG RADIUS SHOP FABRICATED ASTM A671 CC70 CL2	0	0		
510											
510	U04		ELBOW	5392606	0.75	2	ELL BW 45 DEG LR SCH XS LTCS A420 WPL6	0	0		
520	U04		ELBOW	5392444	3	14	ELL BW 45 DEG LR SCH STD LTCS A420 WPL6	0	0		
530	U04		ELBOW	5392282	16	16	ELL BW 45 DEG SCH 20 LTCS A420 WPL6	0	0		
540	U04		ELBOW	5392281	18	24	ELL BW 45 DEG LR SCH 20 LTCS A420 WPL6-W	0	0		
550	U04		ELBOW	5392275	30	30	ELL BW 45 DEG LR SCH 10 LTCS A420 WPL6-W	0	0		

	TENGIZCHEVROIL TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT FOR WT > 19 MM SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 6 MM	SOUR SERVICE - NACE MR0175/ ISO 15156 DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 150 RF TEMPERATURE RANGE: -40 / 343 °C	12/16/2024	BY OZAC	U04	Page 1 of 3	150H26

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES
560										
560	U04	BE3	ELBOW	5393026	36	92	45 DEG TWO CUT MITRE BEND LONG RADIUS SHOP FABRICATED ASTM A671 CC70 CL2	0	0	
570										
570	U04		TEE	5392609	0.75	2	TEE BW SCH XS LTCS A420 WPL6	0	0	
580	U04		TEE	5392447	3	14	TEE BW SCH STD LTCS A420 WPL6	0	0	
590	U04		TEE	5392285	16	16	TEE BW SCH 20 LTCS A420 WPL6	0	0	
600	U04		TEE	5392295	18	24	TEE BW SCH 20 LTCS A420 WPL6-W	0	0	
610	U04	NN7	TEE	5392284	30	30	TEE BW SCH 10 LTCS A420 WPL6-W	0	0	
620	U04	NN7	TEE	5393032	36	56	TEE WT 15.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	0	0	
630	U04	NN7	TEE	5393036	60	68	TEE WT 19.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	0	0	
640	U04	NN7	TEE	5393038	76	92	TEE WT 25.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	0	0	
650	U04		TEE RED	5392661	0.75	1.5	TEE RED BW SCH XS LTCS A420 WPL6	1	2	
660	U04		TEE RED	5392454	1.5	2	TEE RED BW SCH STD/XS LTCS A420 WPL6	3	4	
670	U04		TEE RED	5392445	3	12	TEE RED BW SCH STD LTCS A420 WPL6	4	14	
680	U04		TEE RED	5392289	6	14	TEE RED BW SCH 20/STD LTCS A420 WPL6	16	16	
690	U04		TEE RED	5392296	8	14	TEE RED BW SCH 20/STD LTCS A420 WPL6-W	18	24	
700	U04		TEE RED	5392292	16	20	TEE RED BW SCH 20 LTCS A420 WPL6-W	18	24	
710			TEE RED	5393053	18	24	TEE REDUCING WT 15.0MM/SCH 20 LTCS SHOP FABRICATED A671 CC70 CL 22	36	54	
720	U04		TEE RED	5393072	24	24	TEE REDUCING WT 15.0MM/SCH 20 LTCS SHOP FABRICATED A671 CC70 CL 22	52	52	
730	U04		TEE RED	5392274	30	32	TEE RED BW SCH 10 LTCS A420 WPL6-W	32	34	
740	U04		TEE RED	5393067	28	28	TEE REDUCING WT 15.0MM/SCH XS LTCS SHOP FABRICATED A671 CC70 CL 22	52	52	
750	U04		TEE RED	5393068	36	36	TEE REDUCING WT 15.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	54	54	
760			TEE RED	5393042	44	52	TEE REDUCING WT 19.0MM / 15.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	60	68	
770	U04	NN7	TEE RED	5393044	56	56	TEE REDUCING WT 25.0MM / 15.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	88	88	
780	U04	NN7	TEE RED	5393035	60	60	TEE REDUCING WT 19.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	68	68	
790			TEE RED	5393037	60	60	TEE REDUCING WT 25.0MM /19.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	70	84	
800			TEE RED	5393041	70	76	TEE REDUCING WT 25.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	80	80	
810										
810	U04		CAP	5392610	0.75	2	CAP BW SCH XS LTCS A420 WPL6	0	0	
820	U04		CAP	5392448	3	14	CAP BW SCH STD LTCS A420 WPL6	0	0	
830	U04		CAP	5392286	16	24	CAP BW SCH 20 LTCS A420 WPL6	0	0	
840	U04		CAP	5392318	30	30	CAP SCH 10 LTCS A420 WPL6	0	0	
850	U04		CAP	5392614	36	92	CAP BW WT 10.0MM LTCS STL A420 WPL6	0	0	
860										
860	U04		RED CONC	5392458	0.75	1.5	REDUCER CONC SCH XS LTCS A420 WPL6	1	2	
870	U04		RED CONC	5392452	1.5	2	REDUCER CONC SCH STD/XS LTCS A420 WPL6	3	4	
880	U04		RED CONC	5392449	3	12	REDUCER CONC SCH STD LTCS A420 WPL6	4	14	
890	U04		RED CONC	5392290	8	14	REDUCER CONC SCH 20/STD LTCS A420 WPL6	16	16	
900	U04		RED CONC	5392297	10	14	REDUCER CONC SCH 20/STD LTCS A420 WPL6-W	18	20	
910	U04		RED CONC	5392287	16	20	REDUCER CONC SCH 20 LTCS A420 WPL6-W	18	24	
920	U04		RED CONC	5393050	30	30	REDUCER CONC SCH 10 LTCS A420 WPL6-W	32	32	
930	U04		RED CONC	5393051	30	34	REDUCER CONC WT 10.0MM/SCH 10 LTCS A420 WPL6-W	36	36	
940	U04		RED CONC	5393055	36	90	REDUCER CONC WT10.0MM LTCS SHOP FABRICATED A671 CC70 CL22	40	92	
950	U04		RED ECC	5392612	0.75	1.5	REDUCER ECC SCH XS LTCS A420 WPL6	1	2	
960	U04		RED ECC	5392453	1.5	2	REDUCER ECC SCH STD/XS LTCS A420 WPL6	3	4	
970	U04		RED ECC	5392450	3	12	REDUCER ECC SCH STD LTCS A420 WPL6	4	14	
980	U04		RED ECC	5392291	8	14	REDUCER ECC SCH 20/STD LTCS A420 WPL6	16	16	
990	U04		RED ECC	5392298	10	14	REDUCER ECC SCH 20/STD LTCS A420 WPL6-W	18	20	
1000	U04		RED ECC	5392288	16	20	REDUCER ECC SCH 20 LTCS A420 WPL6-W	18	24	
1010	U04		RED ECC	5393069	24	24	REDUCER ECC WT10.0MM/SCH 20 LTCS SHOP FABRICTED A671 CC70 CL22	36	36	
1020	U04		RED ECC	5393060	30	30	REDUCER ECC SCH 10 LTCS A420 WPL6-W	32	32	
1030	U04		RED ECC	5393061	30	34	REDUCER ECC WT 10.0MM/SCH 10 LTCS A420 WPL6-W	36	36	
1040	U04		RED ECC	5393062	36	90	REDUCER ECC WT10.0MM LTCS SHOP FABRICTED A671 CC70 CL22	40	92	
1050										
1050	U04						***** OLETS *****			
1060										
1060	U04		OLETS	5504001	0.75	1.5	NIPOFLANGE 150# RF SCH XS LTCS A350 LF2 CL.1	2	2	
1070	U04		OLETS	5504002	0.75	2	NIPOFLANGE 150# RF SCH STD/ XS LTCS A350 LF2 CL.1	3	14	
1080	U04		OLETS	5504016	0.75	2	NIPOFLANGE 150# RF SCH 20/XS LTCS A350 LF2 CL.1	16	24	
1090	U04		OLETS	5504472	0.75	2	NIPOFLANGE 150# RF SCH 10/ XS LTCS A350 LF2 CL.1	30	30	
1100	U04		OLETS	5504099	0.75	2	NIPOFLANGE 150# RF SCH 10.0MM/XS LTCS A350 LF2 CL.1	36	92	
1110	U04		OLETS	5504021	0.75	0.75	NIPOFLANGE 300# RF SCH STD/XS LTCS A350 LF2 CL.1	8	8	
1120	U04	UJ2	OLETS	5504025	1.5	1.5	NIPOFLANGE 300# RF SCH STD/160 LTCS A350 LF2 CL.1	4	14	
1130	U04	UJ2	OLETS	5504019	1.5	1.5	NIPOFLANGE 300# RF SCH 20/160 LTCS A350 LF2 CL.1	16	24	
1140	U04	UJ2	OLETS	5504015	1.5	1.5	NIPOFLANGE 300# RF SCH 10/160 LTCS A350 LF2 CL.1	30	30	
1150	U04	UJ2	OLETS	5504045	1.5	1.5	NIPOFLANGE 300# RF WT 10.0MM/160 LTCS A350 LF2 CL.1	36	92	
1160										
1160	U04		OLETS	5505335	0.75	1	WELDOLET SCH XS LTCS A350 LF2 CL.1	2	2	
1170	U04		OLETS	5505179	0.75	2	WELDOLET SCH STD/XS LTCS A350 LF2 CL.1	3	14	
1180	U04		OLETS	5505572	2	2	WELDOLET SCH 20/XS LTCS A350 LF2 CL.1	16	24	
1190	U04		OLETS	5505337	2	2	WELDOLET SCH 10/ XS LTCS A350 LF2 CL.1	30	30	
1200	U04		OLETS	5505628	2	2	WELDOLET WT 10.0MM/SCH XS LTCS A350 LF2 CL.1	36	92	
1210	U04		OLETS	5505164	3	4	WELDOLET SCH STD LTCS A350 LF2 CL.1	8	14	

	TENGIZCHEVROIL TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT FOR WT > 19 MM SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 6 MM	SOUR SERVICE - NACE MR0175/ ISO 15156 DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 150 RF TEMPERATURE RANGE: -40 / 343 °C	12/16/2024	BY OZAC	U04	Page 2 of 3	150H26

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES
1220	U04		OLETS	5505571	3	8	WELDOLET SCH 20/STD LTCS A350 LF2 CL.1	16	24	
1230	U04		OLETS	5505165	3	14	WELDOLET SCH 10/STD WT LTCS A350 LF2 CL.1	30	30	
1240	U04		OLETS	5505600	3	14	WELDOLET WT 10.0MM/STD WT LTCS A350 LF2 CL.1	36	92	
1250										
1250	U04	UJ2	ELBOFLG	5516625	1.5	1.5	ELBOFLANGE 300# RF SCH STD/160 LTCS A350 LF2 CL.1	4	14	
1260	U04	UJ2	ELBOFLG	5516619	1.5	1.5	ELBOFLANGE 300# RF SCH 20/160 LTCS A350 LF2 CL.1	16	24	
1270	U04	UJ2	ELBOFLG	5516615	1.5	1.5	ELBOFLANGE 300# RF SCH 10/160 LTCS A350 LF2 CL.1	30	30	
1280	U04	UJ2	ELBOFLG	5516645	1.5	1.5	ELBOFLANGE 300# RF WT 10.0MM/SCH 160 LTCS A350 LF2 CL.1	36	92	
1290										
1290	U04	816					***** FLANGES *****			
1300										
1300	U04	FA8	FLANGE	5599692	0.5	0.5	FLG SCRDR (FNPT) REDUCING 150# RF LTCS A350 LF2 CL.1	1.5	1.5	
1310	U04		FLANGE	5556264	0.75	2	FLG WN 150# RF LTCS A350 LF2 CL.1 SCH XS	0	0	
1320	U04		FLANGE	5556261	3	14	FLG WN 150# RF LTCS A350 LF2 CL.1 SCH STD	0	0	
1330	U04		FLANGE	5556265	16	24	FLG WN 150# RF LTCS A350 LF2 CL.1 SCH 20	0	0	
1340	U04		FLANGE	5556267	30	30	FLG WN 150# RF LTCS A350 LF2 CL.1 SCH 10 B16.47 SERIES A	0	0	
1350	U04		FLANGE	5556268	36	60	FLG WN 150# RF LTCS A350 LF2 CL.1 WT 10.0MM B16.47 SERIES A	0	0	
1360	U04		FLANGE	5556476	2	2	FLG WN 300# RF LTCS A350 LF2 CL.1 SCH XS	0	0	
1370	U04		FLANGE	5556473	3	6	FLG WN 300# RF LTCS A350 LF2 CL.1 SCH STD	0	0	
1380	U04		BLIND	5615566	0.75	24	FLG BLIND 150# RF LTCS A350 LF2 CL.1	0	0	
1390	U04		BLIND	5615570	30	60	FLG BLIND 150# RF LTCS A350 LF2 CL.1 B16.47 SERIES A	0	0	
1400	U04	817	FLANGE	5619895	62	92	FLG COMPACT 150# RJ LTCS A350 LF2 CL.1 WT 10.0MM LINE CLASS 150H26	0	0	
1410	U04	817	BLIND	5619750	62	92	FLG COMPACT BLIND 150# RJ LTCS A350 LF2 CL.1	0	0	
1420										
1420	U04						***** PIPE NIPPLES *****			
1430										
1430	U04	810					NIPPLE PBE CUT FROM PIPE			
1440										
1440	U04	FS1					***** GASKETS *****			
1450										
1450	U04		GASKET	5673043	0.75	24	GASKET 150# 316SS SPIRAL WOUND GRAPHITE IIR	0	0	
1460	U04		GASKET	5674011	26	60	GASKET 150# 316SS KAMMPROFILE GRAPHITE ASME B16.47 SERIES A	0	0	
1470	U04	817	GASKET	5673046	62	92	GASKET 150# RJ INC 718 ENERGIZED SEALRING COMPACT FLANGE	0	0	
1480										
1480	U04						***** BOLTING *****			
1490										
1490	U04	B1	BOLTING	5675770	0.5	99	STUD-BOLT A320 GR L7M/A194 GR 7M (S3) WITH 2 NUTS	0	0	
1500										
1500	U04						**** BLINDS & SPACERS ****			
1510										
1510	U04		SPEC BLIND	5749580	1.5	14	SPECTACLE BLIND 150# RF LTCS A 516 GR.70	0	0	
1520										
1520	U04		PADDLE	5750023	16	24	PADDLE BLANK 150# RF LTCS A516 GR.70	0	0	
1530	U04		PADDLE	5750240	16	24	PADDLE SPACER 150# RF LTCS A516 GR.70	0	0	
1540	U04		PADDLE	5750026	36	60	PADDLE BLANK 150# RF LTCS A516 GR70 B16.47 SERIES A	0	0	
1550	U04		PADDLE	5750196	36	60	PADDLE SPACER 150# RF LTCS A516 GR.70 B16.47 SERIES A	0	0	
1560	U04		PADDLE	5750027	68	92	PADDLE BLANK 150# RF LTCS A516 GR70	0	0	
1570	U04		PADDLE	5750197	68	92	PADDLE SPACER 150# RF LTCS A516 GR.70	0	0	
1580										

	TENGIZCHEVROI TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT FOR WT > 19 MM SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 6 MM	SOUR SERVICE - NACE MR0175/ ISO 15156 DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 150 RF TEMPERATURE RANGE: -40 / 343 °C	12/16/2024	BY OZAC	U04	Page 3 of 3	150H26