

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES	
10	U04						***** MODULAR VALVES *****			810	NIPPLE TO BE CUT FROM SCH 160 PIPE.
20										817	USE ONLY FOR TIE IN
20	U04		MODULAR DBB	M01AC02	0.75	2	MODULAR VALVE DB&B BALL TYPE 150# RF LTCS A350 LF2 CL.1 316 SS TRIM METAL LO	0	0	B2	7/8" X 145MM BOLTS ONLY TO BE USED FOR 1 INCH 1500# PERAR BALL VALVES ITEM CODE B15AM10
30											
30	U04	VB2					***** BALL VALVES *****			B6	7/8" X 145MM BOLTS ONLY TO BE USED FOR 1 INCH 1500# PERAR BALL VALVES ITEM CODE B15AS22
40											
40	U04		BALL	A01AC01	3	4	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT RB LO	0	0		
50	U04		BALL	A01AC02	3	4	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL RB LO	0	0		
60	U04		BALL	A01AC03	6	6	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT RB GO	0	0	BE3	MITRE BENDS SHALL BE FABRICATED FROM THE FOLLOWING WALL THICKNESS PIPE:
70	U04		BALL	A01AC04	6	6	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL RB GO	0	0		36" NB THRU 44" NB - 10.0MM,
80	U04		BALL	A01AC07	8	8	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT RB GO	0	0		48" NB THRU 56" NB - 12.0MM,
90	U04		BALL	A01AC08	8	8	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL RB GO	0	0		60" NB THRU 80" NB - 14.0MM,
100	U04		BALL	B01AC01	0.75	2	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT FB LO	0	0		84" NB THRU 92" NB - 16.0MM,
110	U04		BALL	B01AC01	3	3	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT FB LO	0	0		BUTT WELD ENDS OF BENDS TO BE BEVELLED TO SUIT 10.0MM PIPE.
120	U04		BALL	B01AC02	0.75	2	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL FB LO	0	0		
130	U04	VA5	BALL	B01AC02	3	3	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL FB LO	0	0	FA8	USE THREADED FLANGES FOR INSTRUMENT CONNECTIONS ONLY.
140	U04		BALL	B01AC03	4	4	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT FB GO	0	0		
150	U04	VA5	BALL	B01AC04	4	4	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL FB GO	0	0	NN7	ENDS OF MAIN RUN AND BRANCH SHALL BE BEVELLED, SUITABLE FOR ATTACHMENT TO 10.0MM WT. PIPE
160	U04		BALL	B01AC07	6	24	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT FB GO	0	0		
170	U04	VA5	BALL	B01AC08	6	24	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL FB GO	0	0		
180	U04		BALL	B01JC07	30	60	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT FB GO B16.47 SERIES A	0	0	PA1	22IN FOR PIPE AND FITTINGS IS A NON-PREFERRED SIZE. CONTACT MATERIAL ENGINEER BEFORE USE FOR APPROVED SCHEDULE.
190	U04	VA5	BALL	B01JC08	30	60	BALL 150# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL FB GO B16.47 SERIES A	0	0		
200											
200	U04						***** BUTTERFLY VALVE *****				
210											
210	U04		BUTTERFLY	T01AC61	10	24	BUTTERFLY 150# RF LTCS A352 LCC 316SS TRIM TOV METAL DBL FLG SHORT PAT GO	0	0	PJ9	FOR USE IN NON-JACKETED SULPHUR LINES ONLY.
220	U04		BUTTERFLY	T01JC61	30	60	BUTTERFLY 150# RF LTCS A352 LCC 316SS TRIM TOV METAL DBL FLG SHORT PAT GO ASME B16.47 SERIES A	0	0	SB6	USE JACKSCREWS FOR PADDLE BLANKS/SPACERS AND FLANGE SPREADERS FOR SPECTACLE BLINDS.
230											
230	U04						***** GATE VALVES *****			UJ2	USE 1 1/2IN WITH THERMOWELL CONNECTIONS ONLY & 3/4IN (IF SHOWN) FOR DBB PRESSURE CONNECTIONS WITH CHEMICAL SEALS.
240	U04		GATE	G01AC48	0.75	1.5	GATE 150# RF LTCS A350 LF2 CL.1 TRIM 16 WEDGE HW	0	0		
250	U04		GATE	G01AC41	2	8	GATE 150# RF LTCS A352 LCC TRIM 16 WEDGE HW	0	0	VA5	USE THESE VALVES ONLY WHERE SPECIFIED ON PIPING AND INSTRUMENT DIAGRAMS
260											
260	U04						***** GLOBE VALVES *****				
270											
270	U04		GLOBE	L01AC48	0.75	1.5	GLOBE 150# RF LTCS A350 LF2 CL.1 TRIM 16 OS&Y HW	0	0	VB2	SOFT SEATED BALL VALVES ARE LIMITED TO MAXIMUM TEMPERATURE OF 200°C.
280	U04		GLOBE	L01AC41	2	6	GLOBE 150# RF LTCS A352 LCC TRIM 16 OS&Y HW	0	0		
290	U04		GLOBE	L01AC42	8	10	GLOBE 150# RF LTCS A352 LCC TRIM 16 OS&Y GO	0	0	VC1	SPRING PISTON CHECK VALVES ARE PREFERRED IN THE HORIZONTAL POSITION, BUT MAY BE USED IN THE VERTICAL POSITION WITH ENGINEERING APPROVAL.
300											
300	U04						***** CHECK VALVES *****				
310											
310	U04	VC1	CHECK	C01AC50	0.75	1.5	CHECK PISTON 150# RF LTCS A350 LF2 CL.1 TRIM 16	0	0		
320	U04		CHECK	C01AC45	2	6	CHECK DUAL WAFER LUG 150# RF LTCS A352 LCC TRIM 16 THROU BOLTED	0	0		
330	U04		CHECK	C01AC52	8	24	CHECK DUAL DBL FLG 150# RF LTCS A352 LCC TRIM 16	0	0		
340	U04		CHECK	C01JC52	30	60	CHECK DUAL DBL FLG 150# RF LTCS A352 LCC TRIM 16 B16.47 SERIES A	0	0		
350											
350	U04	PA1					***** PIPE *****				
360											
360	U04		PIPE	5358508	0.75	1.5	PIPE SCH XS SMLS LTCS A333 GR.6 PE	0	0		
370	U04		PIPE	5358514	2	2	PIPE SCH XS SMLS LTCS A333 GR.6 BE	0	0		
380	U04		PIPE	5358505	3	14	PIPE SCH STD SMLS LTCS A333 GR.6 BE	0	0		
390	U04		PIPE	5358501	16	16	PIPE SCH 20 SMLS LTCS A333 GR.6 BE	0	0		
400	U04		PIPE	5358597	18	24	PIPE SCH 20 EFW LTCS A671 CC60 CL.22 BE	0	0		
410	U04		PIPE	5358605	30	30	PIPE SCH 10 EFW LTCS A671 CC70 CL.22 BE	0	0		
420	U04		PIPE	5358607	36	92	PIPE WT 10.0MM EFW LTCS SHOP FABRICATED A671 CC70 CL.22 BE	0	0		
430	U04	810	PIPE	5358512	0.5	0.5	PIPE SCH 160 SMLS LTCS A333 GR.6 PE	0	0		
440											
440	U04						***** FITTINGS *****				
450											
450	U04		ELBOW	5392600	0.75	2	ELL BW 90 DEG LR SCH XS LTCS A420 WPL6	0	0		
460	U04		ELBOW	5392438	3	14	ELL BW 90 DEG LR SCH STD LTCS A420 WPL6	0	0		
470	U04		ELBOW	5392276	16	16	ELL BW 90 DEG LR SCH 20 LTCS A420 WPL6	0	0		
480	U04		ELBOW	5392280	18	24	ELL BW 90 DEG LR SCH 20 LTCS A420 WPL6-W	0	0		
490	U04		ELBOW	5392265	30	30	ELL BW 90 DEG LR SCH 10 LTCS A420 WPL6-W	0	0		
500											
500	U04	BE3	ELBOW	5393006	36	92	90 DEG THREE CUT MITRE BEND LONG RADIUS SHOP FABRICATED ASTM A671 CC70 CL2	0	0		
510											
510	U04		ELBOW SR	5392240	30	30	ELL BW 90 DEG SR SCH 10 LTCS A420 WPL6-W	0	0		
520											
520	U04	BE3	ELBOW	5393010	36	92	90 DEG THREE CUT MITRE BEND SHORT RADIUS SHOP FABRICATED ASTM A671 CC70 CL2	0	0		
530											
530	U04		ELBOW	5392606	0.75	2	ELL BW 45 DEG LR SCH XS LTCS A420 WPL6	0	0		

	TENGIZCHEVROIL TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 3 MM	SOUR SERVICE - NACE MR0175 / ISO 15156 DESIGN: PIM-SU-5112-TCO CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 150 RF TEMPERATURE RANGE: -40 / 343 °C	12/16/2024	BY OZAC	U04	Page 1 of 3	150K26

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES
540	U04		ELBOW	5392444	3	14	ELL BW 45 DEG LR SCH STD LTCS A420 WPL6	0	0	
550	U04		ELBOW	5392282	16	16	ELL BW 45 DEG SCH 20 LTCS A420 WPL6	0	0	
560	U04		ELBOW	5392281	18	24	ELL BW 45 DEG LR SCH 20 LTCS A420 WPL6-W	0	0	
570	U04		ELBOW	5392275	30	30	ELL BW 45 DEG LR SCH 10 LTCS A420 WPL6-W	0	0	
580										
580	U04	BE3	ELBOW	5393026	36	92	45 DEG TWO CUT MITRE BEND LONG RADIUS SHOP FABRICATED ASTM A671 CC70 CL2	0	0	
590										
590	U04		TEE	5392609	0.75	2	TEE BW SCH XS LTCS A420 WPL6	0	0	
600	U04		TEE	5392447	3	14	TEE BW SCH STD LTCS A420 WPL6	0	0	
610	U04		TEE	5392285	16	16	TEE BW SCH 20 LTCS A420 WPL6	0	0	
620	U04		TEE	5392295	18	24	TEE BW SCH 20 LTCS A420 WPL6-W	0	0	
630	U04		TEE	5392284	30	30	TEE BW SCH 10 LTCS A420 WPL6-W	0	0	
640	U04	NN7	TEE	5393032	36	56	TEE WT 15.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	0	0	
650	U04	NN7	TEE	5393036	60	68	TEE WT 19.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	0	0	
660	U04	NN7	TEE	5393038	76	92	TEE WT 25.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	0	0	
670	U04		TEE RED	5392661	0.75	1.5	TEE RED BW SCH XS LTCS A420 WPL6	1	2	
680	U04		TEE RED	5392454	1.5	2	TEE RED BW SCH STD/XS LTCS A420 WPL6	3	4	
690	U04		TEE RED	5392445	3	12	TEE RED BW SCH STD LTCS A420 WPL6	4	14	
700	U04		TEE RED	5392289	6	14	TEE RED BW SCH 20/STD LTCS A420 WPL6	16	16	
710	U04		TEE RED	5392296	8	14	TEE RED BW SCH 20/STD LTCS A420 WPL6-W	18	24	
720	U04		TEE RED	5392292	16	20	TEE RED BW SCH 20 LTCS A420 WPL6-W	18	24	
730	U04		TEE RED	5392274	30	32	TEE RED BW SCH 10 LTCS A420 WPL6-W	32	34	
740	U04		TEE RED	5393072	24	24	TEE REDUCING WT 15.0MM/SCH 20 LTCS SHOP FABRICATED A671 CC70 CL 22	44	44	
750	U04		TEE RED	5393067	28	28	TEE REDUCING WT 15.0MM/SCH XS LTCS SHOP FABRICATED A671 CC70 CL 22	52	52	
760	U04		TEE RED	5393068	36	36	TEE REDUCING WT 15.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	54	54	
770	U04	NN7	TEE RED	5393042	52	52	TEE REDUCING WT 19.0MM / 15.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	60	60	
780	U04	NN7	TEE RED	5393042	44	44	TEE REDUCING WT 19.0MM / 15.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	68	68	
790	U04	NN7	TEE RED	5393035	60	60	TEE REDUCING WT 19.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	68	68	
800	U04		TEE RED	5393071	28	28	TEE REDUCING WT 25.0MM / SCH XS LTCS SHOP FABRICATED A671 CC70 CL 22	70	70	
810	U04		TEE RED	5393037	60	60	TEE REDUCING WT 25.0MM /19.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	70	70	
820	U04	NN7	TEE RED	5393037	60	60	TEE REDUCING WT 25.0MM /19.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	76	76	
830	U04	NN7	TEE RED	5393037	60	60	TEE REDUCING WT 25.0MM /19.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	84	84	
840	U04	NN7	TEE RED	5393041	76	76	TEE REDUCING WT 25.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	80	80	
850	U04	NN7	TEE RED	5393044	56	56	TEE REDUCING WT 25.0MM / 15.0MM LTCS SHOP FABRICATED A671 CC70 CL 22	88	88	
860										
860	U04	PJ9	CROSS	5416600	2	2	CROSS SCH XS LTCS A420 WPL6	0	0	
870	U04	PJ9	CROSS	5416601	3	10	CROSS SCH STD LTCS ASTM A420 WPL6	0	0	
880	U04	PJ9	CROSS	5416602	3	8	CROSS RED SCH STD LTCS ASTM A420 WPL6	4	10	
890										
890	U04		CAP	5392610	0.75	2	CAP BW SCH XS LTCS A420 WPL6	0	0	
900	U04		CAP	5392448	3	14	CAP BW SCH STD LTCS A420 WPL6	0	0	
910	U04		CAP	5392286	16	24	CAP BW SCH 20 LTCS A420 WPL6	0	0	
920	U04		CAP	5392318	30	30	CAP SCH 10 LTCS A420 WPL6	0	0	
930	U04		CAP	5392614	36	92	CAP BW WT 10.0MM LTCS STL A420 WPL6	0	0	
940										
940	U04		RED CONC	5392452	2	2	REDUCER CONC SCH STD/XS LTCS A420 WPL6	3	4	
950	U04		RED CONC	5392449	2.5	12	REDUCER CONC SCH STD LTCS A420 WPL6	4	14	
960	U04		RED CONC	5392290	8	14	REDUCER CONC SCH 20/STD LTCS A420 WPL6	16	16	
970	U04		RED CONC	5392297	10	14	REDUCER CONC SCH 20/STD LTCS A420 WPL6-W	18	20	
980	U04		RED CONC	5392287	16	20	REDUCER CONC SCH 20 LTCS A420 WPL6-W	18	24	
990	U04		RED CONC	5393050	30	30	REDUCER CONC SCH 10 LTCS A420 WPL6-W	32	32	
1000	U04		RED CONC	5393070	24	24	REDUCER CONC WT 10.0MM/SCH 20 LTCS SHOP FABRICATED A671 CC70 CL22	36	36	
1010	U04		RED CONC	5393051	30	34	REDUCER CONC WT 10.0MM/SCH 10 LTCS A420 WPL6-W	36	36	
1020	U04		RED CONC	5393052	32	32	REDUCER CONC WT 10.0MM/SCH 10 LTCS SHOP FABRICATED A671 CC70 CL22	44	44	
1030	U04		RED CONC	5393052	32	32	REDUCER CONC WT 10.0MM/SCH 10 LTCS SHOP FABRICATED A671 CC70 CL22	52	52	
1040	U04		RED CONC	5393055	36	90	REDUCER CONC WT10.0MM LTCS SHOP FABRICATED A671 CC70 CL22	40	92	
1050	U04		RED ECC	5392453	2	2	REDUCER ECC SCH STD/XS LTCS A420 WPL6	3	4	
1060	U04		RED ECC	5392450	3	12	REDUCER ECC SCH STD LTCS A420 WPL6	4	14	
1070	U04		RED ECC	5392291	8	14	REDUCER ECC SCH 20/STD LTCS A420 WPL6	16	16	
1080	U04		RED ECC	5392298	10	14	REDUCER ECC SCH 20/STD LTCS A420 WPL6-W	18	20	
1090	U04		RED ECC	5392288	16	20	REDUCER ECC SCH 20 LTCS A420 WPL6-W	18	24	
1100	U04		RED ECC	5393069	24	24	REDUCER ECC WT10.0MM/SCH 20 LTCS SHOP FABRICTED A671 CC70 CL22	36	36	
1110	U04		RED ECC	5393060	30	30	REDUCER ECC SCH 10 LTCS A420 WPL6-W	32	32	
1120	U04		RED ECC	5393061	30	34	REDUCER ECC WT 10.0MM/SCH 10 LTCS A420 WPL6-W	36	36	
1130	U04		RED ECC	5393061	30	30	REDUCER ECC WT 10.0MM/SCH 10 LTCS A420 WPL6-W	40	40	
1140	U04		RED ECC	5393062	36	90	REDUCER ECC WT10.0MM LTCS SHOP FABRICTED A671 CC70 CL22	40	92	
1150										
1150	U04						***** OLETS *****			
1160										
1160	U04		OLETS	5504001	0.75	1.5	NIPOFLANGE 150# RF SCH XS LTCS A350 LF2 CL.1	2	2	
1170	U04		OLETS	5504002	0.75	2	NIPOFLANGE 150# RF SCH STD/ XS LTCS A350 LF2 CL.1	3	14	
1180	U04		OLETS	5504016	0.75	2	NIPOFLANGE 150# RF SCH 20/XS LTCS A350 LF2 CL.1	16	24	
1190	U04		OLETS	5504472	0.75	2	NIPOFLANGE 150# RF SCH 10/ XS LTCS A350 LF2 CL.1	30	30	

	TENGIZCHEVROI TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 3 MM	SOUR SERVICE - NACE MR0175 / ISO 15156 DESIGN: PIM-SU-5112-TCO CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 150 RF TEMPERATURE RANGE: -40 / 343 °C	12/16/2024	BY OZAC	U04	Page 2 of 3	150K26

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES
1200	U04		OLETS	5504099	0.75	2	NIPOFLANGE 150# RF SCH 10.0MM/XS LTCS A350 LF2 CL.1	36	92	
1210	U04		OLETS	5504021	0.75	0.75	NIPOFLANGE 300# RF SCH STD/XS LTCS A350 LF2 CL.1	8	8	
1220	U04	UJ2	OLETS	5504025	0.75	1.5	NIPOFLANGE 300# RF SCH STD/160 LTCS A350 LF2 CL.1	4	14	
1230	U04	UJ2	OLETS	5504019	0.75	1.5	NIPOFLANGE 300# RF SCH 20/160 LTCS A350 LF2 CL.1	16	24	
1240	U04	UJ2	OLETS	5504015	0.75	1.5	NIPOFLANGE 300# RF SCH 10/160 LTCS A350 LF2 CL.1	30	30	
1250	U04		OLETS	5504045	0.75	1.5	NIPOFLANGE 300# RF WT 10.0MM/160 LTCS A350 LF2 CL.1	36	92	
1260										
1260	U04	UJ2	ELBOFLG	5516625	1.5	1.5	ELBOFLANGE 300# RF SCH STD/160 LTCS A350 LF2 CL.1	4	14	
1270	U04	UJ2	ELBOFLG	5516619	1.5	1.5	ELBOFLANGE 300# RF SCH 20/160 LTCS A350 LF2 CL.1	16	24	
1280	U04	UJ2	ELBOFLG	5516615	1.5	1.5	ELBOFLANGE 300# RF SCH 10/160 LTCS A350 LF2 CL.1	30	30	
1290	U04		ELBOFLG	5516645	1.5	1.5	ELBOFLANGE 300# RF WT 10.0MM/SCH 160 LTCS A350 LF2 CL.1	36	92	
1300										
1300	U04		OLETS	5505179	2	2	WELDOLET SCH STD/XS LTCS A350 LF2 CL.1	6	14	
1310	U04		OLETS	5505572	2	2	WELDOLET SCH 20/XS LTCS A350 LF2 CL.1	16	24	
1320	U04		OLETS	5505337	2	2	WELDOLET SCH 10/ XS LTCS A350 LF2 CL.1	30	30	
1330	U04		OLETS	5505628	2	2	WELDOLET WT 10.0MM/SCH XS LTCS A350 LF2 CL.1	36	92	
1340	U04		OLETS	5505164	3	4	WELDOLET SCH STD LTCS A350 LF2 CL.1	8	14	
1350	U04		OLETS	5505571	3	8	WELDOLET SCH 20/STD LTCS A350 LF2 CL.1	16	24	
1360	U04		OLETS	5505165	3	12	WELDOLET SCH 10/STD WT LTCS A350 LF2 CL.1	30	34	
1370	U04		OLETS	5505600	3	12	WELDOLET WT 10.0MM/STD WT LTCS A350 LF2 CL.1	36	92	
1380										
1380	U04						***** FLANGES *****			
1390										
1390	U04	FA8	FLANGE	5599692	0.5	0.5	FLG SCR D (FNPT) REDUCING 150# RF LTCS A350 LF2 CL.1	0.75	1.5	
1400	U04		FLANGE	5556264	0.75	2	FLG WN 150# RF LTCS A350 LF2 CL.1 SCH XS	0	0	
1410	U04		FLANGE	5556261	2.5	14	FLG WN 150# RF LTCS A350 LF2 CL.1 SCH STD	0	0	
1420	U04		FLANGE	5556265	16	24	FLG WN 150# RF LTCS A350 LF2 CL.1 SCH 20	0	0	
1430	U04		FLANGE	5556267	30	32	FLG WN 150# RF LTCS A350 LF2 CL.1 SCH 10 B16.47 SERIES A	0	0	
1440	U04		FLANGE	5556268	36	60	FLG WN 150# RF LTCS A350 LF2 CL.1 WT 10.0MM B16.47 SERIES A	0	0	
1450	U04		BLIND	5615566	0.75	24	FLG BLIND 150# RF LTCS A350 LF2 CL.1	0	0	
1460	U04		BLIND	5615570	30	60	FLG BLIND 150# RF LTCS A350 LF2 CL.1 B16.47 SERIES A	0	0	
1470	U04	817	FLANGE	5619988	62	92	FLG COMPACT 150# RJ LTCS A350 LF2 CL.1 WT 10.0MM LINE CLASS 150K26	0	0	
1480	U04	817	BLIND	5619750	62	92	FLG COMPACT BLIND 150# RJ LTCS A350 LF2 CL.1	0	0	
1490										
1490	U04						***** PIPE NIPPLES *****			
1500	U04						***** GASKETS *****			
1510										
1510	U04		GASKET	5673043	0.75	24	GASKET 150# 316SS SPIRAL WOUND GRAPHITE IIR	0	0	
1520	U04		GASKET	5674011	30	60	GASKET 150# 316SS KAMMPROFILE GRAPHITE ASME B16.47 SERIES A	0	0	
1530	U04	817	GASKET	5673046	62	92	GASKET 150# RJ INC 718 ENERGIZED SEALRING COMPACT FLANGE	0	0	
1540										
1540	U04						***** BOLTING *****			
1550										
1550	U04		BOLTING	5675770	0.5	99	STUD-BOLT A320 GR L7M/A194 GR 7M (S3) WITH 2 NUTS	0	0	
1560										
1560	U04	SB6	BOLTING	5675675	12	99	JACK SCREW HEX HEAD A320 GR L7M	0	0	
1570										
1570	U04						**** BLINDS & SPACERS ****			
1580										
1580	U04		SPEC BLIND	5749580	0.75	14	SPECTACLE BLIND 150# RF LTCS A 516 GR.70	0	0	
1590										
1590	U04		PADDLE	5750023	16	24	PADDLE BLANK 150# RF LTCS A516 GR.70	0	0	
1600	U04		PADDLE	5750240	16	24	PADDLE SPACER 150# RF LTCS A516 GR.70	0	0	
1610	U04		PADDLE	5750026	32	60	PADDLE BLANK 150# RF LTCS A516 GR70 B16.47 SERIES A	0	0	
1620	U04		PADDLE	5750196	32	60	PADDLE SPACER 150# RF LTCS A516 GR.70 B16.47 SERIES A	0	0	
1630	U04		PADDLE	5750027	68	92	PADDLE BLANK 150# RF LTCS A516 GR70	0	0	
1640	U04		PADDLE	5750197	68	92	PADDLE SPACER 150# RF LTCS A516 GR.70	0	0	
1650										

	TENGINZCHEVROIL TCO TENGINZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 3 MM	SOUR SERVICE - NACE MR0175 / ISO 15156 DESIGN: PIM-SU-5112-TCO CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 150 RF TEMPERATURE RANGE: -40 / 343 °C	12/16/2024	BY OZAC	U04	Page 3 of 3	150K26