

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES	
10							***** MODULAR VALVES *****			30	TO BE USED ONLY WHEN INDICATED ON P&ID FOR LOW TEMPERATURE SERVICE (I.E. UPTO - 100°C)
20										812	NIPPLE TO BE CUT FROM SS SCH XXS PIPE.
20	U04		MODULAR DBB	K06AC02	0.5	1.5	MODULAR VALVE DB&B BALL TYPE 600# RF LTCS A350 LF2 CL.1 316 SS TRIM METAL LO - FULL SIZE TYPE 2BV	0	0	816	COMPACT FLANGES CAN BE USED FOR TIE-IN PURPOSE ONLY TO EXISTING PIPING AND EQUIPMENT.
30	U04		MODULAR DBB	K06AC06	2	2	MODULAR VALVE DB&B BALL TYPE 600# RF LTCS A350 LF2 CL.1 316 SS TRIM METAL LO - FULL SIZE TYPE 2BV	0	0		
40	U04	VAV	MODULAR DBB	K06AC06	3	3	MODULAR VALVE DB&B BALL TYPE 600# RF LTCS A350 LF2 CL.1 316 SS TRIM METAL LO - FULL SIZE TYPE 2BV	0	0	817	USE ONLY FOR TIE IN
50	U04		MODULAR DBB	M06AC02	0.5	1.5	MODULAR VALVE DB&B BALL TYPE 600# RF LTCS A350 LF2 CL.1 316 SS TRIM METAL LO - CONTROLLED BORE TYPE 2BVR	0	0	821	TO BE USED FOR LINES SUBJECT TO AIV OR WHERE REQUIRED BY STRESS.
60	U04		MODULAR DBB	M06AC06	2	2	MODULAR VALVE DB&B BALL TYPE 600# RF LTCS A350 LF2 CL.1 316 SS TRIM METAL LO - CONTROLLED BORE TYPE 2BVR	0	0	B1	ALL BOLTS ARE METRIC DIA.
70	U04	VAW	MODULAR DBB	M06EC02	0.75	2	MODULAR VALVE DB&B BALL TYPE 600# RF LTCS A350 LF2 CL.1 316 SS TRIM METAL LO REDUCING - CONTROLLED BORE TYPE 2BVR	2	3	B2	7/8" X 145MM BOLTS ONLY TO BE USED FOR 1 INCH 1500# PERAR BALL VALVES ITEM CODE B15AM10
80	U04	VAW	MODULAR DBB	M06EC02	0.75	0.75	MODULAR VALVE DB&B BALL TYPE 600# RF LTCS A350 LF2 CL.1 316 SS TRIM METAL LO REDUCING - CONTROLLED BORE TYPE 2BVR	1.5	1.5	B6	7/8" X 145MM BOLTS ONLY TO BE USED FOR 1 INCH 1500# PERAR BALL VALVES ITEM CODE B15AS22
90	U04	30	MODULAR DBB	M15AL10	1.5	1.5	MODULAR VALVE DB&B BALL TYPE 1500# RF INC 625 INC 625 TRIM METAL LO - CONTROLLED BORE TYPE 2BVR	0	0	BA1	TO BE USED WITH RAISED FACE FLANGES ONLY.
100	U04	30	MODULAR DBB	M15AL14	2	2	MODULAR VALVE DB&B BALL TYPE 1500# RF INC 625 INC 625 TRIM METAL LO - CONTROLLED BORE TYPE 2BVR	0	0	BA5	TO BE USED WITH COMPACT FLANGES REQUIRING COMPACT NUTS ONLY. FOR FGP ONLY.
110	U04	30	MODULAR DBB	M15EL10	0.75	0.75	MODULAR VALVE DB&B BALL TYPE 1500# RF INC 625 INC 625 TRIM METAL LO REDUCING - CONTROLLED BORE TYPE R2BVR	1.5	1.5		
120	U04		MODULAR DBB	M15AC02	1.5	1.5	MODULAR VALVE DB&B BALL TYPE 1500# RF LTCS A350 LF2 CL.1 INCONEL TRIM METAL LO - CONTROLLED BORE TYPE 2BVR	0	0	BA7	718 BOLTING TO BE USED FOR BOLT DIAMETER GREATER THAN M63.
130		VB2					***** BALL VALVES *****			FA8	USE THREADED FLANGES FOR INSTRUMENT CONNECTIONS ONLY.
130										FS1	USE FLANGES, GASKETS & VALVES AS REQUIRED TO MATCH EQUIPMENT OR VESSEL NOZZLES.
140	U04		BALL	A06AC05	2	4	BALL 600# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT RB LO	0	0		
150	U04		BALL	A06AC06	2	4	BALL 600# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL RB LO	0	0		
160	U04		BALL	A06AC07	6	10	BALL 600# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT RB GO	0	0	GA6	SPECIAL GASKET ONLY FOR USE AS SPECIFIED IN ENG-200-117
170	U04		BALL	A06AC08	6	8	BALL 600# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL RB GO	0	0		
180	U04		BALL	B06AC01	0.75	1.5	BALL 600# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING SOFT FB LO	0	0	ND9	USE ONLY WITH CONSENT OF MATERIALS ENGINEER.
190	U04		BALL	B06AC02	0.75	1.5	BALL 600# RF LTCS A350 LF2 CL.1 316SS TRIM FLOATING METAL FB LO	0	0		
200	U04	VA5	BALL	B06AC05	2	4	BALL 600# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT FB LO	0	0	SB6	USE JACKSCREWS FOR PADDLE
210	U04	VA5	BALL	B06AC06	2	4	BALL 600# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL FB LO	0	0		
220	U04	VA5	BALL	B06AC07	4	24	BALL 600# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT FB GO	0	0		
230	U04	ND9	BALL	A06AS05	2	4	BALL 600# RF SS A182 F316 316SS TRIM TRUNNION SOFT RB LO	0	0	UD7	USE THREDOLET AND SCREWED PLUG FOR HYDROSTATIC TEST VENTS AND DRAINS. SEAL WELD AFTER HYDROSTATIC TEST
240	U04	VA5	BALL	B06AC08	4	24	BALL 600# RF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL FB GO	0	0		
250	U04	817	BALL	B06CC07-K21	26	42	BALL 600# CF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION SOFT FB GO	0	0		
260	U04	817	BALL	B06CC08-K21	26	42	BALL 600# CF LTCS A350 LF2 CL.1 316SS TRIM TRUNNION METAL FB GO	0	0	UJ2	USE 1/2IN WITH THERMOWELL CONNECTIONS ONLY & 3/4IN (IF SHOWN) FOR DBB PRESSURE CONNECTIONS WITH CHEMICAL SEALS.
270	U04		BALL	B15AC02	0.75	0.75	BALL 1500# RF LTCS A350 LF2 CL.1 INCONEL TRIM FLOATING METAL FB LO	0	0		
280	U04	ND9	BALL	B15AS21	1	1	BALL 1500# RF SS A182 F316 316SS TRIM FLOATING SOFT FB LO 718 BOLT	0	0		
290	U04	ND9	BALL	A15AS27	2	2	BALL 1500# RF SS A182 F316 316SS TRIM TRUNNION SOFT RB GO 718 BOLT	0	0	UJ3	USE 3IN WITH THERMOWELL CONNECTIONS ONLY
300							***** RISING STEM BALL VALVES *****			UJ4	FOR 2 INCH THERMOWELL CONNECTIONS ONLY
300										UK9	DO NOT USE FOR ORIFICE FLANGE TAP ASSEMBLIES.
310		VA5	BALL	R06AC06	0.75	6	BALL RISING STEM 600# RF LTCS A352 LCC 316SS TRIM METAL RB HO	0	0	VA5	USE THESE VALVES ONLY WHERE SPECIFIED ON PIPING AND INSTRUMENT DIAGRAMS
320		VA5	BALL	R06AC08	8	10	BALL RISING STEM 600# RF LTCS A352 LCC 316SS TRIM METAL RB GO	0	0	VAV	USAGE IS LIMITED TO INSTRUMENT ISOLATION PURPOSE.
330							***** BUTTERFLY VALVES *****			VAW	VALVE ONLY TO BE USED IN ACCORDANCE WITH DOCUMENT L-ST-2055 - VENT DRAIN AND INSTRUMENT CONNECTION DETAILS.
340										VB2	SOFT SEATED BALL VALVES ARE LIMITED TO MAXIMUM TEMPERATURE OF 200°C.
340			BUTTERFLY	T06AC61	10	24	BUTTERFLY 600# RF LTCS A352 LCC 316SS TRIM TOV METAL DBL FLG SHORT PAT GO	0	0	VC1	SPRING PISTON CHECK VALVES ARE PREFERRED IN THE HORIZONTAL POSITION, BUT MAY BE USED IN THE VERTICAL POSITION WITH ENGINEERING APPROVAL.
350	U04	817	BUTTERFLY	T06CC61-K21	26	42	BUTTERFLY 600# CF LTCS A352 LCC 316SS TRIM TOV METAL DBL FLG SHORT PAT GO	0	0	VQ2	QUARTER TURN VALVES ARE TO BE SELECTED FOR PROCESS APPLICATIONS.
360		VQ2					*****THROUGH CONDUIT GATE VALVE*****				
360											
370											
370			GATE	W06AC70	3	4	GATE 600# RF LTCS A352 LCC 316 SS TRIM THROUGH COND SOLID SLAB HW	0	0		
380			GATE	W06AC71	6	24	GATE 600# RF LTCS A352 LCC 316 SS TRIM THROUGH COND SOLID SLAB GO	0	0		
390	U04	817	GATE	W06CC71	26	42	GATE 600# CF LTCS A352 LCC 316 SS TRIM THROUGH COND SOLID SLAB GO	0	0		
400							*****GATE VALVE*****				
400		VQ2									
410											
410	U04	817	GATE	G06AC48	0.75	0.75	GATE 600# RF LTCS A350 LF2 CL.1 TRIM 16 WEDGE HW	0	0		
420	U04	817	GATE	G06AC41	2	6	GATE 600# RF LTCS A352 LCC TRIM 16 WEDGE HW	0	0		
430							***** GLOBE VALVES *****				
430											
440											
440	U04		GLOBE	L06AC48	0.75	1.5	GLOBE 600# RF LTCS A350 LF2 CL.1 TRIM 16 OS&Y HW	0	0		
450			GLOBE	L06AC41	2	4	GLOBE 600# RF LTCS A352 LCC TRIM 16 OS&Y HW	0	0		
460			GLOBE	L06AC42	6	10	GLOBE 600# RF LTCS A352 LCC TRIM 16 OS&Y GO	0	0		
470	U04	VA5	GLOBE	L06AS41	2	4	GLOBE 600# RF SS A351 CF8M TRIM 16 OS&Y HW	0	0		
480							***** CHECK VALVES *****				
480											

	TENGIZCHEVROIL TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 3 MM	SOUR SERVICE - NACE MR0175/ ISO 15156 DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 600 RF TEMPERATURE RANGE: -40 / 260 °C COMMENT: REFER NOTE 800	12/16/2024	BY OZAC	U04	Page 1 of 6	600K21

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES	
490											
490	U04	VC1	CHECK	C06AC50	0.75	1.5	CHECK PISTON 600# RF LTCS A350 LF2 CL.1 TRIM 16	0	0		
500			CHECK	C06AC45	2	8	CHECK DUAL WAFER LUIG 600# RF LTCS A352 LCC TRIM 16 THROU BOLTED	0	0		
510			CHECK	C06AC52	10	24	CHECK DUAL DBL FLG 600# RF LTCS A352 LCC TRIM 16	0	0		
520	U04	817	CHECK	C06CC52-K21	26	42	CHECK DUAL DBL FLG 600# CF LTCS A352 LCC TRIM 16	0	0		
530											
530							***** PIPE *****				
540											
540	U04		PIPE	5358512	0.5	1.5	PIPE SCH 160 SMLS LTCS A333 GR.6 PE	0	0		
550			PIPE	5358515	2	2	PIPE SCH 160 SMLS LTCS A333 GR.6 BE	0	0		
560			PIPE	5358514	3	8	PIPE SCH XS SMLS LTCS A333 GR.6 BE	0	0		
570			PIPE	5358507	10	16	PIPE SCH 80 SMLS LTCS A333 GR.6 BE	0	0		
580			PIPE	5358599	18	24	PIPE SCH 80 EFW LTCS A671 CC60 CL.22 BE	0	0		
590			PIPE	5358621	26	26	PIPE WT 31.0MM EFW LTCS A671 CC60 CL.22 BE	0	0		
600			PIPE	5358622	28	28	PIPE WT 33.0MM EFW LTCS A671 CC60 CL.22 BE	0	0		
610			PIPE	5358623	30	30	PIPE WT 35.0MM EFW LTCS A671 CC60 CL.22 BE	0	0		
620			PIPE	5358624	32	32	PIPE WT 37.0MM EFW LTCS A671 CC60 CL.22 BE	0	0		
630			PIPE	5358626	34	34	PIPE WT 39.0MM EFW LTCS A671 CC60 CL.22 BE	0	0		
640			PIPE	5358628	36	36	PIPE WT 41.0MM EFW LTCS A671 CC60 CL.22 BE	0	0		
650			PIPE	5358635	42	42	PIPE WT 48.0MM EFW LTCS A671 CC60 CL.22 BE	0	0		
660		812	PIPE	5358511	0.5	0.5	PIPE SCH XXS SMLS LTCS A333 GR.6 PE	0	0		
670		812	PIPE	5358511	0.75	0.75	PIPE SCH XXS SMLS LTCS A333 GR.6 PE	0	0		
680											
680							***** FITTINGS *****				
690											
690	U04		ELBOW	5392816	0.5	2	ELL BW 90 DEG LR SCH 160 LTCS A420 WPL6	0	0		
700	U04	UK9	ELBOW	5392815	0.5	0.75	ELL BW 90 DEG LR SCH XXS LTCS A420 WPL6	0	0		
710			ELBOW	5392600	3	8	ELL BW 90 DEG LR SCH XS LTCS A420 WPL6	0	0		
720			ELBOW	5392546	10	16	ELL BW 90 DEG LR SCH 80 LTCS A420 WPL6	0	0		
730			ELBOW	5392387	18	24	ELL BW 90 DEG LR SCH 80 LTCS A420 WPL6-W	0	0		
740	U04		ELBOW	5392536	26	26	ELL 90 DEG LR WT 31.0MM LTCS A420 WPL6-W	0	0		
750			ELBOW	5392536	26	26	ELL 90 DEG LR WT 31.0MM LTCS A420 WPL6-W	0	0		
760			ELBOW	5392537	28	28	ELL 90 DEG LR WT 33.0MM LTCS A420 WPL6-W	0	0		
770			ELBOW	5392539	30	30	ELL 90 DEG LR WT 35.0MM LTCS A420 WPL6-W	0	0		
780			ELBOW	5392560	32	32	ELL 90 DEG LR WT 37.0MM LTCS A420 WPL6-W	0	0		
790			ELBOW	5392561	34	34	ELL 90 DEG LR WT 39.0MM LTCS A420 WPL6-W	0	0		
800			ELBOW	5392562	36	36	ELL 90 DEG LR WT 41.0MM LTCS A420 WPL6-W	0	0		
810			ELBOW	5392563	42	42	ELL 90 DEG LR WT 48.0MM LTCS A420 WPL6-W	0	0		
820	U04		ELBOW	5392822	0.5	2	ELL BW 45 DEG LR SCH 160 LTCS A420 WPL6	0	0		
830	U04	UK9	ELBOW	5392831	0.5	0.75	ELL BW 45 DEG LR SCH XXS LTCS A420 WPL6	0	0		
840			ELBOW	5392606	3	8	ELL BW 45 DEG LR SCH XS LTCS A420 WPL6	0	0		
850			ELBOW	5392552	10	16	ELL BW 45 DEG LR SCH 80 LTCS A420 WPL6	0	0		
860			ELBOW	5392391	18	24	ELL 45 DEG SCH 80 LTCS A420 WPL6-W	0	0		
870			ELBOW	5392570	26	26	ELL 45 DEG LR WT 31.0MM LTCS A420 WPL6-W	0	0		
880			ELBOW	5392571	28	28	ELL 45 DEG LR WT 33.0MM LTCS A420 WPL6-W	0	0		
890			ELBOW	5392572	30	30	ELL 45 DEG LR WT 35.0MM LTCS A420 WPL6-W	0	0		
900			ELBOW	5392573	32	32	ELL 45 DEG LR WT 37.0MM LTCS A420 WPL6-W	0	0		
910			ELBOW	5392574	34	34	ELL 45 DEG LR WT 39.0MM LTCS A420 WPL6-W	0	0		
920			ELBOW	5392575	36	36	ELL 45 DEG LR WT 41.0MM LTCS A420 WPL6-W	0	0		
930			ELBOW	5392576	42	42	ELL 45 DEG LR WT 48.0MM LTCS A420 WPL6-W	0	0		
940											
940	U04		TEE	5392825	0.5	2	TEE BW SCH 160 LTCS A420 WPL6	0	0		
950	U04	UK9	TEE	5392879	0.5	0.75	TEE SCH XXS LTCS A420 WPL6	0	0		
960			TEE	5392609	3	8	TEE BW SCH XS LTCS A420 WPL6	0	0		
970			TEE	5392555	10	16	TEE BW SCH 80 LTCS A420 WPL6	0	0		
980			TEE	5392402	18	24	TEE SCH 80 LTCS A420 WPL6-W	0	0		
990			TEE	5392420	26	26	TEE BW WT 31.0MM LTCS A420 WPL6-W	0	0		
1000			TEE	5392421	28	28	TEE BW WT 33.0MM LTCS A420 WPL6-W	0	0		
1010			TEE	5392422	30	30	TEE BW WT 35.0MM LTCS A420 WPL6-W	0	0		
1020			TEE	5392423	32	32	TEE BW WT 37.0MM LTCS A420 WPL6-W	0	0		
1030			TEE	5392424	34	34	TEE BW WT 39.0MM LTCS A420 WPL6-W	0	0		
1040			TEE	5392425	36	36	TEE BW WT 41.0MM LTCS A420 WPL6-W	0	0		
1050			TEE	5392426	42	42	TEE BW WT 48.0MM LTCS A420 WPL6-W	0	0		
1060			TEE RED	5392821	0.75	1.5	TEE RED BW SCH 160 LTCS A420 WPL6	1	2		
1070			TEE RED	5392469	1.5	2	TEE RED BW SCH XS/160 LTCS A420 WPL6	3	4		
1080			TEE RED	5392661	3	6	TEE RED BW SCH XS LTCS A420 WPL6	4	8		
1090			TEE RED	5392463	4	8	TEE RED BW SCH 80/XS LTCS A420 WPL6	10	16		
1100			TEE RED	5392403	8	8	TEE RED BW SCH 80/XS LTCS A420 WPL6-W	18	20		
1110			TEE RED	5392464	10	14	TEE RED BW SCH 80 LTCS A420 WPL6	12	16		
1120			TEE RED	5392353	10	20	TEE RED BW SCH 80 LTCS A420 WPL6-W	18	24		
1130			TEE RED	5392477	24	24	TEE RED WT 31.0MM/SCH 80 LTCS A420 WPL6-W	26	26		
1140			TEE RED	5392478	26	26	TEE RED WT 33.0MM/31.0MM LTCS A420 WPL6-W	28	28		
1150			TEE RED	5392483	16	24	TEE RED WT 35.0MM/ SCH 80 LTCS A420 WPL6-W	30	30		

	TENGIZCHEVROIL TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 3 MM	SOUR SERVICE - NACE MR0175/ ISO 15156 DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 600 RF TEMPERATURE RANGE: -40 / 260 °C COMMENT: REFER NOTE 800	12/16/2024	BY OZAC	U04	Page 2 of 6	600K21

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES
1160			TEE RED	5392479	28	28	TEE RED WT 35.0MM/33.0MM LTCS A420 WPL6-W	30	30	
1170			TEE RED	5392480	30	30	TEE RED WT 37.0MM/35.0MM LTCS A420 WPL6-W	32	32	
1180			TEE RED	5392481	32	32	TEE RED WT 39.0MM/37.0MM LTCS A420 WPL6-W	34	34	
1190			TEE RED	5392441	18	24	TEE RED WT 41.0MM/SCH 80 LTCS A420 WPL6-W	36	36	
1200			TEE RED	5392591	30	30	TEE RED WT 41.0MM/35.0MM LTCS A420 WPL6-W	36	36	
1210			TEE RED	5392482	34	34	TEE RED WT 41.0MM/39.0MM LTCS A420 WPL6-W	36	36	
1220			TEE RED	5392592	20	24	TEE RED WT 48.0MM/SCH 80 LTCS A420 WPL6-W	42	42	
1230			TEE RED	5392593	30	30	TEE RED WT 48.0MM/35.0MM LTCS A420 WPL6-W	42	42	
1240			TEE RED	5392596	36	36	TEE RED WT 48.0MM/41.0MM LTCS A420 WPL6-W	42	42	
1250										
1250			CAP	5392826	0.75	2	CAP BW SCH 160 LTCS A420 WPL6	0	0	
1260			CAP	5392610	3	8	CAP BW SCH XS LTCS A420 WPL6	0	0	
1270			CAP	5392556	10	24	CAP SCH 80 LTCS STL A420 WPL6	0	0	
1280			CAP	5392630	26	26	CAP WT 31.0MM LTCS A420 WPL6	0	0	
1290			CAP	5392631	28	28	CAP WT 33.0MM LTCS A420 WPL6	0	0	
1300			CAP	5392632	30	30	CAP WT 35.0MM LTCS A420 WPL6	0	0	
1310			CAP	5392633	32	32	CAP WT 37.0MM LTCS A420 WPL6	0	0	
1320			CAP	5392634	34	34	CAP WT 39.0MM LTCS A420 WPL6	0	0	
1330			CAP	5392635	36	36	CAP WT 41.0MM LTCS A420 WPL6	0	0	
1340			CAP	5392636	42	42	CAP WT 48.0MM LTCS A420 WPL6	0	0	
1350										
1350	U04		RED CONC	5392827	0.5	1.5	REDUCER CONC SCH 160 LTCS A420 WPL6	0.75	2	
1360			RED CONC	5392462	1.5	2	REDUCER CONC SCH XS/160 LTCS A420 WPL6	3	4	
1370			RED CONC	5392458	3	6	REDUCER CONC SCH XS LTCS A420 WPL6	4	8	
1380			RED CONC	5392309	4	8	REDUCER CONC SCH 80/XS LTCS A420 WPL6	10	16	
1390			RED CONC	5392557	10	14	REDUCER CONC SCH 80 LTCS A420 WPL6	12	16	
1400			RED CONC	5392559	10	20	REDUCER CONC SCH 80 LTCS A420 WPL6-W	18	24	
1410			RED CONC	5392362	18	24	REDUCER CONC WT 31MM/SCH 80 LTCS A420 WPL6-W	26	26	
1420			RED CONC	5392361	18	24	REDUCER CONC WT 33MM/SCH 80 LTCS A420 WPL6-W	28	28	
1430			RED CONC	5392369	20	24	REDUCER CONC WT 35.0MM/SCH 80 LTCS A420 WPL6-W	30	30	
1440			RED CONC	5392373	24	24	REDUCER CONC WT 37.0MM/SCH 80 LTCS A420 WPL6-W	32	32	
1450			RED CONC	5392363	24	24	REDUCER CONC WT 41.0MM/SCH 80 LTCS A420 WPL6-W	36	36	
1460			RED CONC	5392364	26	26	REDUCER CONC WT 33.0MM/31.0MM LTCS A420 WPL6-W	28	28	
1470			RED CONC	5392367	26	26	REDUCER CONC WT 35.0MM/31.0MM LTCS A420 WPL6-W	30	30	
1480			RED CONC	5392372	26	26	REDUCER CONC WT 37.0MM/31.0MM LTCS A420 WPL6-W	32	32	
1490			RED CONC	5392377	26	26	REDUCER CONC WT 39.0MM/31.0MM LTCS A420 WPL6-W	34	34	
1500			RED CONC	5392382	26	26	REDUCER CONC WT 41.0MM/31.0MM LTCS A420 WPL6-W	36	36	
1510			RED CONC	5392366	28	28	REDUCER CONC WT 35.0MM/33.0MM LTCS A420 WPL6-W	30	30	
1520			RED CONC	5392371	28	28	REDUCER CONC WT 37.0MM/33.0MM LTCS A420 WPL6-W	32	32	
1530			RED CONC	5392376	28	28	REDUCER CONC WT 39.0MM/33.0MM LTCS A420 WPL6-W	34	34	
1540			RED CONC	5392381	28	28	REDUCER CONC WT 41.0MM/33.0MM LTCS A420 WPL6-W	36	36	
1550			RED CONC	5392370	30	30	REDUCER CONC WT 37.0MM/35.0MM LTCS A420 WPL6-W	32	32	
1560			RED CONC	5392375	30	30	REDUCER CONC WT 39.0MM/35.0MM LTCS A420 WPL6-W	34	34	
1570			RED CONC	5392380	30	30	REDUCER CONC WT 41.0MM/35.0MM LTCS A420 WPL6-W	36	36	
1580			RED CONC	5392431	30	30	REDUCER CONC WT 48.0MM/35.0MM LTCS A420 WPL6-W	42	42	
1590			RED CONC	5392374	32	32	REDUCER CONC WT 39.0MM/37.0MM LTCS A420 WPL6-W	34	34	
1600			RED CONC	5392379	32	32	REDUCER CONC WT 41.0MM/37.0MM LTCS A420 WPL6-W	36	36	
1610			RED CONC	5392430	32	32	REDUCER CONC WT 48.0MM/37.0MM LTCS A420 WPL6-W	42	42	
1620			RED CONC	5392378	34	34	REDUCER CONC WT 41.0MM/39.0MM LTCS A420 WPL6-W	36	36	
1630			RED CONC	5392429	34	34	REDUCER CONC WT 48.0MM/39.0MM LTCS A420 WPL6-W	42	42	
1640			RED CONC	5392383	36	36	REDUCER CONC WT 48.0MM/41.0MM LTCS A420 WPL6-W	42	42	
1650	U04		RED ECC	5392828	0.5	1.5	REDUCER ECC SCH 160 LTCS A420 WPL6	0.75	2	
1660			RED ECC	5392465	1.5	2	REDUCER ECC SCH XS/160 LTCS A420 WPL6	3	4	
1670			RED ECC	5392612	3	6	REDUCER ECC SCH XS LTCS A420 WPL6	4	8	
1680			RED ECC	5392311	4	8	REDUCER ECC SCH 80/XS LTCS A420 WPL6	10	16	
1690			RED ECC	5392558	10	14	REDUCER ECC SCH 80 LTCS A420 WPL6	12	16	
1700			RED ECC	5392313	10	20	REDUCER ECC SCH 80 LTCS A420 WPL6-W	18	24	
1710			RED ECC	5392975	18	24	REDUCER ECC WT 31.0MM/SCH 80 LTCS A420 WPL6-W	26	26	
1720			RED ECC	5392519	18	24	REDUCER ECC WT 33MM/SCH 80 LTCS A420 WPL6-W	28	28	
1730			RED ECC	5392640	20	24	REDUCER ECC WT 35.0MM/SCH 80 LTCS A420 WPL6-W	30	30	
1740			RED ECC	5392492	24	24	REDUCER ECC WT 37.0MM/SCH 80 LTCS A420 WPL6-W	32	32	
1750			RED ECC	5392999	26	26	REDUCER ECC WT 33MM/31.0MM LTCS A420 WPL6-W	28	28	
1760			RED ECC	5392641	26	26	REDUCER ECC WT 35.0MM/31.0MM LTCS A420 WPL6-W	30	30	
1770			RED ECC	5392493	26	26	REDUCER ECC WT 37.0MM/31.0MM LTCS A420 WPL6-W	32	32	
1780			RED ECC	5392488	26	26	REDUCER ECC WT 39.0MM/31.0MM LTCS A420 WPL6-W	34	34	
1790			RED ECC	5392437	26	26	REDUCER ECC WT 41.0MM/31.0MM LTCS A420 WPL6-W	36	36	
1800			RED ECC	5392642	28	28	REDUCER ECC WT 35.0MM/33.0MM LTCS A420 WPL6-W	30	30	
1810			RED ECC	5392494	28	28	REDUCER ECC WT 37.0MM/33.0MM LTCS A420 WPL6-W	32	32	
1820			RED ECC	5392489	28	28	REDUCER ECC WT 39.0MM/33.0MM LTCS A420 WPL6-W	34	34	
1830			RED ECC	5392484	28	28	REDUCER ECC WT 41.0MM/33.0MM LTCS A420 WPL6-W	36	36	
1840			RED ECC	5392495	30	30	REDUCER ECC WT 37.0MM/35.0MM LTCS A420 WPL6-W	32	32	
1850			RED ECC	5392490	30	30	REDUCER ECC WT 39.0MM/35.0MM LTCS A420 WPL6-W	34	34	
1860			RED ECC	5392485	30	30	REDUCER ECC WT 41.0MM/35.0MM LTCS A420 WPL6-W	36	36	

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES				
1870			RED ECC	5392432	30	30	REDUCER ECC WT 48.0MM/35.0MM LTCS A420 WPL6-W	42	42					
1880			RED ECC	5392491	32	32	REDUCER ECC WT 39.0MM/37.0MM LTCS A420 WPL6-W	34	34					
1890			RED ECC	5392486	32	32	REDUCER ECC WT 41.0MM/37.0MM LTCS A420 WPL6-W	36	36					
1900			RED ECC	5392433	32	32	REDUCER ECC WT 48.0MM/37.0MM LTCS A420 WPL6-W	42	42					
1910			RED ECC	5392487	34	34	REDUCER ECC WT 41.0MM/39.0MM LTCS A420 WPL6-W	36	36					
1920			RED ECC	5392434	34	34	REDUCER ECC WT 48.0MM/39.0MM LTCS A420 WPL6-W	42	42					
1930			RED ECC	5392435	36	36	REDUCER ECC WT 48.0MM/41.0MM LTCS A420 WPL6-W	42	42					
1940														
1940							***** OLETS *****							
1960														
1960	U04		OLETS	5504460	0.75	1.5	NIPOFLANGE 600# RF SCH 160 LTCS A350 LF2 CL.1	2	2					
1970	U04		OLETS	5504461	0.75	2	NIPOFLANGE 600# RF SCH XS/160 LTCS A350 LF2 CL.1	3	8					
1980	U04		OLETS	5504462	0.75	2	NIPOFLANGE 600# RF SCH 80/160 LTCS A350 LF2 CL.1	10	24					
1990	U04		OLETS	5504463	0.75	2	NIPOFLANGE 600# RF WT 31.0MM/SCH 160 LTCS A350 LF2 CL.1	26	26					
2000	U04		OLETS	5504464	0.75	2	NIPOFLANGE 600# RF WT 33.0MM/SCH 160 LTCS A350 LF2 CL.1	28	28					
2010	U04		OLETS	5504465	0.75	2	NIPOFLANGE 600# RF WT 35.0MM/SCH 160 LTCS A350 LF2 CL.1	30	30					
2020	U04		OLETS	5504466	0.75	2	NIPOFLANGE 600# RF WT 37.0MM/SCH 160 LTCS A350 LF2 CL.1	32	32					
2030	U04		OLETS	5504467	0.75	2	NIPOFLANGE 600# RF WT 39.0MM/SCH 160 LTCS A350 LF2 CL.1	34	34					
2040	U04		OLETS	5504468	0.75	2	NIPOFLANGE 600# RF WT 41.0MM/SCH 160 LTCS A350 LF2 CL.1	36	36					
2050	U04		OLETS	5504469	0.75	2	NIPOFLANGE 600# RF WT 48.0MM/SCH 160 LTCS A350 LF2 CL.1	42	42					
2060	U04	UJ2	OLETS	5504028	1.5	1.5	NIPOFLANGE 600# RF SCH XS/160 LTCS A350 LF2 CL.1	4	8					
2070	U04	UJ2	OLETS	5504029	1.5	1.5	NIPOFLANGE 600# RF SCH 80/160 LTCS A350 LF2 CL.1	10	24					
2080	U04	UJ2	OLETS	5504127	1.5	1.5	NIPOFLANGE 600# RF WT 31.0MM/160 LTCS A350 LF2 CL.1	26	26					
2090	U04	UJ2	OLETS	5504126	1.5	1.5	NIPOFLANGE 600# RF WT 33.0MM/160 LTCS A350 LF2 CL.1	28	28					
2100	U04	UJ2	OLETS	5504128	1.5	1.5	NIPOFLANGE 600# RF WT 35.0MM/160 LTCS A350 LF2 CL.1	30	30					
2110	U04	UJ3	OLETS	5504152	3	3	NIPOFLANGE 600# RF WT 35.0MM/160 LTCS A350 LF2 CL.1	30	30					
2120	U04	UJ4	OLETS	5504737	2	2	NIPOFLANGE 600# RF WT 35.0MM/160 LTCS A350 LF2 CL.1	30	30					
2130	U04	UJ4	OLETS	5504738	2	2	NIPOFLANGE 600# RF WT 41.0MM/160 LTCS A350 LF2 CL.1	36	36					
2140	U04	821	OLETS	5504262	0.75	0.75	NIPOFLANGE 600# RTJ SCH 80/160 LTCS A350 LF2 CL.1	10	10					
2150	U04	UJ2	OLETS	5504129	1.5	1.5	NIPOFLANGE 600# RF WT 37.0MM/160 LTCS A350 LF2 CL.1	32	32					
2160	U04	UJ2	OLETS	5504130	1.5	1.5	NIPOFLANGE 600# RF WT 39.0MM/160 LTCS A350 LF2 CL.1	34	34					
2170	U04	UJ2	OLETS	5504131	1.5	1.5	NIPOFLANGE 600# RF WT 41.0MM/160 LTCS A350 LF2 CL.1	36	36					
2180	U04	UJ2	OLETS	5504133	1.5	1.5	NIPOFLANGE 600# RF WT 48.0MM/160 LTCS A350 LF2 CL.1	42	42					
2190	U04		OLETS	5504524	0.75	0.75	NIPOFLANGE FLAT BOTTOM 600# RF SCH 160 LTCS A350 LF2 CL.1	0	0					
2200	U04		OLETS	5504210	1.5	1.5	NIPOFLANGE 1500# RF SCH 80/160 LTCS A350 LF2 CL.1	24	24					
2210	U04		OLETS	5504221	1.5	1.5	NIPOFLANGE 1500# RF SCH XS/160 LTCS A350 LF2 CL.1	3	3					
2220	U04		OLETS	5504456	1.5	1.5	NIPOFLANGE 1500# RF WT 35.0MM/SCH 160 LTCS A350 LF2 CL.1	30	30					
2230														
2230	U04		OLETS	5505392	0.75	1	WELDOLET SCH 160 LTCS A350 LF2 CL.1	2	2					
2240	U04		OLETS	5505393	0.75	2	WELDOLET SCH XS/160 LTCS A350 LF2 CL.1	3	8					
2250	U04		OLETS	5505263	0.75	2	WELDOLET SCH 80/160 LTCS A350 LF2 CL.1	10	24					
2260	U04		OLETS	5505618	0.75	2	WELDOLET WT 31.0MM/SCH 160 LTCS A350 LF2 CL.1	26	26					
2270	U04		OLETS	5505635	0.75	2	WELDOLET WT 33.0MM/SCH 160 LTCS A350 LF2 CL.1	28	28					
2280	U04		OLETS	5505605	0.75	2	WELDOLET WT 35.0MM/SCH 160 LTCS A350 LF2 CL.1	30	30					
2290	U04		OLETS	5505608	0.75	2	WELDOLET WT 37.0MM/SCH 160 LTCS A350 LF2 CL.1	32	32					
2300	U04		OLETS	5505621	0.75	2	WELDOLET WT 39.0MM/SCH 160 LTCS A350 LF2 CL.1	34	34					
2310	U04		OLETS	5505624	0.75	2	WELDOLET WT 41.0MM/SCH 160 LTCS A350 LF2 CL.1	36	36					
2320	U04		OLETS	5505614	0.75	2	WELDOLET WT 48.0MM/SCH 160 LTCS A350 LF2 CL.1	42	42					
2330	U04		OLETS	5505335	3	3	WELDOLET SCH XS LTCS A350 LF2 CL.1	8	8					
2340	U04		OLETS	5505262	3	8	WELDOLET SCH 80/XS LTCS A350 LF2 CL.1	10	24					
2350	U04		OLETS	5505617	3	8	WELDOLET WT 31.0MM/SCH XS LTCS A350 LF2 CL.1	26	26					
2360	U04		OLETS	5505602	3	8	WELDOLET WT 33.0MM/SCH XS LTCS A350 LF2 CL.1	28	28					
2370	U04		OLETS	5505606	3	8	WELDOLET WT 35.0MM/SCH XS LTCS A350 LF2 CL.1	30	30					
2380	U04		OLETS	5505619	3	8	WELDOLET WT 37.0MM/SCH XS LTCS A350 LF2 CL.1	32	32					
2390	U04		OLETS	5505622	3	8	WELDOLET WT 39.0MM/SCH XS LTCS A350 LF2 CL.1	34	34					
2400	U04		OLETS	5505611	3	8	WELDOLET WT 41.0MM/SCH XS LTCS A350 LF2 CL.1	36	36					
2410	U04		OLETS	5505601	3	8	WELDOLET WT 48.0MM/SCH XS LTCS A350 LF2 CL.1	42	42					
2420	U04		OLETS	5505609	10	12	WELDOLET WT 31.0MM/SCH 80 LTCS A350 LF2 CL.1	26	26					
2430	U04		OLETS	5505603	10	12	WELDOLET WT 33.0MM/SCH 80 LTCS A350 LF2 CL.1	28	28					
2440	U04		OLETS	5505607	10	12	WELDOLET WT 35.0MM/SCH 80 LTCS A350 LF2 CL.1	30	30					
2450	U04		OLETS	5505620	10	12	WELDOLET WT 37.0MM/SCH 80 LTCS A350 LF2 CL.1	32	32					
2460	U04		OLETS	5505623	10	12	WELDOLET WT 39.0MM/SCH 80 LTCS A350 LF2 CL.1	34	34					
2470	U04		OLETS	5505610	10	12	WELDOLET WT 41.0MM/SCH 80 LTCS A350 LF2 CL.1	36	36					
2480	U04		OLETS	5505627	10	12	WELDOLET WT 48.0MM/SCH 80 LTCS A350 LF2 CL.1	42	42					
2490														
2490	U04	UJ2	ELBOFLG	5516659	1.5	1.5	ELBOFLANGE 600# RF SCH XS/160 LTCS A350 LF2 CL.1	4	8					
2500	U04	UJ2	ELBOFLG	5516660	1.5	1.5	ELBOFLANGE 600# RF SCH 80/160 LTCS A350 LF2 CL.1	10	24					
2510	U04	UJ2	ELBOFLG	5516664	1.5	1.5	ELBOFLANGE 600# RF WT 31.0MM/160 LTCS A350 LF2 CL.1	26	26					
2520	U04	UJ2	ELBOFLG	5516665	1.5	1.5	ELBOFLANGE 600# RF WT 33.0MM/160 LTCS A350 LF2 CL.1	28	28					
2530	U04	UJ2	ELBOFLG	5516666	1.5	1.5	ELBOFLANGE 600# RF WT 35.0MM/160 LTCS A350 LF2 CL.1	30	30					
2540	U04	UJ2	ELBOFLG	5516667	1.5	1.5	ELBOFLANGE 600# RF WT 37.0MM/160 LTCS A350 LF2 CL.1	32	32					
2550	U04	UJ2	ELBOFLG	5516668	1.5	1.5	ELBOFLANGE 600# RF WT 39.0MM/160 LTCS A350 LF2 CL.1	34	34					
2560	U04	UJ2	ELBOFLG	5516669	1.5	1.5	ELBOFLANGE 600# RF WT 41.0MM/160 LTCS A350 LF2 CL.1	36	36					
			CONSTRUCTION		CORR.ALLOW.		SERVICE	MATERIAL		DATE	BY	REV	SHEET	PIPING LINE CLASS
			ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE		CORR. ALLOW. 3 MM		SOUR SERVICE - NACE MR0175/ ISO 15156 DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 600 RF TEMPERATURE RANGE: -40 / 260 °C COMMENT: REFER NOTE 800		12/16/2024	BY OZAC	U04	Page 4 of 6	600K21

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES
2570	U04	UJ2	ELBOFLG	5516670	1.5	1.5	ELBOFLANGE 600# RF WT 48.0MM/160 LTCS A350 LF2 CL.1	42	42	
2580										
2580	U04		OLETS	5533071	0.75	1.5	SOCKOLET 6000# LTCS A350 LF2 CL.1	2	42	
2590	U04		OLETS	5533233	0.75	1.5	SOCKOLET FLAT BOTTOM 6000# LTCS A350 LF2 CL.1	0	0	
2600										
2600	U04	UD7	OLETS	5514772	0.75	1	THREDOLET 3000# LTCS A350 LF2 CL.1	2	42	
2610										
2610	U04	821	OLETS	5509739	1.5	1.5	SWEEPOLET SCH 80/SCH 160 LTCS A350 LF2 CL.1	18	18	
2620										
2620							***** COUPLINGS, UNIONS & PLUGS *****			
2630										
2630	U04		COUPLING	5478807	0.75	1.5	COUPLING 6000# SW LTCS A350 LF2 CL.1	0	0	
2640	U04		TEE RED	5478812	0.75	1	COUPLING RED 6000# SW LTCS A350 LF2 CL.1	1	1.5	
2650										
2650	U04		UNION	5478809	0.75	1.5	UNION 6000# SW LTCS STL A350 LF2 CL.1	0	0	
2660										
2660	U04	UD7	FITTING SCRD	5491303	0.75	1	PLUG ROUND HEAD SCRD LTCS A350 LF2 CL.1	0	0	
2670										
2670		816					**** FLANGES ****			
2680										
2680	U04	FA8	TEE RED	5599705	0.5	0.5	FLG SCRD (FNPT) REDUCING 600# RF A350 LF2 CL.1	0.75	1.5	
2690										
2690			FLANGE	5851204	0.5	2	FLANGE ADAPTER 600# RF 316 SS X 12 MM TUBE	0	0	
2700										
2700	U04		FLANGE	5557038	0.5	2	FLG WN 600# RF LTCS A350 LF2 CL.1 SCH 160	0	0	
2710	U04	817		5557511	1	1	FLG WN 1500# RTJ LTCS A350 LF2 CL.1 SCH 160 BORE	0	0	
2720	U04	UK9	FLANGE	5556976	0.5	0.75	FLG WN 600# RF LTCS A350 LF2 CL.1 SCH XXS	0	0	
2730	U04	817	FLANGE	5558038	0.5	2	FLG WN 600# RTJ LTCS A350 LF2 CL.1 SCH 160	0	0	
2740	U04	817	FLANGE	5558036	3	8	FLG WN 600# RTJ LTCS A350 LF2 CL.1 SCH XS	0	0	
2750	U04		FLANGE	5557036	3	8	FLG WN 600# RF LTCS A350 LF2 CL.1 SCH XS	0	0	
2760	U04		FLANGE	5557040	10	24	FLG WN 600# RF LTCS A350 LF2 CL.1 SCH 80	0	0	
2770	U04		FLANGE	5556550	26	26	FLG WN 600# RF LTCS A350 LF2 CL.1 WT 31.0MM B16.47 SERIES A	0	0	
2780	U04		FLANGE	5556551	28	28	FLG WN 600# RF LTCS A350 LF2 CL.1 WT 33.0MM B16.47 SERIES A	0	0	
2790	U04		FLANGE	5556552	30	30	FLG WN 600# RF LTCS A350 LF2 CL.1 WT 35.0MM B16.47 SERIES A	0	0	
2800	U04		FLANGE	5556553	32	32	FLG WN 600# RF LTCS A350 LF2 CL.1 WT 37.0MM B16.47 SERIES A	0	0	
2810	U04		FLANGE	5556554	34	34	FLG WN 600# RF LTCS A350 LF2 CL.1 WT 39.0MM B16.47 SERIES A	0	0	
2820	U04		FLANGE	5556555	36	36	FLG WN 600# RF LTCS A350 LF2 CL.1 WT 41.0MM B16.47 SERIES A	0	0	
2830	U04		FLANGE	5556556	42	42	FLG WN 600# RF LTCS A350 LF2 CL.1 WT 48.0MM B16.47 SERIES A	0	0	
2840	U04	817	FLANGE	5619801	26	26	FLG COMPACT 600# RJ LTCS A350 LF2 CL.1 WT 31.0MM	0	0	
2850	U04	817	FLANGE	5619970	28	28	FLG COMPACT 600# RJ LTCS A350 LF2 CL.1 WT 33.0MM	0	0	
2860	U04	817	FLANGE	5619802	30	30	FLG COMPACT 600# RJ LTCS A350 LF2 CL.1 WT 35.0MM	0	0	
2870	U04	817	FLANGE	5619803	32	32	FLG COMPACT 600# RJ LTCS A350 LF2 CL.1 WT 37.0MM	0	0	
2880	U04	817	FLANGE	5619804	34	34	FLG COMPACT 600# RJ LTCS A350 LF2 CL.1 WT 39.0MM	0	0	
2890	U04	817	FLANGE	5619805	36	36	FLG COMPACT 600# RJ LTCS A350 LF2 CL.1 WT 41.0MM	0	0	
2900	U04	817	FLANGE	5619806	42	42	FLG COMPACT 600# RJ LTCS A350 LF2 CL.1 WT 48.0MM	0	0	
2910	U04	817	FLANGE	5558040	10	16	FLG WN 600# RTJ LTCS A350 LF2 CL.1 SCH 80	0	0	
2920	U04	817		5558040	24	24	FLG WN 600# RTJ LTCS A350 LF2 CL.1 SCH 80	0	0	
2930	U04	FS1	FLANGE	5557141	3	8	FLG WN 900# RF LTCS A350 LF2 CL.1 SCH XS	0	0	
2940	U04	FS1	FLANGE	5557147	10	20	FLG WN 900# RF LTCS A350 LF2 CL.1 SCH 80	0	0	
2950	U04	FS1	FLANGE	5557147	24	24	FLG WN 900# RF LTCS A350 LF2 CL.1 SCH 80	0	0	
2960	U04	FS1	FLANGE	5556542	30	30	FLG WN 900# RF LTCS A350 LF2 CL.1 WT 35.0MM B16.47 SERIES A	0	0	
2970	U04	FS1	FLANGE	5557397	0.5	2	FLG WN 1500# RF LTCS A350 LF2 CL.1 SCH 160 BORE	0	0	
2980	U04	817		5557266	3	3	FLG WN 900# RTJ LTCS A350 LF2 CL.1 SCH XS	0	0	
2990	U04		BLIND	5615598	0.5	24	FLG BLIND 600# RF LTCS A350 LF2 CL.1	0	0	
3000	U04	817	BLIND	5615698	0.5	1	FLG BLIND 600# RTJ LTCS A350 LF2 CL.1	0	0	
3010	U04	817	BLIND	5615698	2	4	FLG BLIND 600# RTJ LTCS A350 LF2 CL.1	0	0	
3020	U04	817	BLIND	5615698	6	12	FLG BLIND 600# RTJ LTCS A350 LF2 CL.1	0	0	
3030	U04	817		5615698	24	24	FLG BLIND 600# RTJ LTCS A350 LF2 CL.1	0	0	
3040	U04		BLIND	5615580	26	36	FLG BLIND 600# RF LTCS A350 LF2 CL.1 B16.47 SERIES A	0	0	
3050	U04		BLIND	5615581	42	42	FLG BLIND 600# RF LTCS A350 LF2 CL.1 B16.47 SERIES A	0	0	
3060	U04		BLIND	5615616	0.75	1	FLG BLIND 1500# RF LTCS A350 LF2 CL.1	0	0	
3070	U04	817		5615614	1	1	FLG BLIND 1500# RTJ LTCS A350 LF2 CL.1	0	0	
3080	U04	817		5615606	3	3	FLG BLIND 900# RTJ LTCS A350 LF2 CL.1	0	0	
3090	U04	817	BLIND	5619764	26	42	FLG COMPACT BLIND 600# RJ LTCS A350 LF2 CL.1 PIPE CLASS 600K21	0	0	
3100	U04		BLIND	5615605	3	3	FLG BLIND 900# RF LTCS A350 LF2 CL.1	0	0	
3110										
3110							***** ORIFICE FLANGES *****			
3120										
3120	U04		ORIFICE FLG	5624351	2	2	WN ORIF SET 600# RF LTCS A350 LF2 CL.1 SCH 160	0	0	
3130	U04		ORIFICE FLG	5624352	3	8	WN ORIF SET 600# RF LTCS A350 LF2 CL.1 SCH XS BORE	0	0	
3140	U04		ORIFICE FLG	5624353	10	24	WN ORIF SET 600# RF LTCS A350 LF2 CL.1 SCH 80 BORE	0	0	
3150	U04		ORIFICE FLG	5624355	26	26	WN ORIF SET 600# RF LTCS A350 LF2 CL.1 31.0MM WT ASME B16.47 SERIES A	0	0	
3160	U04		ORIFICE FLG	5624356	28	28	WN ORIF SET 600# RF LTCS A350 LF2 CL.1 33.0MM WT ASME B16.47 SERIES A	0	0	

	TENGIZCHEVROIL TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 3 MM	SOUR SERVICE - NACE MR0175/ ISO 15156 DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 600 RF TEMPERATURE RANGE: -40 / 260 °C COMMENT: REFER NOTE 800	12/16/2024	BY OZAC	U04	Page 5 of 6	600K21

SEQ NO	REV	NOTE NO.	ITEM NAME	ITEM CODE	SIZE RANGE / SMALL END SIZES		DESCRIPTION	REFERENCE / LARGE END SIZES		NOTES
3170	U04		ORIFICE FLG	5624357	30	30	WN ORIF SET 600# RF LTCS A350 LF2 CL.1 35.0MM WT ASME B16.47 SERIES A	0	0	
3180	U04		ORIFICE FLG	5624358	32	32	WN ORIF SET 600# RF LTCS A350 LF2 CL.1 37.0MM WT ASME B16.47 SERIES A	0	0	
3190	U04		ORIFICE FLG	5624359	34	34	WN ORIF SET 600# RF LTCS A350 LF2 CL.1 39.0MM WT ASME B16.47 SERIES A	0	0	
3200	U04		ORIFICE FLG	5624360	36	36	WN ORIF SET 600# RF LTCS A350 LF2 CL.1 41.0MM WT ASME B16.47 SERIES A	0	0	
3210	U04		ORIFICE FLG	5624361	42	42	WN ORIF SET 600# RF LTCS A350 LF2 CL.1 48.0MM WT ASME B16.47 SERIES A	0	0	
3220										
3220							***** PIPE NIPPLES *****			
3230	U04	812					NIPPLE PBE - CUT FROM PIPE			
3250										
3250							***** GASKETS *****			
3260										
3260			GASKET	5673103	0.5	24	GASKET 600# 316SS SPIRAL WOUND GRAPHITE IR	0	0	
3270			GASKET	5674012	26	42	GASKET 600# 316SS KAMMPROFILE GRAPHITE ASME B16.47 SERIES A	0	0	
3280	U04	GA6	GASKET	5673018	2	3	GASKET 600# 316SS KAMMPROFILE GRAPHITE ASME B16.5	0	0	
3290	U04	817	GASKET	5673414	26	42	GASKET 600# RJ INC 718 ENERGIZED SEALRING COMPACT FLANGE PIPE CLASS 600K21	0	0	
3300	U04	817	GASKET	5673202	0.5	16	GASKET 600# RTJ SOFT IRON TEFLON COATED OCTAGONAL RING	0	0	
3310	U04	817		5673202	24	24	GASKET 600# RTJ SOFT IRON TEFLON COATED OCTAGONAL RING	0	0	
3320	U04		GASKET	5673117	3	20	GASKET 900# 316SS SPIRAL WOUND GRAPHITE IR	0	0	
3330			GASKET	5673117	24	24	GASKET 900# 316SS SPIRAL WOUND GRAPHITE IR	0	0	
3340			GASKET	5674033	30	30	GASKET 900# 316SS KAMMPROFILE GRAPHITE ASME B16.47 SERIES A	0	0	
3350	U04	FS1	GASKET	5672251	0.5	2	GASKET 1500# 316SS SPIRAL WOUND GRAPHITE IR	0	0	
3360	U04	817		5674479	1	1	GASKET 1500# RTJ SS OCTAGONAL RING	0	0	
3370	U04	817		5674481	3	3	GASKET 900# RTJ SS OCTAGONAL RING	0	0	
3380										
3380		B1					***** BOLTING *****			
3390	U04		BOLTING	5675770	0.5	34	STUD-BOLT A320 GR L7M/A194 GR 7M (S3) WITH 2 NUTS	0	0	
3400		BA5	BOLTING	5675770	36	42	STUD-BOLT A320 GR L7M/A194 GR 7M (S3) WITH 2 NUTS	0	0	
3410		BA1	BOLTING	5675776	36	99	STUD-BOLT WITH 2 NUTS API-6A718	0	0	
3420										
3420		SB6, BA7	BOLTING	5675675	10	42	JACK SCREW HEX HEAD A320 GR L7M	0	0	
3430										
3430							***** MISCELLANEOUS *****			
3440	U04		FLG GUARD	5558883	2	6	SAFETY SHIELD PTFE SUITABLE FOR 600# FLANGE	0	0	
3450							***** BLINDS AND SPACERS *****			
3450										
3460			SPEC BLIND	5749587	0.75	8	SPECTACLE BLIND 600# RF LTCS A516-GR70	0	0	
3470										
3470			PADDLE	5750040	10	24	PADDLE BLANK 600# RF LTCS A516-GR70	0	0	
3480			PADDLE	5750030	26	42	PADDLE BLANK 600# RF LTCS A516 GR70 B16.47 SERIES A	0	0	
3490			PADDLE	5750251	10	24	PADDLE SPACER 600# RF LTCS A516-GR70	0	0	
3500	U04	817	PADDLE	5751040	10	10	PADDLE BLANK 600# RTJ LTCS A516-GR70	0	0	
3510	U04	817	PADDLE	5751040	16	16	PADDLE BLANK 600# RTJ LTCS A516-GR70	0	0	
3520	U04	817	PADDLE	5751251	10	10	PADDLE SPACER 600# RTJ LTCS A516-GR70	0	0	
3530	U04	817	PADDLE	5751251	16	16	PADDLE SPACER 600# RTJ LTCS A516-GR70	0	0	
3540			PADDLE	5750252	26	42	PADDLE SPACER 600# RF LTCS A516 GR70 B16.47 SERIES A	0	0	
3550	U04	817	PADDLE	5750263	26	42	PADDLE BLANK COMPACT 600# RJ LTCS A516 GR.70	0	0	
3560	U04	817	PADDLE	5750268	26	42	PADDLE SPACER COMPACT 600# RJ LTCS A516 GR.70	0	0	
3570										
3570	U04		SPEC BLIND	5749595	1	1	SPECTACLE BLIND 1500# RF LTCS A516 GR.70	0	0	
3580	U04		SPEC BLIND	5749595	2	2	SPECTACLE BLIND 1500# RF LTCS A516 GR.70	0	0	
3590	U04	817		5751587	1	1	SPECTACLE BLIND 600# RTJ LTCS A516-GR70	0	0	
3600	U04	817	SPEC BLIND	5751587	2	2	SPECTACLE BLIND 600# RTJ LTCS A516-GR70	0	0	
3610	U04		SPEC BLIND	5749596	4	4	SPECTACLE BLIND 900# RF LTCS A516 GR.70	0	0	
3620										

	TENGIZCHEVROI TCO TENGIZ, KAZAKHSTAN	CONSTRUCTION	CORR.ALLOW.	SERVICE	MATERIAL	DATE	BY	REV	SHEET	PIPING LINE CLASS
		ALL SIZES - BUTT WELD PWHT - ALL SIZES SEAL WELDING - FOR THREADED CONNECTIONS ONLY PIPE BENDS - NONE THREAD SEALANT - PTFE PASTE	CORR. ALLOW. 3 MM	SOUR SERVICE - NACE MR0175/ ISO 15156 DESIGN: ASME B16.5 MG 1.1 CODE: ASME B31.3 FLUID CODES - PIM-SU-5112-TCO	MATERIAL: LTCS FLANGE RATING: 600 RF TEMPERATURE RANGE: -40 / 260 °C COMMENT: REFER NOTE 800	12/16/2024	BY OZAC	U04	Page 6 of 6	600K21