

Application for Construction Permit

Application Form

Application To	
☐  Better health. Best in health care. ☐  Interior Health ☐  Promoting wellness. Ensuring care. ☐  island health ☐ ☐  the northern way of caring	
Name of Pool:	Date (dd/mm/yyyy):
Street Address:	
Contact Information	
OWNER OR AGENT	Name:
	Address:
	Phone Number: Email Address:
PERSON APPLYING FOR PERMIT (if different from owner)	Name:
	Address:
	Phone Number: Email Address:
Owner's Confirmation of Commitment	
I, _____ as owner of the above noted pool, confirm that it will be constructed in accordance with the information contained herein and according to the plans and specifications submitted with this Application for Construction Permit. No changes to the pool plans and specifications will be made unless they have been authorized in writing by the design professional and with written approval from a health officer. Furthermore, I understand that upon completion of the pool's construction, I must provide the _____ Health Authority with the following documentation before an Operating Permit for the pool can be considered: ▪ A signed statement from an engineer or architect that the pool has been constructed so as to substantially comply, in all material respects, with the plans and specifications submitted under this Application for Construction Permit. ▪ A copy of a completed Swimming Pool Data Sheet providing detail of the pool as constructed. ▪ A copy of the Pool Safety Plan prepared in accordance with s.13 of the Pool Regulation.	
Signature of Owner or Authorized Agent:	Date (dd/mm/yyyy):

Application for Operating Permit

Pool Inf Sheets

General Information			
Name of Pool:			
Civic Address:			
Pool Type: ☐ public ☐ commercial ☐ hot tub ☐ spray pool ☐ wading pool			☐ indoor ☐ outdoor
Owner Information			
Name (Legal):			
Address:			
Phone Number:		Email Address:	
Designer Information (Append additional information for multiple designers):			
Name:		☐ PEng ☐ Architect	
Company (Legal Corporate):			
Address:			
Phone Number:		Email Address:	
General Pool Design Parameters (Append additional information for multiple pools):			
Pool Volume (m ³):	Pool Area (m ²): pool: deck:		Water Depth (m): min: max:
Maximum Bathing Load (persons): Shallow: Deep: Total:		Pool Basin Colour:	Color Complies with Pool Reg ☐ yes ☐ no
Turnover (hrs):	Design Flow Rate (L/min):	Gauges (qty): pressure: vacuum: temperature:	
Flow Meter Make and Model:		Range (L/min): from: to:	
Filters: ☐ sand ☐ diatomaceous earth ☐ pressure ☐ vacuum ☐ gravity			NSF Approved: ☐ yes ☐ no
Disinfection: ☐ hypochlorite ☐ chlorine gas ☐ stabilized chlorine ☐ bromine ☐ other:			

Application for Operating Permit

Pool Inf Sheets

Health Hazard Related Design Parameter Reference to Pool Regulation (PR) and B.C. Guidelines for Pool Design (GPD)	Design Parameter Met	Initials
The plans include a fence or other barrier around the pool and its walkways with controlled access to prevent access by animals and persons who are not pool patrons. This provision does not apply to spray pools or wading pools that are planned to be drained before dark and left empty overnight. PR s.(7)	☐ yes ☐ no ☐ n/a	
The pool design provides for the pool water to be maintained at a temperature of no more than 37°C. PR s.10(2)(b)	☐ yes ☐ no	
Disinfection equipment is designed to be capable of maintaining disinfection levels in accordance with the Pool Regulation PR s.10(2)(f) & s.10(2)(g) & Schedule 3, s.1(2)	☐ yes ☐ no	
The pool circulation system is designed so that pool water will not pass through any drain grate at a speed greater than 46 cm per second when the pool is operating at the design flow rate. PR s.10(2)(k) or waiver obtained under s.10(3)	☐ yes ☐ no	
The pool design allows for water to be circulated through the skimmers or gutters at a rate of flow at least equal to 50% of the design flow rate. PR s.10(2)(j)	☐ yes ☐ no	
The pool circulation system is designed so the water circulation rate (pool turnover) will substantially comply with the GPD. GPD – Water Circulation	☐ yes ☐ no	
The pool design substantially complies with the Pool Regulation and the GPD for the prevention of entrapment or suction hazards. PR s.10(2)(k) or waiver obtained under s.10(3); GPD – Main Drain and Suction Entrapment Hazards & Other Entrapment Hazards.	☐ yes ☐ no	
The pool design allows for sufficient lighting so that all areas are visible to pool patrons, lifeguards, and operators. PR s.11(2)(a); GPD – Natural and Artificial Lighting	☐ yes ☐ no ☐ n/a	
All pool aprons, walkways and floors have a surface that is slip-resistant when wet, and slopes away from the pool such that, when the aprons, walkways and floors are wet, water does not accumulate or flow back into the pool PR s.11(2)(c) The friction coefficient of tiled surfaces specified for installation in and around the pool is _____ (static/dynamic), and will meet best practice guidelines referenced in the GPD with respect to being non-slip when wet. GPD – Flooring	☐ yes ☐ no	
The design requires that the nose of any step or ledge in the pool is marked in a contrasting colour to the remainder of the step or ledge PR s.11(2)d	☐ yes ☐ no	
The design provides for secure handrails at steps, ladders and diving boards. PR s.11(2)(e)	☐ yes ☐ no	
The design includes pool depth markings in accordance with the requirement of the Pool Regulation PR s.11(2)(f)	☐ yes ☐ no	
The design includes controls that will allow for regulating hot water temperature in pool facilities to no more than 49°C. PR s.11(2)(g)	☐ yes ☐ no	

Application for Operating Permit

Pool Inf Sheets

Health Hazard Related Design Parameter Reference to Pool Regulation (PR) and B.C. Guidelines for Pool Design (GPD)	Design Parameter Met	Initials	
The pool design provides for, where applicable, hot tub water to be maintained at a temperature of no more than 40°C. PR s.16(b)	☐ yes ☐ no ☐ n/a		
The filters are designed to provide proper filtration of the water at maximum flow rates as per the GPD. GPD - Filtration	☐ yes ☐ no		
The design incorporates a pool basin surface, that when filled with water, will be light in colour and have a light reflectance value of at least 60%, measured according to ASTM C609-07 standard to substantially comply with the Pool Regulation and the GPD. PR s.3(a); GPD – Pool Basin Colour and Patterns	☐ yes ☐ no		
All diving boards and poolside play equipment are designed and located in accordance with applicable standards referenced in the GPD. GPD – Play Equipment	☐ yes ☐ no		
Backflow preventers are provided in all areas necessary to prevent cross contamination between the potable water supply, pool water and wastewater lines. GPD – Cross Connection Control (AWWA Canadian Cross Connection Control Manual)	☐ yes ☐ no		
Design Professionals			
The design professional responsible for each component noted in the Health Hazard Related Design Parameter Checklist above shall initial applicable row(s) as a confirmation to a statement of fact and fill in the information in the table below.			
Design Professional Name	Engineer or Architect	Company	Initials