



(online)Postman online docs API:

<https://documenter.getpostman.com/view/13738369/UVsFy8J2>




(local) Local test is as the following.

<http://127.0.0.1:8080/api/v1/account>



<http://127.0.0.1:8080/api/v1/payment>



Postman interface showing a GET request to `http://127.0.0.1:8080/api/v1/payment`. The response is a JSON array of two payment objects.

Request Details:

- Method: GET
- URL: `http://127.0.0.1:8080/api/v1/payment`
- Headers: 8
- Body: JSON


Response Details:

- Status: 200 OK
- Time: 220 ms
- Size: 573 B

Response Body (JSON):

```
{
  "payments": [
    {
      "id": 1,
      "account": "bob123",
      "amount": 10000,
      "to_account": "alice456",
      "from_account": "",
      "direction": "outgoing",
      "created_at": "2022-03-09T18:18:19Z"
    },
    {
      "id": 2,
      "account": "alice456",
      "amount": 10000,
      "to_account": "bob123",
      "from_account": "",
      "direction": "incoming",
      "created_at": "2022-03-09T18:18:19Z"
    }
  ]
}
```

<http://127.0.0.1:8080/api/v1/account/0>



Postman interface showing a GET request to `http://127.0.0.1:8080/api/v1/account/0`. The response is a JSON object with account balance and transaction details.

Request Details:

- Method: GET
- URL: `http://127.0.0.1:8080/api/v1/account/0`
- Headers: 8
- Body: JSON

Response Details:

- Status: 200 OK
- Time: 656 ms
- Size: 353 B

Response Body (JSON):

```
{
  "accountBalance": 9980,
  "amount": 20,
  "toAccountBalance": 21,
  "respCode": 0,
  "respMsg": ""
}
```