

School OS

Deployment & Seed Reference

Railway | PostgreSQL | Docker

Last updated: July 24, 2026

Two Schools

School 1: Saint Joseph Bilingual Academy

Role	Email	Password
Admin	admin@saintjoseph.sos	admin123456
Teacher	dr.song@saintjoseph.sos	teacher123456
Teacher	mme.biya@saintjoseph.sos	teacher123456
Teacher	dr.thorne@saintjoseph.sos	teacher123456
Parent	parent@saintjoseph.sos	parent123456

Students: John Doe, Jean Dupont, Jane Smith

School 2: Greenfield International Academy

Role	Email	Password
Admin	admin@greenfield.edu.cm	admin123456
Teacher	james.ashi@greenfield.edu.cm	teacher123
Teacher	fatima.ngwa@greenfield.edu.cm	teacher123
Teacher	pierre.tamba@greenfield.edu.cm	teacher123
Parent	grace.foncha@greenfield.edu.cm	parent123456

Students: Samuel Eyong, Blessing Ambe, Emmanuel Tabi, Naomi Sama, Destiny Atem, Kevin Njoh, Celestin Mbida, Sandrine Atanga, Armel Nkou, Chantal Bikoko

Paul Essomba's Children (Cross-School Parent)

#	Student	School	Class	Relationship
1	John Doe	St Joseph Bilingual	Form 1	father
2	Samuel Eyong	Greenfield International	Form 1	guardian
3	Blessing Ambe	Greenfield International	Form 1	father

Login as parent@saintjoseph.sos to see all 3 children across both schools.

Database

Engine: PostgreSQL (Railway managed)

Connection URLs

Public URL (local debugging):

```
postgresql://postgres:mCIEpHOHunjQTJAGRBnyHXtaiUuryNCo@sakura.proxy.rlwy.net:38747/railway
```

Internal URL (used by app on Railway):

```
postgresql://postgres:mCIEpHOHunjQTJAGRBnyHXtaiUuryNCo@postgres.railway.internal:5432/railway
```

The public URL is only for local debugging. The internal URL is used by the app on Railway and is faster/more reliable.

Env var: DATABASE_URL (set in Railway service variables)

Django falls back to SQLite when DATABASE_URL is not set.

Deployment (Railway)

Live App

URL: <https://schoolos-production-be7b.up.railway.app>

How It Works

1. Dockerfile builds the app (Python 3.11 + Node.js 20)
2. Installs Python deps, builds React frontend with VITE_API_URL=/api/v1
3. Copies frontend build into Django template/static dirs
4. On deploy, CMD runs:
 - python manage.py migrate --noinput (applies all migrations)
 - python manage.py seed_all (seeds both schools, idempotent)
 - gunicorn config.wsgi:application (starts the server)

Railway Services

Service	Purpose	URL
school-os (web)	Django + React app	schoolos-production-be7b.up.railway.app
postgres (database)	PostgreSQL database	Internal only

Environment Variables (set in Railway)

Variable	Value
DATABASE_URL	\${{postgres.DATABASE_URL}} (auto-linked)
DJANGO_SECRET_KEY	Set in Railway
DJANGO_DEBUG	False
DJANGO_ALLOWED_HOSTS	schoolos-production-be7b.up.railway.app
CORS_ALLOWED_ORIGINS	https://schoolos-production-be7b.up.railway.app

Git Remotes & Redeploy

```
# Production (linked to Railway)
git remote add personal https://github.com/bigbrotherdilan/school_OS.git

# Deploy
git push personal main # Railway auto-deploys on push
```

Railway auto-deploys on push to the connected branch. To manually redeploy, go to the Railway dashboard > service > Deploy.

Re-seeding

The seed_all command runs on every deploy and uses get_or_create - safe to rerun.

```
# Via Railway CLI
railway run python manage.py seed_all
```

```
# Or locally (using public DB URL)
$env:DATABASE_URL="postgresql://postgres:mCIEpH0HunjQTJAGRBnyHXtaiUuryNCo@sakura.proxy.rlwy.net:38747/railway"
python manage.py seed_all
```

Local Development

```
# Backend
cd backend
pip install -r requirements.txt
python manage.py migrate
python manage.py runserver

# Frontend (dev)
cd frontend
npm install
npm run dev

# Frontend (production build - served by Django)
cd frontend
VITE_API_URL=/api/v1 npx vite build
```

Key Environment Variables

Variable	Description	Dev	Production
DATABASE_URL	PostgreSQL connection string	optional (SQLite fallback)	set in Railway
DJANGO_SECRET_KEY	Django secret key	any random string	set in Railway
DJANGO_DEBUG	Debug mode	True	False
DJANGO_ALLOWED_HOSTS	Comma-separated hosts	localhost,127.0.0.1	schoolos-production...railway.app
CORS_ALLOWED_ORIGINS	Comma-separated origins	http://localhost:5173	https://schoolos-production...railway.app
VITE_API_URL	Frontend API base URL	http://localhost:8000/api/v1	/api/v1 (relative)

API Base URL

Development: <http://localhost:8000/api/v1>

Production: [/api/v1](#) (relative, Django serves both API and frontend)