



PILLAR 5

WHY OUR PRODUCTS?

“Quality is not an act,
it is a habit.”

— ARISTOTLE

Educator mode, not pitch mode. The specs do the work.



WHY OUR PRODUCTS?

Pillar 5 of 12 • Presentation

THE GOAL

By the end of this pillar, the customer should think:

“Yep — the gear they’re using is the real deal. Good stuff. They’re not cutting corners, not using cheap stuff.”

That’s it. This is a tick-the-box pillar — you’re just confirming what they’re already starting to believe after Pillars 3 and 4.

WHY THIS PILLAR MATTERS

- **Cashes in on the Surf Club Standard.** You promised in Pillar 4 that you install the same quality used on surf clubs. Pillar 5 is where you prove it by naming the actual products.
- **Pre-handles “are these panels any good?”** By the end of this pillar, that question is answered before they ever get to ask it.
- **Lowest-sales pillar in the whole presentation.** You’re explaining products. Stay in educator mode, not pitch mode.

TONALITY (CRITICAL)

CALM, EDUCATOR-MODE, HIGH IMPACT

This is the least ‘sales-y’ pillar in the whole presentation. You’re explaining products and walking them through specs. The tone is closer to a knowledgeable friend showing you their car than a salesperson pitching you.

- **Calm.** No urgency. Specs land harder when delivered with confidence, not energy.
- **High impact.** Pick the 2–3 most important specs per slide and frame them well. Don’t list every spec on the slide.
- **Educator, not promoter.** You’re sharing what you know — they’re lucky to be hearing it. Not the other way around.

Scripting note

This pillar is lightly scripted — most content depends on your specific products. This document is built around **Longi panels** because they’re the strongest panel option for residential solar (#1 rated by SolarQuotes in AU, AAA bankability, Lloyds-backed warranty). If you don’t use Longi, swap in your panel brand and use the structural beats as the template. Inverter and battery slides are placeholders



— insert your own brand content.

TRANSITION FROM PILLAR 4

Pillar 4 closed with the Surf Club Standard — “the same quality used on surf clubs is what we put on every install.” Pillar 5 is where you cash in on that promise by showing them the actual products. Natural progression — you’ve told them WHO you are, now you’re showing them WHAT you install.

Open the transition with a line that signals to the customer they’re now getting what they came for. They’ve sat through rapport, explanation, industry issues, and credibility — useful, but not the meat. The products, design, and numbers are the meat. This line lays out the roadmap and gets them to lean in.

“Alright guys — let’s jump into some of the nitty gritty. We’ll run through our products, then your design — you’ll get to see what our technicians have actually put together for you — and then the numbers.”

Tonality: casual + slight intrigue. Said like you’re finally getting to the part they came for. Almost every customer leans in slightly when this line lands — it tells them ‘this is the meat, get ready.’

No hard verbal switch needed after this. Flow straight into Slide 1 (Why Longi).

SLIDE 1: WHY LONGI (THE BRAND)

Open with the standard ‘I’m not here to confuse you’ framing, walk them through Longi’s brand credibility cleanly, then ask the interactive degradation question separately further into the slide. The reveal is the close of the slide — leaves them on the wow moment going into Slide 2.

Beat 1: Open the slide

Frame the slide as honest education, not a sales pitch. Keep it tight.

“Look guys — I’m not here to confuse you with technical jargon. I’m here to keep it simple. The panels we use are Longi — let me walk you through why.”

Tonality: calm + genuine. Educator mode — not pitching.

Beat 2: Longi’s global scale

Walk through the brand-credibility dot points. Quick, confident, no padding.

- World’s largest solar manufacturer — period
- Doing well over \$10 billion in revenue, every single year
- Operating in 150+ countries, 15+ manufacturing bases globally
- Been around since 2000 — proven track record across multiple decades
- First manufacturer ever to ship more than 20GW of modules in a year

Tonality: certainty + matter-of-fact. State the scale plainly — don’t hype it. The numbers do their own work.

Beat 3: The aesthetic beat (sleek black panels)



Customers genuinely care about what their roof looks like. Most reps skip this — don't.

- Sleek all-black panels — no ugly blue tint, no massive grid lines
- Designed to look clean and modern on residential roofs
- Compare quickly to old-style panels — the contrast sells itself

Tonality: casual confidence. "Honestly, I hate the old blue panels with massive grid lines through them — these are the sleek black ones you've probably seen on the nicer installs."

Beat 4: The interactive degradation question (fully scripted)

Asked separately, later in the slide. Get the customer to commit to a low number BEFORE you reveal the actual figure. Their guess is what makes the reveal land harder.

"Quick question for you guys — after 25 full years on the roof, in the sun, the rain, the heat, all of it — how much percentage do you reckon the panels would still be operating at? What do you think?"

Tonality: curious. Like you genuinely want to know what they think. Wait for them to answer.

Almost everyone says somewhere between 50% and 80%. Whatever they say, nod — don't correct them yet. Their guess is the anchor that makes the reveal feel impressive.

Beat 5: The reveal

Drop the number cleanly. Let it land on its own — no embellishment.

"Yeah — most people guess somewhere around there. Actually, after 25 full years on your roof, Longi panels only drop by 11.1%. That's literally almost nothing."

Tonality: certainty. Let the number speak for itself.

If you use a different Longi panel, put in the actual spec for that panel.

SLIDE 2: THIRD-PARTY ACCREDITATIONS + INSURANCE BACKING

This slide is where Longi's reputation gets locked in via independent third-party validation. The Lloyds insurance beat at the end is the philosophical anchor of the entire pillar — fully scripted.

Beat 1: Open with TÜV Rheinland

Frame TÜV Rheinland as the global gold standard for panel testing.

- TÜV Rheinland = the most reputable third-party panel auditor globally
- They test panels in every weather condition: shade, high temperatures, dust, hail
- Longi has won their 'All Quality Matters' awards multiple years running
- Hi-MO X10 received TÜV Rheinland Class A anti-shading certification

Tonality: certainty. State it like a fact. "These are the people the entire global solar industry relies on to verify panel quality."

Beat 2: PVEL / RETC top performer



Reinforce with the other independent test labs.

- PVEL (PV Evolution Labs) — top performer for 7 consecutive years
- RETC — Highest Achievement award
- Tested across damp heat, mechanical stress, hail, PID, LID — all top marks

Tonality: matter-of-fact. Don't list every accreditation — pick the strongest 2-3 and let the slide do the rest.

Beat 3: AAA bankability rating

Frame bankability as the long-term safety net — the reason you can actually trust their warranties.

- AAA-rated by PV ModuleTech Bankability Ratings
- Tier 1 by BloombergNEF — every quarter, consistently
- “What good is a 25-year warranty if the company won't be around in 25 years?”

Tonality: certainty. The bankability point is a setup for Beat 4 (Lloyds) — plant the seed that warranties only matter if the company exists to honour them.

Beat 4: The Lloyds 3rd-party insurance (critical — fully scripted)

This is the philosophical anchor of the entire pillar. The line you've been hammering for years — even if our company AND Longi both go under, you're still covered. Fully scripted — let it land word-for-word.

“And the biggest thing for me — the reason I'm honestly such a huge fan of Longi — is they have a third-party insurance policy with Lloyds of London. Lloyds are the largest and oldest insurer in the world.”

“What that means is — even in the absolute worst-case scenario — if our company goes out of business AND Longi goes out of business AT THE SAME TIME — that 1-in-a-thousand chance — you're still completely covered by Lloyds. There is no scenario where you're not protected.”

Tonality: certainty + genuine. Voice slows down on the ‘there is no scenario where you're not protected’ line. This is the line that actually shifts the buying decision — let it land.

SLIDE 3: HOW THE WARRANTY ACTUALLY WORKS

The reveal already landed on Slide 1 — this slide is about HOW the warranty actually works. Linear protection, what triggers a claim, how Longi honours it. Quick slide — the wow moment is behind you.

Beat 1: Callback to the performance reveal

Briefly bring back the performance figure from Slide 1 to anchor the warranty discussion. Don't re-do the interactive moment.

“So remember earlier when we talked about the panels only dropping 11.1% after 25 years? Here's how that's actually backed.”

Tonality: matter-of-fact. Quick callback — you're not re-pitching, you're anchoring.



Beat 2: Linear warranty explained

Walk through what 'linear' actually means and why it's better than stepped warranties.

- Linear warranty = guaranteed performance every single year of the 25
- Not a 'stepped' warranty where they only check at year 10 and year 25
- If panels drop below the curve in ANY year, they're eligible for replacement
- AND they'll compensate you for all lost savings during that period

Tonality: matter-of-fact. "Most warranties only check at certain milestones. Longi guarantees the curve every single year — much stronger."

Beat 3: How they honour warranties

Pre-handle the 'will they actually pay out?' question by framing Longi's scale.

- Longi is one of the world's largest publicly traded solar manufacturers
- Doing \$10–20 billion in revenue annually
- They don't blink at warranty claims — what's 10 panels to a company that ships gigawatts every quarter?
- Replacements happen with no fight, no fine print games

Tonality: casual confidence. "They're not going to fight you over a few hundred dollars' worth of panels when they're shipping billions of dollars' worth a year."

SLIDE 4: HAIL WARRANTY

This slide handles the 'what about extreme weather' objection before the customer even raises it. Open with the cricket-ball question — the answer is almost always 'no' which makes the safety claim land softly. Be careful not to overpromise on cricket-ball-sized hail (rare but it does happen).

Beat 1: The cricket ball question (fully scripted)

Open with the rapport-building question. Get them to recall their last hailstorm — almost always 'no' or a small one. The answer sets up the safety claim perfectly.

"Quick one — what's the last hailstorm you remember having? By any chance was it a cricket-ball sized armageddon-style hail storm?"

Tonality: playful. Said with a slight grin — 'armageddon-style' is the punchline. Almost everyone laughs and says no.

Wait for the answer. They'll say no, or mention a small storm. Then move to Beat 2.

Beat 2: The hail spec

Walk through the hail rating with confidence. Don't overpromise.

- Longi panels are certified to handle hailstones at 25mm at over 80km/h
- That covers basically every normal hailstorm you'll ever see
- They've also got an Ice-Shield variant rated to hailstones the size of a billiard ball (55mm+) for extreme-hail areas



Tonality: certainty + casual. State the spec like it's a normal product feature. Don't hype it.

If your customer is in a known severe-hail area (parts of QLD, regional NSW, US Midwest, etc.), mention the Ice-Shield variant as an upgrade option. Otherwise the standard spec is enough.

Beat 3: Tie back to TÜV Rheinland

Anchor the hail rating in the third-party testing you mentioned in Slide 2.

- This isn't Longi marking their own homework
- TÜV Rheinland and PVEL independently verified the hail performance
- Class A hail resistance rating from RETC — one of only two manufacturers to receive it

Tonality: matter-of-fact. The third-party verification is what makes the claim credible.

SLIDE 5: #1 RATED (INDEPENDENT CUSTOMER REVIEWS)

AU SPECIFIC: This slide uses SolarQuotes' #1 ranking. For US/UK reps, find the equivalent independent ranking platform in your country (e.g., EnergySage in US, Which? in UK, etc.) and use the same structural beats. The point is: Longi is the #1 rated panel by real customers on a verified platform.

Beat 1: Show the ranking

Walk through the SolarQuotes ranking dot points (or your country's equivalent).

- SolarQuotes is Australia's #1 independent solar quotes platform — 550,000+ active users, 10,000+ verified 5-star reviews
- Longi was awarded #1 PV Module Brand by SolarQuotes in 2025
- 4.9 stars from 3,133+ Australian customer ratings overall
- 5.0 stars over the last 12 months from 1,081+ ratings

Tonality: certainty + genuine. The numbers speak for themselves.

REGIONAL ADAPTATION: For US, reference EnergySage or SolarReviews. For UK, reference Which? or MCS. The framing is the same — '#1 ranked panel by real customers on the most trusted independent review platform in [country].'

Beat 2: The Surf Club Standard tieback (fully scripted)

This is the philosophical close of the panel section. Tie the #1 ranking back to the Surf Club Standard you established in Pillar 4. Fully scripted — this is the lock-in line.

"Guys — we literally just can't use anything that's not the #1 rated panel. Purely because — remember — this is what was sold on the surf clubs, and that's our policy. We've got to keep it to that level on every single install."

Tonality: certainty + genuine. The line locks in the Surf Club Standard from Pillar 4 — 'we promised it, here's us delivering on it.'



SLIDE 6: INVERTER (INSERT YOUR OWN)

Insert your inverter brand slide(s) here. The structural beats to hit are the same as the panel section:

- **Beat 1: Brand credibility** — global scale, years in business, market position
- **Beat 2: Third-party validation** — accreditations, awards, independent testing
- **Beat 3: Warranty + reliability spec** — what's guaranteed and for how long

If using Anker: you can also hone in on the Surf Club Standard here, since that's what was used on the surf clubs. Otherwise just sell the brand on its own merits.

Common premium inverter brands include: Fronius (AT, premium), SMA (DE, premium), Sungrow (CN, premium-mid), GoodWe (CN, premium-mid), Anker. Adapt to your installer's actual brand.

SLIDE 7: BATTERY (INSERT YOUR OWN)

Insert your battery brand slide(s) here. The structural beats are the same:

- **Beat 1: Brand credibility** — global scale, market position
- **Beat 2: Third-party validation + safety certifications**
- **Beat 3: Warranty + cycle life spec**

If using Anker: you can also hone in on the Surf Club Standard here, since that's what was used on the surf clubs. Otherwise just sell the brand on its own merits.

Common premium battery brands include: Tesla Powerwall, Sungrow, BYD, Sigenergy, Sonnen, Anker. Adapt to your installer's actual brand.

FAILURE MODES (DO NOT DO)

- **Going into pitch mode.** This pillar is the lowest-sales pillar in the whole presentation. If you sound like you're selling, you're doing it wrong. Stay in educator mode.
- **Listing every spec on the slide.** Pick 2–3 per slide and frame them well. The slide does the rest visually.
- **Skipping the interactive degradation question on Slide 1.** Their own guess is what makes the reveal land. Skipping it kills the whole moment and makes the rest of the pillar feel flat.
- **Skipping the Lloyds insurance beat.** This is the philosophical anchor of the entire pillar. Without it, the warranty conversation feels theoretical. With it, the customer feels structurally protected.
- **Faking product claims.** If your installer doesn't use Longi, don't claim Longi. Use whatever you actually install — the structural beats work for any premium brand.
- **Overpromising on extreme hail.** Standard Longi panels handle normal hail. The Ice-Shield variant handles extreme hail. Don't claim a standard panel will survive a cricket-ball-sized hailstone — it's technically possible but not guaranteed.

TRANSITION INTO PILLAR 6 (SYSTEM DESIGN)



Pillar 5 covered what products go on the roof. Pillar 6 covers how they're designed for this specific home — panel layout, orientation, shading, optimisers if needed. Natural progression — you've shown them the gear, now you're showing them the bespoke system designed for their property.

No hard verbal switch needed. The customer is now ready for the system design walkthrough.

Remember: this is the lowest-sales pillar in the whole presentation. Stay in educator mode — the specs do the work, you just frame them.