



PILLAR 6 SYSTEM DESIGN

“Details make perfection.”

— *LEONARDO DA VINCI*

Tailored beats generic. Every time.



SYSTEM DESIGN

Pillar 6 of 12 • Presentation

THE GOAL

By the end of this pillar, the customer should think: “okay — this system has been built specifically for my home, my bill, my future. They’ve actually thought about this.” The design itself does most of the heavy lifting — your job is to set it up cleanly, walk it cleanly, and make sure it lands as bespoke and considered.

“This system has been built specifically for my home, my bill, my future. They’ve actually thought about this.”

WHY IT MATTERS

- **Frames the system as built specifically for them.** The customer needs to feel like this design was built FOR them — their roof, their bill, their usage. The “technicians designed this directly off your bill” framing is critical, because this exact framing gets built on heavily in the later pillars when you walk through the savings numbers and finance calculations. Every number in those pillars only lands if the customer already believes the system is bespoke to them.
- **Locks in the long-term build.** The Future Needs vs Current Needs slide pre-handles “can’t I just go smaller?” before they ever raise it. By the end of Slide 2, going smaller feels like a downgrade.
- **Sets up Pillar 8 (Power Bill Pain).** Once they’ve seen the system designed for their bill, the savings conversation that’s coming has a specific anchor — not a generic pitch.

TONALITY (CRITICAL)

LIGHT ON THE SETUP SLIDES → CONFIDENT ON THE DESIGN

First two slides (seasonal chart + future vs current) are light. You’re not selling — you’re setting up the design walkthrough. Don’t over-explain. Let the visuals do the work. Quick check-ins, then keep moving.

Once you hit the actual design, the energy shifts. You’re now presenting something built specifically for them. Tone becomes confident, calm, and crisp. Frame everything as ideal — even if the orientation isn’t textbook perfect.

- **Walk the design with full confidence.** The technicians have built this system based directly on their usage — to cover their bill AND fill the battery. The design IS well-built. Walking it confidently is the natural delivery, not a performance.
- **Don’t over-talk on the setup slides.** The seasonal chart and future/current visuals carry their own weight. Quick walk-through, quick check-in, move on.

Scripting note

This is the least scriptable pillar in the entire presentation. The system design is generated specifically for each customer — orientation, panel count, layout all vary. What this document gives you is: (1) the fully scripted year-round protection question, (2) the future-needs tieback, (3) the design opening line, and (4) principles for the unscriptable design walkthrough — how to frame orientation, how to handle non-ideal layouts, how to close on a check-in.

TRANSITION FROM PILLAR 5

Pillar 5 closed on the panels — they now believe the gear is the real deal. Pillar 6 opens by establishing two principles first (year-round protection via the seasonal chart, and the long-term build via future needs vs current needs), then plugs those principles into the customer's actual usage data via the bill walk-through, before finally revealing the bespoke design.

Flow straight from the Surf Club Standard tieback into Slide 1 (seasonal chart). The customer is primed.

SLIDE 1: SEASONAL PRODUCTION CHART

This slide is a generic visual showing summer vs winter solar production fluctuation — NOT the customer's specific design chart. Their bespoke chart comes later, when you're walking the actual design live (Slide 4). The job here is purely to explain the principle: solar fluctuates seasonally, so we design for year-round coverage. The customer's specific chart is then framed and previewed as something they'll see in detail at the design walkthrough.

Beat 1: Walk the chart briefly

Quick walk-through of the generic seasonal chart. Don't over-explain — the visual does the work.

- Solar production naturally peaks in summer — point to the highest bars (Nov–Feb)
- Production drops in winter — point to the lowest bars (May/Jun/Jul)
- The average line shows year-round daily generation
- This is normal physics — every solar system has this curve

Tonality: matter-of-fact. "Just so you can see — solar produces more in summer, less in winter. Totally normal — every system's like that."

Beat 2: Frame their bespoke chart for later (fully scripted)

This beat previews the bespoke chart that comes at the design walkthrough. Tells the customer they're going to see their actual production data later, framed as transparent engineering walkthrough. Plants the bespoke story without cashing it in yet.

"By the way guys — when we get to your design, we're actually going to show you your own specific production chart for the system the technicians have built for you. So you can see the exact logic behind why they've designed it the way they have, and that it properly encompasses your usage. It's all very meticulous, all very intentional — everything we do is done for a reason. It's not just some generic design obviously, as you will see."

Tonality: calm + casual confidence. Slight chuckle on “obviously” — said as a knowing aside, not a sales jab. The whole beat lands the transparency frame for the design walkthrough that’s coming.

Beat 3: The year-round protection question (fully scripted)

This is the principle-locking moment of the slide. Get them to commit to year-round protection. The phrasing is gentle — “just to check” + “just so you know” — and the question is asked with a hand signal that primes the yes. You assume the yes and transition straight into Slide 2 without breaking flow.

“By the way guys — just to check. The way we design these systems is, just so you know, we look to make sure we cover you even in the winter when production naturally drops. We put enough on there to cover you year-round — not just smash it in summer and then have you paying heaps in the winter.”

“You guys are on the same page with wanting to give yourselves coverage all year round?”

Tonality: calm + matter-of-fact on the setup, then curious on the question. Said like you’re just confirming common sense — because you are.

On “all year round” — signal with your hands (a sweeping motion, or open palm gesture). The hand signal primes the yes; the customer’s body responds before their brain does.

Assume the yes. Don’t pause and wait — flow straight into the transition: “Yeah, perfect — okay, awesome, because that actually ties really well into your future needs...” and roll into Slide 2.

SLIDE 2: FUTURE NEEDS VS CURRENT NEEDS

This slide is a side-by-side comparison: Future Needs (build long-term, every inch of roof, EV-ready, battery-ready, resale value) vs Current Needs (lower upfront, can be upgraded later, fine if you’re moving). The closing tagline: “We’ve never had a customer regret going bigger. We’ve had plenty regret going smaller. If you’re doing this, do it once — and do it right.” Light slide — visual carries it. Don’t over-talk.

Beat 1: The tieback to year-round

They just said yes to year-round protection. Tie that directly into the future needs frame with a casual, confident pivot.

“Yep, yeah, perfect — that actually ties really well into your future needs. Because what we’re going to build is a long-term system, and honestly it’s smart to just think long-term here, guys. It’s also what our technicians always do.”

Tonality: calm + casual confidence. Smooth tieback — said like the connection is obvious. The “it’s smart to just think long-term” line is a casual aside, not a sales push.

Beat 2: Walk the visual (light touch)

Don’t list every bullet on the slide. Pick 2–3 future-needs points that match the customer’s situation and let the visual do the rest. You’re not selling — you’re framing.

- If they’ve got kids → “more usage as they grow up”
- If they’ve mentioned an EV → “EV-ready, enough power for an electric car”
- If they’ve mentioned a battery → “sized to max out your battery, so you don’t pay the grid at night”

- If they're long-term in the home → "adds resale value, uses every inch of your roof"

Tonality: matter-of-fact. Touch on the 2–3 most relevant points, then stop. Don't labour through every bullet — the customer is reading the slide.

Beat 3: The "do it right" anchor

Close the slide on the tagline at the bottom of the visual. Read it as written — let it land.

"We've never had a customer regret going bigger. We've had plenty regret going smaller. If you're doing this — do it once, and do it right."

Tonality: certainty + genuine. Said with conviction, not as a sales line. Slight pause before moving into the bill walk-through.

SLIDE 3: BILL USAGE WALK-THROUGH

This slide is a screenshot or zoom-in of the customer's actual bill — usage section ONLY. No costs, no rates, no dollar amounts visible. Purpose is to plug the principles from Slides 1 and 2 (year-round protection, build long-term) into the customer's actual usage data so the design that follows is unmistakably built on their numbers. Costs and rates are deliberately saved for Pillar 8.

CRITICAL: USAGE DATA ONLY. NO COST TALK ON THIS SLIDE — IT BLEEDS PILLAR 8'S WEIGHT.

If the customer starts griping about price, redirect: "Yeah, we'll dig into the rates question in a bit. Right now we just have to focus on usage, because it's what the system was specifically tailored for." Bleeding the cost pain into Pillar 6 dilutes Pillar 8.

The whole vibe of this slide: we are literally plugging your exact usage numbers from your bill into the design — so we can architect a system that covers exactly what you use. Not a generic system, not assumptions, not "we'll just put X on the roof." Real numbers, real design, built specifically for you.

Beat 1: Open the bill

Substantive moment, not a quick aside. Frame it as the foundation step that locks the design to their actual numbers.

"Okay — before I show you the system, let's actually take a look at your bill. Specifically, your usage. We're plugging your exact usage from this bill straight into the design — that's how we make sure we're covering exactly what you use, year-round, plus a little bit of extra for any winter shortfall."

Tonality: calm + confident. Said like a real moment — this is the foundation step. Not rushed, not casual.

Beat 2: Establish average usage together (customer-driven)

Don't tell them their average usage — get them to identify it themselves. Walk the bill, point to the quarterly/monthly figures, draw a visual line through the data, then ask them to commit to a number. Their number, their commitment.

- Walk through the usage chart on their bill — most bills show last quarter and a 12-month history

- Point out: “You can see here, last quarter you were at X, and here’s the past 12 months”
- Mentally or visually draw a line through the average level on the chart
- Then hand it to them with the question below

Tonality: matter-of-fact + curious. You’re reading data with them, then asking them to draw the conclusion themselves.

“Looking at this, where would you guys say your average usage is?”

Tonality: curious. Genuine question — let them give you the number. Wait for the answer.

Whatever number they give, run with it. Their number is the design anchor — committing to it themselves makes the design feel custom-fit, not assigned.

Beat 3: Lock in the number + design intent

Confirm their number and explicitly tie it to the year-round principle from Slide 1.

“Okay perfect — so we’ll look to shoot for that, even to cover it in winter. Like we talked about — covering you year-round, plus that little bit of extra for any shortfall in winter.”

Tonality: certainty + casual confidence. Said like a clean confirmation of what they just told you. The year-round principle from Slide 1 is now anchored to a concrete number — their number.

This number now carries through the rest of the pillar. Slide 4 (system design) is built to produce against THIS number. The bespoke story is now concrete, not theoretical.

SLIDE 4: THE ACTUAL SYSTEM DESIGN

This is the design generated specifically for the customer’s home — panel layout, count, orientation, total system size. Each design is different, so this section is principles + key beats rather than a full script. Your job: walk it confidently, frame everything as ideal, check in at the end.

Beat 1: Open with the technicians frame (fully scripted)

The opening line is critical. It frames the design as bespoke engineering work done specifically for them — calibrated to their usage to cover the bill AND fill the battery.

“Okay — so this is what the technicians have actually designed for you. They’ve built this system directly off your bill, your roof, your usage patterns — calibrated to not just cover your bill, but to also fill up your battery. Let me walk you through it.”

Tonality: calm + confident. Said like you’re unveiling something an engineer designed for them — because that’s the frame.

If they handed in their bill beforehand (which they should have), reinforce: “based off the bill you sent through.” Makes the bespoke framing concrete.

Beat 2: Walk the design (principles, not script)

How to walk through any design — regardless of layout. Hit these in order:

- **Total system size first.** “This is an X kW system” — anchor the headline number before getting into specifics.
- **Panel count + brand callback.** “Y panels — these are the all-black Longi panels we just talked about.” Reinforces Pillar 5.

- **Walk the layout by orientation.** Point to where each set of panels sits. North-facing first if applicable, then east/west, then south.
- **Frame why each section is there.** “These panels here catch the morning sun for your usage in the AM” / “These ones max out the afternoon production” — every panel has a reason.
- **Note the matching aesthetic.** “All panels match — clean, consistent install. No mixed brands or sizes.”

Tonality: confident + calm throughout. Educator mode — you’re explaining a design they paid attention to. No hype, no pitch energy.

Beat 3: Paint every layout as the ideal outcome

The principle is the whole beat. No matter what the layout is — north, east-west, mixed, anything — paint it as the perfect outcome for that specific roof. The technicians chose this layout for a reason; your delivery just makes that reasoning audible and confident. Same energy every time.

How it sounds in practice — short, confident framings:

- **North-facing** → “You’re actually really lucky here — you’ve got one of the best roofs available.”
- **East/west** → “Awesome — you’re going to get comprehensive sunlight, morning and afternoon, which is exactly what you want.”
- **Anything else** → frame the same way. Whatever the layout, that’s the ideal layout for this house.

Tonality: certainty + casual confidence. Said like the obvious truth, not a sales line. Same energy regardless of orientation — you’re not selling the layout, you’re confirming it’s ideal.

Beat 4: Show the bespoke production chart + confirm coverage

This is where Slide 1’s promise gets cashed in. Back on Slide 1 Beat 2 you told them: “when we get to your design, we’re going to show you your own specific production chart.” This is that moment. Show their actual production data, overlay/reference their usage number from Slide 3, and confirm the system covers what they use. This closes the entire bespoke loop the pillar has been building.

- Pull up the production chart for THEIR specific designed system (preloaded before the appointment)
- Walk the chart briefly — “this is what your system generates, month by month”
- Overlay or reference their usage from Slide 3 — “and this is what you use”
- Confirm production encompasses usage year-round, with the buffer for winter
- Frame it as: “this is exactly what the technicians built it to do — cover your usage with room to spare”

Tonality: certainty + casual confidence. The numbers do the work — you’re just walking them through the engineering logic. This is the meticulous-tailoring moment you set up on Slide 1.

Slide design note (one-time setup): make sure the units on the bespoke production chart match the units the customer committed to in Slide 3. If they committed to an average daily kWh figure, show production as average daily kWh too — apples-to-apples. Forcing the customer to do mental math during the contrast (e.g. “28 kWh/day usage vs 1,050 kWh/month generation”) weakens the moment. The visual must do the contrasting for them.

Quick check-in to make sure they’re on the same page:

“So you can see — this is what the system generates, and this is what you use. It covers you comfortably, year-round. Are you with me on that?”

Tonality: genuine. Asked lightly — you’re not fishing for objections, just confirming the math landed. They’ll almost always say yes — at this point the bespoke story is concrete, not abstract.

Handling the cloudy/rainy days question

If the customer asks about cloudy or rainy days: acknowledge first, then walk these dot points (no scripting needed):

- Acknowledge: “Yeah, completely understand — great question.”
- “The system’s production figures are calculated off an average of [X] hours of daily sunlight” (dependent on location — e.g. ~5.1 hours for most of AU; sub the actual figure for your area)
- “We base it literally directly off the average for your area — I can actually show you that in the calculator if you want”
- That figure is a yearly average — accounts for cloudy days, rainy days, winter shortfall, all of it
- “You’re probably thinking, ‘Hey, we get way more than just [X] hours of sunlight on average year-round.’ To be honest, you’re probably not wrong — but we just prefer to undershoot and have it overperform, rather than tell you it’s going to do all this and then it doesn’t.”

Tonality: calm + matter-of-fact. Said like the answer is built into the system already — because it is. Don’t over-explain or get defensive.

Handling the battery question

If they ask anything about the battery — size, brand, capacity, what’s included — don’t answer directly. Deflect into the case study frame, keep it ambiguous, and use the manager check-in to make it feel real-but-unconfirmed. The case study seed planted here is what gets closed on later.

“Yeah, we’ll definitely get to the battery, just...”

Pause and pivot — show them the case study eligibility on screen.

“I might potentially be able to do something regarding your account being eligible for a case study. Honestly, I’m probably going to have to buzz my manager and just triple-check that — as it affects the convo we’ll have regarding the battery — but it’s a good thing for you guys, I promise. We’ll get to it a little later on.”

Tonality: casual + slightly hesitant. Light chuckle on “I promise” — keeps it real, not rehearsed. The hesitation is what makes the manager check-in feel like an actual internal check, not a sales line.

Don’t quote a kWh figure, brand, or specific upgrade. Any detail you give kills the case-study leverage at the close. Plant the seed and move on — the more mystery, the better.

Beat 5: The aesthetic tieback (black panels)

Brief callback to Pillar 5’s sleek black panels point. Anchors the aesthetic value of the design.

- All-black Longi panels — clean, modern look on the roof
- All matching — no mixed brands, no mismatched sizes
- Consistent install — looks like one designed system, not panels added over time

Tonality: casual confidence. Don’t labour this — it’s a quick anchor. “And as we showed you earlier, these are the all-black panels — clean look, all matching.”

Beat 6: The check-in close (fully scripted)

Light close after walking the design. Said casually — you're not fishing for objections, you're just confirming everything landed before moving on. Almost everyone says "no, that's good, yeah perfect."

"Does that design all make sense to you guys? Would you change anything that the technicians have done?"

Tonality: casual + genuine. Asked lightly. Almost everyone says "nah nah, that's good, yeah perfect" — because the technicians built it directly off their usage.

If they raise something genuine, address it confidently using the framing from Beat 3 — every orientation is the ideal outcome for that roof. Then close.

Once they confirm, close cleanly into Pillar 7:

"Yeah, perfect — because the technicians built it directly off your usage. Alright guys, well that's all good. Let's jump into the warranties, which is the most important stuff."

Tonality: casual confidence. The "most important stuff" framing primes Pillar 7 as the next big section — they'll lean in for the warranties walkthrough.

FAILURE MODES (DO NOT DO)

- **Bleeding cost talk into Slide 3.** The bill walk-through is usage only — no rates, no costs, no "you're getting smashed" commentary. Saving the cost pain for Pillar 8 is what gives Pillar 8 its weight. If the customer starts griping about the bill on Slide 3, redirect to usage and move on.
- **Going too deep on Slides 1 and 2.** They're setup slides — quick walk-through, key question, move on. Over-talking on the seasonal chart kills the energy going into the bill walk-through and design.
- **Skipping the year-round protection question.** That "yes" is what justifies the system size. Without it, the customer can later say "why is it so big?" — with it, they asked for it.
- **Under-emphasising the bespoke framing.** The "technicians designed this directly off your bill" line is not just a Pillar 6 moment — it's the foundation that makes the savings numbers and finance calculations land in Pillars 8, 9, and 11. If the customer doesn't fully buy that the system is built specifically for them, every number that comes after feels generic.
- **Walking a messy or rushed design.** The design is on their house — it has to look crisp and clean on screen. If it looks thrown together, the rep loses authority. Verify the design quality before opening Slide 4.
- **Answering the battery question with specifics.** Any kWh number, brand, or capacity you give kills the case-study leverage at the close. Stay ambiguous, deflect to the case study + manager check-in frame, move on.
- **Skipping the check-in close.** Concerns that aren't surfaced here become objections later. The check-in is your chance to clear the air before moving into guarantees and savings.
- **Going into pitch mode on Slide 2.** Future Needs vs Current Needs is built to sell itself visually. Touch on 2–3 relevant points, land the "do it once and do it right" line, and move on. Over-pitching this slide undermines its weight.



TRANSITION INTO PILLAR 7 (GUARANTEES & WARRANTIES)

Pillar 6 closes with the customer confirming the design and you delivering the close-out line: “that’s all good, let’s jump into the warranties, which is the most important stuff.” That “most important stuff” framing is what primes the customer to lean in for Pillar 7 — they’ve confirmed the design they’re buying, and now they’re about to find out exactly what protects it.

No additional verbal switch needed — the close-out from Beat 6 is the transition.

Remember: this pillar’s job is to make the system feel built for them. If they don’t buy bespoke here, every number in Pillars 8, 9 and 11 lands flat.