




Bootstrap



 > My courses > Bootstrap > Week 2: Bootstrap CSS Components > Week 2 Quiz

Started on	Wednesday, February 24, 2021, 2:39 PM
------------	---------------------------------------

State	Finished
-------	----------

Completed on	Wednesday, February 24, 2021, 2:42 PM
--------------	---------------------------------------

Time taken	3 mins 13 secs
------------	----------------

Grade	9.00 out of 11.00 (82%)
-------	-------------------------

Question 1

Correct

3.00 points out of 3.00

Select the three most common HTML elements that can be made into buttons using Bootstrap classes.

Select one or more:

- ☐ a. i
- ☐ b. label
- ☐ c. img
- ☒ d. a ✓
- ☐ e. submit
- ☒ f. button ✓
- ☐ g. div
- ☒ h. input ✓

Your answer is correct.

Question 2

Incorrect

0.00 points out of 2.00

When you have a label element with a **for** attribute set to the value of "someInput", then the corresponding input element will need to have what attribute set to the value of "someInput" as well?

Select one:

- ☐ a. id
- ☐ b. class
- ☐ c. placeholder
- ☒ d. label ✗
- ☐ e. name

Your answer is incorrect.

Question 3

Correct

2.00 points out of 2.00

Using a Bootstrap spacing utility class, how would you set the left margin of an element to 0 (none)? (Your answer should be the class you would use, not including the full **class="..."** syntax but only the name of the class that goes inside the quotes.)

Answer:



You can read about setting the margin using Bootstrap spacing utility classes here: <https://getbootstrap.com/docs/4.0/utilities/spacing/#notation>

Question **4**

Correct

2.00 points out of 2.00

Bootstrap cards are built using the `<card>` HTML element.

Select one:

- ☐ True
- ☒ False ✓

Correct. There is no `<card>` element in HTML. Bootstrap cards are generally built using HTML elements such as `<div>` that have been given card classes provided by Bootstrap, e.g. `<div class="card">...</div>`.

Question **5**

Correct

2.00 points out of 2.00

What Bootstrap positioning utility class would you use to cause a Navbar component to be fixed to the top? (Your answer should be the class you would use, not including the full `class="..."` syntax but only the name of the class that goes inside the quotes.)

Answer:



You can read about Bootstrap Navbar placement here:
<https://getbootstrap.com/docs/4.0/components/navbar/#placement>.

[Course page](#)

[Previous](#)

[Next](#)