



**BEBEdit**

Scripting Time - Aside #1





















```
defaults read /Users/[current.user]/Library/Preferences/com.apple.sharingd.plist DiscoverableMode
```

The domain/default pair of (Users/[current.user]/Library/Preferences/com.apple.sharingd.plist, DiscoverableMode) does not exist

Off

Contacts Only



Everyone

# BBEdit

## Scripting Time - Aside #1

- Security & Compliance

- Apple IT Training
- JAMF MSAC Tool

- Relevant Check:

```
defaults read /Users/[current.user]/Library/Preferences/com.apple.sharingd.plist DiscoverableMode
```

- Possible Results:

- Not Configured:

```
The domain/default pair of (Users/[current.user]/Library/Preferences/com.apple.sharingd.plist, DiscoverableMode) does not exist
```

- No One:

off

- Contacts Only:

Contacts Only

- Everyone:

Everyone

# BBEdit

## Scripting Time - Aside #2

- Definitions and Logs

- `target_adstatus="Everyone"`

- `current_adstatus=$(defaults read /Users/[current.user]/Library/Preferences/com.apple.sharingd.plist DiscoverableMode)`

- `/private/var/log/[org.name].status.airdrop.log`

- `$( date +%Y-%m-%d\ %H:%M:%S )` (Current time)

- `x-apple.systempreference:com.apple.AirDrop-Handoff-Settings.extension` (AirDrop System Settings Path)