

WORKING SYSTEM SPECIFICATION | CONFIDENTIAL IP OPERATING MODEL | V1.0

Moten IP & Invention Control Plane

A living, security-enforced system for turning research into defensible patent and trade-secret assets - integrated with Three-Zone Sports Access and Treasure.

OPERATING SENTENCE

Be first to recognize it. Be disciplined enough to document it. Be fast enough to file it. Be smart enough to know what not to disclose.

Prepared for Andre

05 September 2026

Source baseline: Three-Zone Sports Access Strategic Plan V2.1 (4)

Status: Confidential working specification; counsel and security review required before production use

00 | Orientation

The decision

Moten should not be a folder called "patents." It should be a living control plane that watches ideas mature into inventions and keeps four histories linked without confusing them:

1. **Provenance:** what was observed, when it was observed, what version existed, and what each person contributed.
2. **Legal filing:** what was filed, when the USPTO received it, which inventors were named, what subject matter is supported, and what deadlines follow.
3. **Runtime enforcement:** what rights, identity, privacy, security, and settlement rules the operating system enforces in real time.
4. **Portfolio governance:** whether a mechanism is being protected by patent, trade secret, both, or neither, and why.

The system exists because a private timestamp is valuable evidence but is not a patent filing date. A draft, Git commit, hash, recording, research date, or ticket can preserve provenance and support a later reconstruction. It cannot be treated as a reservation of patent rights.

What this upgrade adds

- Permanent IDs for questions, observations, mechanisms, invention families, embodiments, disclosures, filings, rights grants, live sessions, decisions, deadlines, and evidence.
- Immutable versions rather than overwritten records.
- A mechanism-first invention ledger with concrete inputs, transformations, outputs, alternatives, failure behavior, technical effects, and tests.
- A human-contribution record for AI-assisted work.
- A provisional-ready support matrix that maps technical material to embodiments, figures, algorithms, and tests.
- A disclosure firewall in front of public websites, social posts, decks, demos, talks, partner packets, job descriptions, vendor briefs, external AI prompts, and other releases.
- A patent/trade-secret split that protects what should be disclosed and what should stay secret.
- A filing calendar that runs from the verified filing date with 6-, 9-, 10-, and 11-month escalation.
- A live-socket security profile that binds ingest, playback, operator commands, partner handoffs, and media objects to short-lived rights leases.
- A counsel-ready evidence export with content hashes, signatures, source links, version history, public-disclosure history, and human contribution records.

The Moten control-plane constitution

Rule	System consequence
Date is a control, not a story.	Every candidate displays the earliest supported filing date, internal provenance dates, public-disclosure dates, and next irreversible deadline.
Version history never disappears.	A changed question, mechanism, rights grant, policy, formula, or settlement rule creates a new version and preserves the old one.
Mechanism beats slogan.	No invention advances to counsel without inputs, transformations, outputs, alternatives, technical context, failure behavior, and evidence.
Humans own conception.	The record describes what each natural person contributed. AI is captured as a tool and cannot be made an inventor by workflow automation.
Public release is privileged.	No public or partner release bypasses IP preflight, secrecy classification, or required approval.
Rights bind the runtime.	An event is not distributable merely because it exists in a database. A current, signed rights lease must authorize the exact window, territory, destination, and use.
Unknown means hold.	Missing authority, stale policy, conflicting versions, unverified contributor, or incomplete support causes a fail-closed status until resolved.
The system proves process, not patentability.	Counsel decides inventorship, claim scope, prior art, filing strategy, ownership, and jurisdiction. Moten makes the work faster and more reliable.

01 | Legal guardrails

The filing date is the protected clock

The system is designed around current U.S. first-inventor-to-file rules and current USPTO guidance available on 05 September 2026.

Guardrail	What Moten must do
First inventor to file	Do not treat earlier conception alone as the same position as an earlier effective filing date. Preserve conception evidence for inventorship and provenance, but push a viable candidate toward counsel and filing.
Provisional application	Track the 12-month pendency from the verified filing date. Require a written description, drawings when needed, named inventors, and a support matrix showing how later claimed subject matter is supported and enabled.
Public disclosure	Record every proposed and completed disclosure. Treat pre-filing public release as a hold unless counsel approves the strategy. The U.S. grace period is limited and is not a foreign-rights strategy.
AI-assisted work	Record human contributions and AI assistance separately. Only natural persons may be named as inventors. Do not let a generated draft become the ownership or inventorship record.
Trade secret	Preserve evidence of reasonable secrecy measures: labels, access rules, NDAs, training, logging, export controls, offboarding, incident response, and review.
International protection	If PCT or foreign rights are desired, create a separate jurisdiction and priority decision. Do not assume a U.S. provisional protects every country or that a PCT decision can wait past the priority period.

What internal evidence can and cannot prove

It can support:

- The chronology of research, interviews, experiments, and observations.
- What a person saw, understood, supplied, selected, designed, implemented, or tested.
- Which version of a mechanism existed.
- Which artifacts were shown to which people, under what confidentiality conditions.
- Whether the organization used consistent secrecy controls.

It cannot by itself establish:

- A USPTO filing date.
- Entitlement to the benefit of a provisional date.
- Patentability or enforceable claim scope.
- The final legal inventorship list.
- Ownership or assignment.
- Foreign priority.
- That a trade secret exists if reasonable secrecy measures were not maintained.

The system must preserve:

- Original artifact and content hash.
- Object ID and version.
- Actor identity and role.
- Trusted time source and clock anomaly.
- Approval chain.
- Relationship to the invention, rights object, filing, or settlement.
- Any redaction, correction, or omission.

Counsel checkpoints

Before a candidate is publicly disclosed or filed, counsel should confirm:

- Natural-person inventor list.
- Ownership, assignment, employment, contractor, and joint-development status.
- Public-disclosure history and any offer, sale, use, demo, talk, post, or partner disclosure.
- Provisional support and enablement for the intended later claim scope.
- Prior-art and known-system strategy.
- Patent-family boundary, continuation/divisional options, and jurisdiction.
- What should be filed, what should remain secret, and what should be excluded from any external package.

Primary references: [USPTO Provisional Application for Patent](#); [USPTO MPEP 211 - Earlier Filing Date Benefit](#); [USPTO MPEP 2153 - Inventor-Originated Disclosure](#); [USPTO Revised AI Inventorship Guidance, 26 Nov 2025](#); [USPTO Trade Secret Policy](#).

02 | System architecture

A portfolio command center above the operating companies




Figure 1. Provenance, invention, decision, runtime, and vault records remain linked without collapsing into one mutable folder.

Moten sits above Three-Zone, Treasure, the Passport, and future companies as a shared governance and evidence layer. A project can generate an invention, but the portfolio-level system governs capture, versioning, classification, disclosure control, filing docket, security policy, and review.

Six control-plane layers

Plane	Contains	Accountable owner
Signal plane	Longitudinal Research Registry, source notes, observations, interviews, experiments, demand signals, and telemetry references.	Research steward and product owner
Invention plane	Mechanisms, invention families, embodiment packages, alternatives, diagrams, code/config references, tests, and claim nuclei.	Inventor, technical lead, IP steward
Evidence plane	Hashes, signatures, event envelopes, time source, immutable versions, chain of custody, export manifests, and legal holds.	Security and records steward
Decision plane	Prior-art review, patent/trade-secret split, disclosure preflight, counsel decisions, ownership/assignment, and risk acceptance.	IP steward, counsel, founder
Runtime plane	Rights registry, entitlement, policy decision point, sockets, media objects, measurement, settlement, and revocation.	Engineering, security, rights operations
Vault plane	Unfiled invention detail, trade-secret material, restricted prompts/outputs, sensitive partner terms, credentials, and keys.	Security, counsel, named custodians

Portfolio governance

A Moten record should be able to answer all of these questions without reconstructing the answer from memory:

- Which project generated the idea?
- Which research question and exact version triggered it?
- Which observation or test changed the team's understanding?
- Who supplied the problem, constraints, relationship, selection, implementation, and verification?
- Which embodiment is known, which alternatives are still open, and which failure paths were tested?
- What has been disclosed, to whom, when, and under what confidentiality terms?

- What did counsel decide?
- What was filed, on what date, with which inventors and supported subject matter?
- What remains secret?
- Which runtime controls enforce the same mechanism in production?

03 | Canonical IDs and versioning

Permanent IDs

Every object receives an immutable ID at creation.

Prefix	Object	Example
RQ	Research question or instrument	RQ-2026-000001
OBS	Observation or result	OBS-2026-000184
INV	Invention candidate or family root	INV-2026-000017
EMB	Technical embodiment	EMB-2026-000017-A
EVD	Evidence artifact or attestation	EVD-2026-004221
DISC	Proposed or completed disclosure	DISC-2026-000031
APP	Patent application or filing	APP-US-2027-000009
TS	Trade-secret asset/control set	TS-2026-000008
RIGHTS	Rights grant and scope version	RIGHTS-2026-004902
LIVE	Live media session or event lease	LIVE-2026-010042
DEC	Counsel, security, or portfolio decision	DEC-2026-000112
CAL	Deadline, alert, or acknowledgment	CAL-2027-000077

Version rules

- Use immutable content versions with a monotonically increasing revision number and a semantic label such as v1.0, v1.1, or v2.0.
- Use bitemporal fields: valid_from and valid_to describe intended applicability; recorded_at describes when Moten learned or recorded the information.
- Every downstream decision stores exact source version IDs. A rights decision points to a rights version and policy version, not only to a mutable event ID.
- Corrections are compensating events. Do not edit an original observation, settlement, or disclosure record in place.
- Split and merge are explicit relations. If one candidate becomes two families, retain the parent, create child IDs, and record the boundary decision.
- A version cannot be deleted merely because it was wrong. Mark it superseded, corrected, withdrawn, or rejected with a reason.

Canonical event envelope

```
{
  "event_id": "EVD-2026-004221",
  "event_type": "invention.version.committed",
  "object_id": "INV-2026-000017",
  "object_version": "2.1",
  "actor": {"person_id": "P-0001", "role": "inventor"},
  "recorded_at": "2026-09-05T14:20:31Z",
  "clock_source": "trusted-time-service",
  "payload_sha256": "<sha256>",
  "previous_event_hash": "<hash-or-null>",
  "attestation": "<signature>",
  "legal_effect": "provenance_only",
  "links": ["RQ-2026-000001", "OBS-2026-000184", "EMB-2026-000017-A"]
}
```

CONTROL NOTE

DATE LABEL: Every interface that displays an internal date must also display its legal meaning: "internal provenance date," "public disclosure date," or "USPTO filing date." This prevents an internal timestamp from being mistaken for a filing date.

04 | Longitudinal Research Registry

The question is a permanent instrument

The Research Registry gives every recurring question a durable identity. It preserves exact wording, response codes, first use, versions, geography, collection channel, collector, population definition, and stability intent.

Field group	Required content
Identity	Permanent question ID, title, owner, project/company, parent instrument, language, translation/version.
Exact wording	Question text exactly as presented, including punctuation, examples, instructions, response order, and display logic.
Response contract	Response codes, scale anchors, allowed nulls, validation, display order, randomization, and scoring interpretation.
Time	First-use date, instrument release date, collection windows, timezone, valid_from/valid_to, and change reason.
Sampling	Population definition, inclusion/exclusion, geography, cohort, sample frame, target size, weighting, and known bias.
Collection	Channel, device/context, collector, vendor, consent/notice, protocol, and retention rule.
Longitudinal intent	Stable, controlled revision, or exploratory; whether exact cross-wave comparability is required.
Evidence links	Raw/redacted instrument, screenshots, code/config, dataset reference, analysis, and result IDs.
IP links	Observation IDs, mechanism hypotheses, invention IDs, and experiments triggered by the signal.

Question version example

Record	Exact wording	Interpretation	First use
RQ-2026-000001 v1.0	Would you pay \$5 per month to watch participating sports in your home zone?	Exploratory	02 Sep 2026
RQ-2027-000044 v1.0	Which relationship makes this event personally relevant to you?	New instrument	11 Apr 2027
RQ-2029-000312 v2.0	Would you pay \$7 per month for authorized home-zone access including replay?	Changed price and window	08 Jun 2029

The 2029 question may inform the same business decision, but it is not the same measurement as the 2026 question. Analytics may map them as related; the registry never silently combines their response codes or calls them one stable longitudinal series.

Research controls

- A question with longitudinal intent cannot be edited in place. A new version includes a diff and comparability assessment.
- An invention candidate cannot cite a chart alone. It links to the question version, collection method, sample, analysis logic, and underlying evidence.
- Negative evidence is preserved: rejected hypotheses, failed experiments, contradictory cohorts, and abandoned mechanisms.
- Data containing youth or sensitive relationship information is tagged with a data class and retention/usage policy before linkage to an invention.
- A change in wording, price, response options, collection channel, or population is a change event even when the business purpose stays the same.

05 | Insight-to-Invention Ledger

Move from observed demand to a concrete technical mechanism

Create an invention record the moment an insight becomes a mechanism hypothesis, not months later when the product is already public.

Capture trigger	Create an INV record when...
Observation	A repeated or surprising result has a defined source and context.
Mechanism hypothesis	A proposed causal or technical relationship could change system behavior.
New interaction	A new combination of data, policy, device, network, software, or operational steps appears.
Unexpected technical effect	A design appears to reduce error, latency, cost, leakage, fraud, or operational burden, or to improve reliability/interoperability.
Workaround that became a system	A repeatable control, routing rule, state machine, evidence process, or settlement method solves a known limitation.

Mandatory invention record

Record block	Required content
Problem	What fails, for whom, under what conditions, and why it matters.
Observed evidence	Question/result IDs, telemetry, screenshots, partner statements, code/config, tests, and negative evidence.
Human conception	Human who identified the relationship or selected the mechanism, date, and supporting artifact.
Mechanism	Inputs -> transformation/state change -> outputs, including data structures, rules, policies, and interactions.
Technical context	Network, hardware, cloud, protocol, storage, device, security, privacy, and operating assumptions.
Alternatives	At least three implementations or variants, including low-resource and failure-tolerant embodiments.
Differentiators	What the team believes is different from known practice, explicitly labeled a hypothesis until counsel reviews prior art.
Failure behavior	What happens when inputs are missing, stale, conflicting, malicious, delayed, or revoked.
Security/privacy boundary	Permissions, minimization, key controls, youth boundary, audit trail, and kill switch.
Test evidence	Reproducible fixtures, expected results, benchmarks, red-team tests, and implementation status.
IP posture	Patent candidate, trade-secret candidate, hybrid, copyright/software asset, or hold for counsel.
Contributors	Human contribution matrix, AI assistance record, vendor/partner contributions, and assignment status.

Mechanism-first test

CONTROL NOTE	DO NOT ACCEPT: "A platform that uses surveys to decide which sports to pursue." That is a business description. It does not define the machinery.
CONTROL NOTE	ACCEPT FOR REVIEW: "A rights-aware demand-to-acquisition engine that joins stable longitudinal demand observations to versioned property availability, rights expiry, production readiness, and economics, then emits a ranked opportunity set with an evidence trace and human approval gate." That is a technical system hypothesis that counsel and engineers can test.

Candidate lifecycle

State	Entry condition	Control
Observation	Signal is recorded and linked to a stable source.	No public disclosure; research use only.
Hypothesis	Proposed relationship or solution exists.	Capture alternatives and human contribution.
Mechanism	Inputs, transformations, outputs, and state changes are concrete enough to test.	Start counsel triage and disclosure watch.
Invention Candidate	At least one embodiment and technical effect are recorded.	Open prior-art workbench; assign IP posture.
Prior-Art Review	Searches, references, known systems, and differences are documented.	No claim of patentability; counsel decides.
Provisional Ready	Support matrix, inventors, drawings, alternatives, best mode, and disclosure history are complete.	File, hold under counsel, or return for work.
Filed	USPTO receipt/application data is stored and verified.	Start 6/9/10/11-month docket and foreign strategy.
12-Month Decision	Nonprovisional/PCT/foreign/abandon/secret decision is recorded.	Escalate unresolved decision; never auto-extend.
Continuation Family	New scope is supported by the parent and family strategy is approved.	Maintain cross-application support map.
Granted / Abandoned / Trade Secret	Final disposition and asset controls are recorded.	Continue monitoring secrecy, prosecution, or enforcement.

06 | Human contribution and AI-assisted work

Make inventorship analysis easier

AI can help organize, compare, test, draft, simulate, and expose alternatives. It must not blur into human conception or become an ownership story.

Contribution class	Question	Evidence
Problem recognition	Who identified the problem and why did it matter?	Person, date, source, statement, recording, or note.
Constraint definition	Who set technical, legal, economic, privacy, or real-world constraints?	Person, input/requirements artifact, meeting record.
Relationship/mechanism	Who conceived the relationship between inputs, transformation, and result?	Person, annotated diagram, design note, or decision record.
Selection	Who chose one alternative over others and why?	Tradeoff analysis, prototype result, decision record.
Implementation	Who translated the mechanism into code, configuration, hardware, or process?	Commit, design, test, deployment, or lab record.
Verification	Who recognized that the implementation achieved the intended result?	Test owner, fixture, result, review.
AI assistance	What tool helped, and what did a human do afterward?	Tool/model, date, redacted prompt/output hash, adoption/rejection.

AI interaction record

```
{
  "ai_record_id": "EVD-2026-004239",
  "invention_id": "INV-2026-000017",
  "human_operator": "P-0001",
  "tool": "approved-ai-gateway",
  "model_identifier": "<provider-model-version>",
  "purpose": "alternative-embodiment-brainstorming",
  "prompt_hash": "<sha256-of-redacted-prompt>",
  "output_hash": "<sha256-of-output>",
  "sensitive_data_filter": "passed",
  "human_action": "Andre selected the event-scoped rights lease and added the hard-stop rule",
  "human_conception_attestation": true,
  "inventor_status_of_ai": "tool_only",
  "retention": "restricted-unfiled-ip"
}
```

AI actions that must be impossible to automate

- Adding, removing, or changing a named inventor without human and counsel review.
- Moving an invention to Filed, Publicly Disclosed, or Trade Secret Protected without the required human approval chain.
- Granting a rights override, extending a media lease, disabling a kill switch, or changing a settlement formula.
- Exporting unfiled invention detail, trade-secret material, youth data, credentials, or partner-confidential terms to an unapproved model or destination.
- Treating a generated summary as the canonical invention record. AI outputs are drafts or evidence objects until a human commits a version.
- Sending external communications that state ownership, patentability, rights authority, or inventorship as a legal conclusion.

Reference: [USPTO Revised Inventorship Guidance for AI-Assisted Inventions](#).

07 | Technical embodiment package

A patent candidate must be buildable, testable, and explainable

The package should let a technically skilled reader understand what is being built, how the parts interact, what happens at boundaries, and which alternatives preserve the core mechanism.

Package section	Minimum content
1. Field and problem	Technical field, current practice, specific failure, affected actor, and why the baseline does not solve it.
2. System overview	One-paragraph summary of the architecture and central interaction.
3. Components	Services, devices, agents, data stores, policy engines, keys, networks, and external systems.
4. Data objects	Canonical fields, identifiers, versioning, lineage, state, integrity fields, and retention class.
5. Algorithms/rules	Pseudocode, scoring, ranking, decision logic, policy evaluation, thresholds, and update behavior.
6. State transitions	Normal path, retries, timeouts, revocation, conflict, stale data, and recovery.
7. Interfaces	APIs, socket messages, feed formats, authentication, authorization, errors, idempotency, and versioning.
8. Embodiments	Cloud, edge, on-premise, low-bandwidth, automated, human-in-the-loop, and partner-integrated variants.
9. Technical effect	Measured reduction in errors, misdelivery, latency, fraud, cost, leakage, or operational burden; or improved reliability/interoperability.
10. Security/privacy	Threats, trust boundaries, cryptography, access controls, minimization, youth boundary, and incident response.
11. Tests	Fixtures, expected results, benchmarks, failures, red-team tests, and reproduction instructions.
12. Support map	Every claim nucleus mapped to an embodiment, figure, object, algorithm, alternative, and test.

Support matrix example

Claim nucleus / mechanism element	Support statement	Evidence link
Rights-bound media object	Object contains event_id, rights_version_id, permitted destinations, territory, window, permitted uses, and expiration.	Data object; API contract; lease test.
Hard stop	Playback authorization fails when lease is expired or revoked, including active-session renewal.	Socket lifecycle; policy rule; expiry/revoke test.
Settlement trace	Amount can be recomputed from immutable inputs, versioned rules, and approved corrections.	Ledger schema; waterfall; reconciliation test.
Youth boundary	Aggregate measures are separated from athlete identity/contact data; viewing authorization does not grant profile access.	Data map; authorization policy; privacy test.

CONTROL NOTE

BEST-MODE DISCIPLINE: Record the best mode known at the time of each filing package. Keep a deliberate boundary between what belongs in a patent disclosure and what must remain a protected secret.

Primary references: [USPTO MPEP 2161](#) and [USPTO MPEP 2163](#).

08 | Disclosure firewall

No public release should outrun the IP decision

The firewall sits in front of websites, social posts, public decks, conference talks, public demos, unrestricted partner documents, job descriptions, vendor briefs, press releases, and external AI prompts.

Step	Control
1. Intake	Create DISC record with artifact hash, owner, channel, audience, release date/time, distribution list, and linked project.
2. Classification	Classify internal, restricted, NDA, partner-confidential, public, or regulated/sensitive. Identify IP and data tags.
3. Link analysis	Find linked invention candidates, trade secrets, unpublished rights terms, youth data, source code, prompts, and credentials.
4. Risk result	Allowed; allowed after redaction; allowed under identified NDA; hold and file first; hold for counsel; prohibited.
5. Approval	Record approvers, reason, versions reviewed, conditions, expiration, and recipient scope.
6. Release	Release only the approved hash/version through an approved channel. Record actual recipients and timestamp.
7. Aftercare	Store final copy, delivery proof, disclosure scope, and any follow-up filing or correction decision.

Disclosure preflight record

```
{
  "disclosure_id": "DISC-2026-000031",
  "artifact_sha256": "<sha256>",
  "channel": "partner-deck",
  "audience": ["named-recipient-1", "named-recipient-2"],
  "proposed_at": "2026-09-08T16:00:00Z",
  "classification": "partner-confidential",
  "linked_unfiled_inventions": ["INV-2026-000017"],
  "linked_trade_secrets": ["TS-2026-000008"],
  "nda": {"status": "verified", "agreement_id": "NDA-2026-0004"},
  "decision": "hold-file-first",
  "approvers": ["P-0001", "COUNSEL-001"],
  "conditions": ["remove ranking weights", "file or replace with generic architecture"],
  "released_artifact_sha256": null
}
```

Release statuses

Status	Meaning	Disposition
Green	No linked unfiled IP, secret, regulated data, or contractual restriction.	Allowed by owner.
Amber	Release possible after redaction, NDA verification, audience minimization, or scoped approval.	IP steward plus tagged security/counsel role.
Red	Contains unfiled mechanism, trade secret, youth data, credential, or unresolved ownership/authority issue.	Hold; file, redesign, or obtain counsel decision.
Black	Prohibited secret export, credential, malicious payload, unauthorized personal data, or rights override material.	Block; create security incident if attempted.

CONTROL NOTE

DEFAULT: If an unfiled patent candidate is in the artifact and the disclosure is not necessary for a controlled legal/diligence purpose, hold and file first. The U.S. grace period is not the operating strategy.

Reference: [USPTO - Pursuing International IP Protection](#).

09 | Patent / trade-secret split

Use each right for the asset it protects best

Asset type	Examples	Default posture
Public-facing mechanism	Rights-aware router, protocol interaction, state machine, interoperability improvement, or technical control with measurable effect.	Patent candidate; keep implementation secret until filed.
Hidden configuration	Ranking weights, negotiation thresholds, demand cutoffs, cost models, fraud features, production tuning, or acquisition logic.	Trade-secret candidate; restrict access/export.
Hybrid family	Patent the arrangement/control flow; keep parameterization, training data, or operating heuristics secret.	Patent plus linked TS records.
Evidence/process asset	Question registry, chronology, contribution record, tests, settlement history, and partner trust.	Confidential business record; other rights may apply.
Brand/naming	Moten, Three-Zone, Treasure, Passport, product names, marks, visual identity.	Separate trademark clearance and filing workflow.

Trade-secret control set

Control	Implementation
Label	Every secret has owner, sensitivity, purpose, version, handling label, and review date.
Access	Default deny; named roles; least privilege; just-in-time elevation; quarterly review; immediate revocation on role change.
Separation	Separate secret values from public architecture, youth/PII, and partner exports. Use tokenized/redacted views.
Transmission	Approved channels only; encrypted transport; no secrets in URLs, referrers, logs, unapproved AI prompts, or demo environments.
Vendor/partner	NDA and use limitation; record exact scope, recipient, date, and version.
Offboarding	Revoke accounts, device certificates, keys, repository access, sessions, and cached material; collect attestations.
Incident	Preserve evidence, revoke access/keys, identify exposed versions, assess risk, and route to counsel.
Proof of reasonableness	Retain access reviews, training, labels, approvals, logs, encryption policy, and incidents.

Reference: [USPTO Trade Secret Policy](#).

10 | Filing calendar

Make the 12-month clock impossible to miss

The calendar begins from the verified USPTO filing date, not from a draft date and not from memory.

Clock point	Required action	Owner	Target
T-0 / capture	Create INV, evidence manifest, human contribution record, disclosure status, and preliminary split.	IP steward	Same day
T+7 days	Counsel triage: inventorship, ownership, disclosure history, urgency, family boundary.	Counsel	7 days
T+30 days	Prior-art and known-system review; record differences and embodiment gaps.	Counsel + technical lead	30 days
T+60-90	Complete provisional-ready package or record why filing is not yet justified; hold external disclosure if unresolved.	IP steward	90 days

Clock point	Required action	Owner	Target
T+6 months	Portfolio review: support, new embodiments, disclosure risk, foreign strategy, secret split, budget.	Founder + counsel	6 months
T+9 months	Draft nonprovisional/PCT strategy, update support matrix, confirm inventors and assignments.	Counsel	9 months
T+10 months	Final technical/commercial package; confirm jurisdictions, budget, translation, and continuation concepts.	Founder + counsel	10 months
T+11 months	Executive escalation. All unresolved items become red. No silent snooze.	Founder	11 months
T+12 months	File or intentionally abandon/convert/retain as secret under counsel direction; record final decision.	Counsel	Hard deadline
Post-filing	Store receipt, application data, exact filed PDF, inventors, priority claims, supported versions, and family links.	IP steward	Within 1 business day

Alert architecture

- Alerts are generated from the verified filing date and cannot be reset by editing a draft.
- Each alert has primary owner, backup owner, escalation recipient, acknowledgment deadline, and acknowledgment record.
- Unacknowledged alerts escalate through the IP steward, founder, and counsel channel.
- A date that falls on a weekend or federal holiday is calculated by counsel under the applicable rule; Moten stores both the calendar date and counsel-confirmed due date.
- For PCT and foreign planning, create a separate priority decision with jurisdiction list, budget, translation, assignment, and local counsel tasks.
- No calendar entry is closed without a filing receipt or deliberate disposition.

References: [USPTO Provisional Application for Patent](#); [WIPO - File a PCT Application](#).

11 | Three-Zone candidate families

The questions are sensors; the machinery is the invention surface

The attached V2.1 plan already identifies the right operating objects: rights object, broadcast/feed modes, authorized syndication, entitlement, relationship discovery, governed measurement, and settlement. Track these as separate candidate families until counsel and technical evidence justify a shared family.

Candidate family	Problem / output	Mechanism to capture	Evidence to collect
TZ-01 Rights-aware distribution router	Join household relationship/service area/package, event rights, territory, window, device, and approved destination to return included/premium/unavailable and route only to an authorized experience.	Rights versioning; policy evaluation; entitlement lease; destination handoff; fail-closed blackout/expiry.	Wrong-destination rate; stale-rights blocks; handoff success; authorization latency.
TZ-02 Demand-guided rights acquisition engine	Join stable demand observations to property availability, rights expiry, production readiness, household relevance, and economics to rank opportunities.	Versioned demand-to-rights graph; constrained ranking; evidence trace; human approval; feedback from conversion/retention.	Lineage; ranking freshness; stale/conflicting input behavior; capital allocation quality.
TZ-03 Adaptive broadcast orchestration	Select ingest, certified producer, or full-service broadcast based on rights, demand, feed quality, local capability, cost, and reliability.	Production-mode state machine; feed qualification; fallback; rights-bound master; incident authority.	Readiness time; recovery; cost per accepted event; mode accuracy.
TZ-04 Rights-bound media object	Carry territory, window, replay, clips, ad, master, distributor, expiration, and authorization data with each feed/archive/derivative.	Signed metadata envelope; object version; permitted-use policy; lease evaluation; immutable trace.	Unauthorized-distribution prevention; metadata integrity; revocation propagation.

Candidate family	Problem / output	Mechanism to capture	Evidence to collect
TZ-05 Auditable multi-property settlement	Compute base, performance, advertising, premium, syndication, cost, and platform economics across many properties.	Immutable measurement facts; governed formula versions; attribution rules; correction events; audit package.	Reconciliation accuracy; dispute rate; correction time; trace completeness.
TZ-06 Relationship-based sports discovery graph	Navigate from family, school, hometown, alumni, conference, affiliate, or team-system relation to event, rights, entitlement, destination, and availability.	Graph edge provenance; consent boundaries; rights-aware query; identity minimization; authorized handoff.	Search failure reduction; relevance; privacy leakage tests; edge freshness.

TZ-02 worked embodiment: Longitudinal Demand-to-Rights Decision Engine

The strongest emerging candidate is not a survey. It is the interaction between a stable demand sensor and a rights/production/economics graph that produces a constrained, auditable acquisition queue.

Inputs

- stable question/version observations by geography, relationship, property and time
- activation, conversion, watch and retention facts
- property authority, rights windows, territory, exclusivity and expiry
- feed quality, production mode, producer capacity and estimated cost
- package fit, household relevance, ad/syndication potential and risk flags

Process

1. Normalize observations without collapsing question versions.
2. Build a relationship-weighted demand score with confidence and freshness.
3. Join only rights records whose authority and scope are verified.
4. Estimate production, distribution, support and settlement obligations.
5. Apply hard constraints: no authority, no viable rights path, youth boundary, budget ceiling, or stale input -> hold, not rank.
6. Emit a ranked opportunity set with evidence lineage and alternatives.
7. Require human business-development approval before contact or offer.

Outputs

- opportunity_id, rank, reasons, confidence, evidence links, cost range, rights gaps, recommended next gate and human approval state.

Potential technical effect: reduce rights misallocation and stale-rights decisions by joining versioned consumer evidence to rights authority, production readiness, and economics under explicit fail-closed constraints. The patent question is whether the specific machinery is novel and non-obvious, not whether the business wants better sports rights.

Three-Zone family boundary rule

- Keep demand-to-rights separate from playback routing until the technical interaction is proven and counsel decides whether a combined family is supported.
- Keep the rights-bound media object and socket lease mechanism explicit; it may become a platform-wide security family rather than a sports-only family.
- Keep settlement formulas and ranking weights out of public decks until counsel chooses what must be disclosed for enablement and what should remain secret.
- Link the candidates to V2.1 sections 9, 13, 14, 15, 20, 21, 24, 28, 30, and Appendix F.

12 | Treasure candidate families

Treat evidence and control architecture as technical assets

The candidate is not "financial literacy," "points," or "a Passport" in the abstract. The candidate is the technical mechanism governing evidence accumulation, reward economics, privacy-preserving presentation, identity transitions, and AI boundaries.

Candidate family	Problem / output	Mechanism to capture	Evidence
TR-01 Reward/evidence separation	Reward a bounded activity without changing the underlying evidence history; maintain independent ledgers and controlled joins.	Two-ledger model; signed event references; no reward mutation of source evidence.	Consistency, tamper detection, explainability, reversal behavior.

Candidate family	Problem / output	Mechanism to capture	Evidence
TR-02 Capped score impact with persistent evidence	Limit effect of one event on a score while continuing to accumulate evidence for later context.	Capped contribution function; durable evidence graph; versioned recalculation.	Robustness to gaming/outliers; replay correctness; score stability.
TR-03 Multi-activity consistency history	Represent consistency across activities without collapsing different evidence types into one unexplainable number.	Activity-specific channels; time windows; confidence; transparent aggregation.	Comparability; missing data; privacy; explainability.
TR-04 Participant-selected evidence presentation	Let a participant present selected evidence without exposing full private history.	Selective disclosure; consented view; redaction; provenance proof; revocation.	Minimum disclosure; tamper evidence; recipient controls.
TR-05 AI-assisted control architecture	Use AI for explanation/organization while preserving human and policy authority.	Tool gateway; action allowlist; human approval; prompt/output hashing.	Unauthorized action rate; leakage tests; audit completeness.
TR-06 Anonymous-to-authorized identity transition	Start with anonymous aggregate intelligence and link to identity only after an authorized purpose gate.	Pseudonymous IDs; consent token; merge ledger; limited/reversible linkage.	Linkage minimization; consent proof; re-identification tests.

CONTROL NOTE

BOUNDARY: Treasure must not inherit broad sports rights, youth, or identity assumptions from Three-Zone. Link shared control mechanisms, not unrelated data or concepts.

13 | Three-Zone runtime reference architecture

Rights, broadcast, distribution, entitlement, measurement, and settlement become one enforceable loop

The V2.1 line becomes executable:

Sports property -> rights -> broadcast/feed creation -> rights clearinghouse -> owned hub/authorized syndication -> household entitlement -> viewing/ads -> measurement -> settlement -> money back to the property.

Service	Control-plane responsibility
Rights Registry	Authority, scope, territory, windows, exclusivity, master, ads, clips, syndication, economics, expiry, and evidence.
Event/Media Registry	Event, feed, archive, replay, clip, ad marker, production mode, master, object version, and permitted uses.
Policy Decision Point	Subject, device, destination, package, territory, event, rights version, time, privacy, and revocation.
Entitlement Service	Short-lived signed leases for authorized sessions; never grants more than the underlying rights object.
Discovery/Relationship Graph	Family, school, hometown, alumni, conference, league, affiliate, and team-system edges to events/access.
Ingest Orchestrator	Feed qualification, producer certification, production mode, fallback, and rights-bound ingest.
Media Gateway	Authenticated streams, session authorization, content protection, and health telemetry.
Distribution Router	Owned-hub playback or authorized partner handoff; blackout and destination constraints.
Measurement Service	Governed viewer, watch, ads, quality, support, and retention facts with privacy boundaries.
Settlement Ledger	Versioned allocations, immutable inputs, corrections, reconciliation, and partner statements.
Moten IP Services	Invention ledger, evidence vault, disclosure preflight, AI gateway, calendar, and counsel workbench.

Rights object minimum schema

Field group	Required fields
Identity	rights_id, version, event_id/property_id, source document/hash, authority party and signer.
Media scope	Live video/audio, replay, highlights, clips, audio, data overlays, archive, derivatives.
Production	Authorized producer, capture venue, feed/master ownership, technical standard, accessibility.
Distribution	Owned hub, named partner, device class, territory, blackout, syndication approval, handoff rule.
Commercial	Ad inventory, sponsor conflict, premium, guarantee, base/performance pool, platform fee, audit.
Time	effective_at, live_from/live_to, replay_from/replay_to, archive_until, renewal_at, hard_expiry.
Policy	Permitted/prohibited uses, data boundary, youth flags, revocation authority, incident authority.
Integrity	rights_version_hash, supersedes, issued_by, key_id, signature, revocation_status.

Reference API surface

Endpoint/channel	Purpose
POST /v1/research/questions	Create immutable question version; link instrument and sample.
POST /v1/inventions	Create INV candidate with human owner and initial evidence links.
POST /v1/inventions/{id}/versions	Commit a human-attested mechanism/embodiment revision.
POST /v1/inventions/{id}/support-map	Map claim nuclei to embodiments, figures, tests, and alternatives.
POST /v1/disclosures/preflight	Classify artifact, intersect linked IP/secrets, return allow/hold decision.
POST /v1/rights/events/{event_id}/leases	Issue or renew signed event-scoped rights lease.
GET /v1/discovery?relationship=...	Return rights-aware availability state, not merely event metadata.
WS /v1/live/{event_id}/control	Authenticated control channel for approved session/operator events.
POST /v1/live/{event_id}/revoke	Revoke feed/session/rights version; propagate to enforcement points.
POST /v1/settlements/{period}/close	Close governed settlement period after reconciliation and approvals.

Signed rights lease

```
{
  "lease_id": "LEASE-2026-010042",
  "event_id": "EVENT-2026-008812",
  "rights_version_id": "RIGHTS-2026-004902-v3",
  "subject": "subscriber-session-hash",
  "destination": "owned-hub",
  "territory": "home-zone-KC",
  "permitted_uses": ["live", "time-shift-15m"],
  "issued_at": "2026-09-05T18:00:00Z",
  "not_before": "2026-09-05T18:00:00Z",
  "not_after": "2026-09-05T20:30:00Z",
  "rights_hard_expiry": "2026-09-05T20:30:00Z",
  "jti": "<one-time-token-id>",
  "key_id": "kms-signing-key-2026-04",
  "signature": "<detached-signature>"
}
```


Treat every live connection as a temporary rights-scoped capability




Figure 2. Media and operator paths are separated. The policy decision point issues a lease; enforcement points verify it; the revoke path can stop the event.

Live sockets are the path through which:

- A source injects a contribution feed.
- A producer or operator controls a live event.
- A viewer negotiates playback and renewal.
- A partner receives authorized media.
- A revoke or kill-switch command stops distribution.

Each connection must be authenticated, authorized, bounded in time, observable, rate-limited, revocable, and unable to outlive the rights that created it.

Socket modes

Socket/path	Use	Minimum control profile
Control WebSocket	Operator/service commands, metadata, state changes.	TLS 1.3; explicit Origin allowlist; OIDC/OAuth; mTLS for services; per-message authorization; schema validation; quotas; heartbeat; no URL secrets.
Viewer control/session	Playback negotiation, entitlement renewal, quality, handoff.	Short-lived token bound to event, rights version, destination, device/session; no cookie-only privilege; lease renewal and revocation.
WebRTC media	Low-latency interactive/protected playback.	DTLS-SRTP; authenticated signaling; per-session keys; ICE/TURN authentication; signed lease; egress allowlist; watermark/forensic tag where permitted.
LL-HLS/DASH	Segmented playback through hub/CDN.	Signed manifest/segment access; origin shielding; short TTL; rights/version claims; CDN-origin mTLS; key rotation; revocation.
SRT/RIST ingest	Contribution feed from encoder/local producer.	Private listener; device certificate/mTLS or per-event key; source allowlist; event binding; replay protection; quarantine; kill switch.
Legacy RTMP	Only where a partner cannot support modern contribution.	Never expose plaintext RTMP to the internet. Terminate inside a private tunnel/edge, authenticate source, bind event, and migrate/retire.

Socket control matrix

ID	Domain	Required behavior	Proof
SEC-SOC K-01	Transport	TLS 1.3 for control/partner APIs; modern secure media protection; disable insecure fallback.	Certificate scan and negative test.
SEC-SOC K-02	Origin/audience	Validate browser Origin with explicit allowlist; validate token audience/service ID.	Origin bypass and token tests.
SEC-SOC K-03	Identity	Phishing-resistant MFA for humans; mTLS/workload identity for services and encoders; unique device/source certificates.	Identity inventory and revocation test.
SEC-SOC K-04	No URL secrets	Never put tokens, session IDs, keys, or PII in query strings, referrers, logs, or history.	Static scan and proxy-log inspection.
SEC-SOC K-05	Least privilege	Separate viewer, producer, operator, security, rights, and settlement authority; default deny.	Policy review and unauthorized-command tests.
SEC-SOC K-06	Per-message authorization	Handshake success does not authorize later commands. Re-check event, object, action, version, and actor.	Command matrix and replay tests.
SEC-SOC K-07	Schema safety	Versioned message schema, strict types, length limits, allowlisted commands, safe parsing; reject unknown fields on privileged actions.	Fuzzing and injection tests.
SEC-SOC K-08	Connection limits	Per-IP, subject, device, tenant, and event quotas; cap frame size and concurrent subscriptions.	Socket-exhaustion test.
SEC-SOC K-09	Rate/backpressure	Rate-limit handshake, subscribe, renew, metadata, and control; bounded queues; close abusive sessions.	Load and slow-consumer test.
SEC-SOC K-10	Time bounds	not_before/not_after, idle timeout, absolute lifetime, and renewal rules; no indefinite socket.	Expiry and clock-skew tests.
SEC-SOC K-11	Rights lease	Bind to event, rights version, territory, destination, use, and hard expiry; no lease means no feed/playback.	Mismatch, stale-version, blackout tests.
SEC-SOC K-12	Revocation	Rights revoke, source compromise, operator action, or incident propagates to every enforcement point.	Mid-event revoke test and propagation SLO.
SEC-SOC K-13	Isolation	Separate ingest, media, control, admin, evidence, settlement, and vault networks/identities.	Network-path and service-account tests.
SEC-SOC K-14	Egress	Allowlist partner endpoints/destination classes; prevent SSRF and arbitrary handoff.	Egress policy and SSRF suite.
SEC-SOC K-15	Content protection	Approved encryption, keys, token binding, watermark/forensic tagging, copy/clip policy consistent with rights.	Key-rotation and unauthorized-clip tests.
SEC-SOC K-16	Audit	Log connection, auth, policy decision, event/rights version, lease ID hash, action, violation, close reason, operator attribution; never log secrets or full media.	SIEM and log-redaction test.
SEC-SOC K-17	Fail closed	Unknown/stale/conflicting policy rejects new sessions and renewal; no crossing hard expiry.	PDP-outage, stale-data, hard-stop tests.
SEC-SOC K-18	Admin safety	JIT access, MFA, device posture, reason code, two-person approval for rights/security overrides.	Break-glass drill.
SEC-SOC K-19	DDoS/edge	WAF/edge protection, connection admission, flood mitigation, origin shielding, scaling caps.	Abuse/load test and origin isolation.
SEC-SOC K-20	Supply chain	Pin/scan dependencies, verify images, sign releases, maintain rollback; no unreviewed live-plane change during event.	Build attestations and rollback drill.

Lease protocol

1. Source or viewer requests an event session with proposed destination, package, territory, device, and use.
2. Policy Decision Point reads current rights version, entitlement, revocations, privacy/youth boundary, and destination authorization.

- 3. If hard constraints pass, issue a signed short-lived lease containing only pseudonymous/session data required for enforcement.
- 4. Socket gateway verifies signature, audience, time, rights version, destination, and session binding before accepting data/media.
- 5. Gateway renews only through the policy service. Renewal fails closed if rights are revoked, version changes, destination becomes unauthorized, or clock is outside policy.
- 6. A revoke event is delivered to gateway, CDN/partner adapter, ingest controller, and audit plane. Each closes or drains the affected session and records the action.

Failure behavior

Failure	Required behavior
Policy service unavailable	No new lease; no renewal after existing lease expires; operator sees degraded mode; no silent authorization.
Rights version conflict	Quarantine event/session; rights operations resolves; preserve both versions and conflict evidence.
Clock skew	Reject outside configured tolerance; alert; use trusted time; never lengthen a rights window to compensate.
Source certificate revoked	Stop ingest; close/quarantine feed; preserve source/session logs; issue incident record.
Suspected token replay	Reject duplicate jti/session binding; revoke token family if threshold exceeded; alert security.
CDN/partner handoff failure	Do not retry to an unapproved destination; show unavailable or approved alternate; record impact.
Operator emergency stop	Stop/replace only within role; break-glass requires reason and later review; stop authority cannot create rights.

Security basis: [NIST SP 800-207 Zero Trust Architecture](#); [NIST SP 800-207A](#); [OWASP WebSocket Security Cheat Sheet](#).

15 | Privacy, youth, and AI runtime controls

Access to a sanctioned game is not access to a child's private life

The V2.1 youth boundary becomes a first-class runtime policy. Viewing may authorize a stream. It does not automatically authorize athlete profiling, stranger contact, recruiting, NIL, ad targeting, identity enrichment, or sale of behavioral data.

Class	Examples	Control
P0 Public event metadata	Schedule, team, venue, score, rights availability, permitted discovery data.	Public/partner-approved; retain source and authority.
P1 Pseudonymous usage	Session, watch, quality, entitlement facts needed for service/settlement.	Tokenize; minimize; role-limit; aggregate before sharing.
P2 Relationship data	Family, school, alumni, hometown, participant-selected relationship edges.	Explicit purpose and consent/authorization; separate from athlete profile.
P3 Youth/sensitive	Minor-related personal data, contact data, protected attributes, identity links.	Separate store; strict purpose; counsel-approved retention/access; no default analytics join.
P4 Secrets/credentials	Keys, signing material, internal weights, partner terms, unfiled mechanisms.	Vault only; no logs/prompts; JIT access; export blocked.

Mandatory youth and sensitive-data gates

- Ordinary viewing must not require athlete identity.
- If identity is necessary for a separate feature, use a separate purpose, consent/notice, data map, access policy, retention schedule, and review.

- Demand and settlement analytics use pseudonymous or aggregate facts. Small cohorts are suppressed or protected under counsel-approved thresholds before external reporting.
- A relationship graph stores only the minimum edge needed for an authorized discovery question. It is not a free-form contact directory.
- Data derived from minors, families, or participants carries a purpose tag. A downstream service cannot join it to advertising, recruiting, or profiling without a new authorization.
- Deletion, legal hold, retention, correction, and audit rules are versioned. Counsel determines lawful boundaries when a privacy request intersects a filing, dispute, or settlement record.

AI gateway controls

Control	Implementation
Ingress filter	Block credentials, keys, raw youth data, partner terms, unfiled invention detail, and unnecessary PII before a prompt leaves the approved boundary.
Purpose tag	Every prompt declares summarize, compare, brainstorm, test, draft, or explain. High-risk purposes require a named human owner.
Model boundary	Use approved model/provider configuration; record retention/training settings; prohibit external models for vault-class material unless approved.
Output treatment	Output is untrusted draft material. Store hash/metadata; never treat output as a committed invention, legal decision, rights grant, or settlement change.
Action allowlist	AI may propose; humans and policy engines execute. No direct access to filing, release, rights override, secrets, payments, or identity merge.
Evaluation	Red-team for prompt injection, leakage, hallucinated authority, wrong rights, invented contributors, and unsafe external actions.

16 | Evidence integrity and records architecture

Build a chain that survives review and staff turnover

The evidence plane makes the story reconstructible. It does not make a patent valid by itself.

Control	Requirement
Content address	SHA-256 or approved hash of every artifact, record version, source file, prompt/output, diagram, code/config snapshot, and filed package.
Append-only log	Each event includes previous_event_hash, actor, time source, object/version links, and signature/attestation when appropriate.
Immutable storage	Object lock/WORM or equivalent retention for evidence manifests, filed PDFs, disclosure copies, settlement statements, and incidents.
Trusted time	Authenticated time source; store recorded_at, source, tolerance, and clock anomaly. External timestamp anchoring is corroborating evidence, not a USPTO filing date.
Key management	Envelope encryption with KMS/HSM-backed keys, key separation by data class, rotation/revocation, access logs, backup, and destruction policy.
Export manifest	Counsel-ready package lists included object/version/hash, omitted/redacted item, decision, inventor/contributor record, and delivery receipt.
Legal hold	Freeze deletion/retention changes for a defined matter; record custodian, scope, date, and release authority.

Evidence export package

1. Cover sheet with invention ID, family, project/company, status, confidentiality, owners, and date scope.
2. Chronology of research question versions, observations, mechanism decisions, embodiments, tests, disclosures, and filings.
3. Human contribution matrix and AI assistance records, including attestations and unresolved questions.

- 4. Full embodiment package with diagrams, data objects, algorithms, interfaces, alternatives, failure behavior, and tests.
- 5. Prior-art/known-system notes with source links, dates, differences, and counsel comments.
- 6. Disclosure ledger, NDAs, recipients, approved/redacted versions, and any public-disclosure analysis.
- 7. Filing package, filing receipt, exact submitted documents, inventors, priority claims, and deadline docket.
- 8. Hash manifest and signatures for every artifact, export creation record, and recipient acknowledgment.

References: [NIST Key Management Guidelines](#) and [NIST SP 800-53 Rev. 5](#).

17 | Measurement and settlement integrity

If the formula moves money, the evidence must be auditable

Every measurement fact is versioned, privacy-tagged, fraud-filtered, reproducible, and bound to the rights and settlement terms in force when the event occurred.

Layer	Control
Fact layer	Authenticated viewer, watch interval, ad delivery, quality, support, activation, refund, chargeback, and event cost facts.
Eligibility layer	Rights version, package, territory, destination, event, permitted measure, exclusion rules, and privacy boundary.
Formula layer	Versioned base pool, performance pool, ad allocation, premium/out-of-zone, cost pass-through, platform fee, and correction rules.
Calculation layer	Deterministic output with input IDs, formula version, intermediate values, rounding, currency, and result hash.
Review layer	Two-person approval for close, anomaly review, partner statement, dispute window, correction event, and finality.
Audit layer	Partner-reconcilable source facts within contractual privacy boundaries; no raw PII export by default.

Settlement rules

- Do not pay on raw starts alone. Use authenticated entitlement, deduplicated subject/household logic, verified watch, bot/fraud filters, and agreed windows.
- Do not change a formula after seeing the result unless contractually permitted; a correction is an event with reason, approvers, old/new result, and partner notice.
- Keep production cost attribution event-specific and contract-specific. Do not silently charge one property for another property's production.
- Settlement reads the exact rights version, measurement version, and formula version frozen for the period.
- Corrections never erase the prior result; they supersede it with a reproducible new result.

18 | Master control matrix

Every important rule gets an owner, proof, cadence, and fail-safe

ID	Domain	Required control	Owner	Cadence	Fail-safe
IP-DATE-01	Filing date	Store USPTO receipt and exact filing timestamp; distinguish internal provenance.	IP steward	Each filing	No Filed status without receipt
IP-SUP-01	Support	Map claim nuclei to written description, drawings, embodiments, alternatives, and tests.	Counsel + technical lead	Before filing	Block Provisional Ready
IP-HUM-01	Inventorship	Named inventors are natural persons; contribution matrix complete.	Counsel	Each family revision	No filing release
IP-AI-01	AI provenance	Prompt/output hashes and human action; no AI authority.	IP steward + security	Each use	Output remains draft
IP-DISC-01	Disclosure	Public/partner artifact preflight and approval.	IP steward	Each release	Block release
IP-TS-01	Trade secret	Label, access, NDA, export, training, offboarding evidence.	Security	Quarterly + event	Reclassify/contain
IP-CAL-01	Calendar	6/9/10/11 alerts from verified filing date.	IP steward	Continuous	Escalate; no snooze
SEC-SOCK-01	Transport	TLS/mTLS/media protection; no insecure fallback.	Security	Continuous	Reject connection
SEC-SOCK-07	Message safety	Schema, size, command allowlist, safe parser, fuzz tests.	Engineering	Each release	Close/quarantine
SEC-SOCK-11	Rights lease	Event/version/territory/destination/time-bound signed lease.	Rights ops + security	Each session	No feed/playback
SEC-SOCK-12	Revocation	Propagate revoke to ingest, gateway, CDN/partner, and audit.	Security	Each incident/change	Stop/close
SEC-SOCK-17	Fail closed	Unknown/stale/conflict does not renew; no hard-expiry crossing.	Engineering	Each release	Reject/stop
SEC-ADMIN-01	Privileged action	MFA, JIT, reason, two-person approval for override.	Security	Each action	Deny
SEC-KEY-01	Keys	KMS/HSM, rotation, separation, revocation, access logs.	Security	Policy cadence	Revoke/rotate
SEC-AUDIT-01	Logging	Connection, policy, command, violation, close, and operator logs without secrets.	Security/SIEM	Continuous	Alert/contain
PRIV-YOUTH-01	Youth boundary	Viewing rights separate from profile/contact/recruiting rights.	Privacy/counsel	Each feature	Deny data join
PRIV-DATA-01	Minimization	Purpose tags, pseudonymous IDs, aggregation, retention, deletion/hold.	Privacy	Design + review	Quarantine/export block
RIGHTS-CHAIN-01	Authority	Evidence grantor controls exact rights granted.	Rights ops + counsel	Each event/package	No production/distribution
RIGHTS-VERS-01	Versioning	No mutable rights rule; supersedes/expiry/revocation recorded.	Rights ops	Each change	Conflict state
SETTLE-01	Formula	Versioned formula and deterministic recomputation.	Finance	Each period	No close
SETTLE-02	Corrections	Correction event, reason, approvals, partner notice.	Finance + partner ops	Each correction	Hold payment
EVID-01	Hash chain	Artifact hashes, previous hash, signatures, export manifest.	Records/security	Each artifact	Mark unverifiable
EVID-02	Immutable store	WORM/object lock for filings, disclosures, settlement, incidents.	Records	Continuous	Legal hold
OPS-01	Live incident	Stop/replace/quarantine/escalation runbook.	Broadcast ops + security	Each event	Stop/quarantine

ID	Domain	Required control	Owner	Cadence	Fail-safe
OPS-02	Change control	Review, canary, rollback, evidence; no live-plane change during event.	Engineering	Each release	Reject deploy

RACI for irreversible decisions

Decision	Founder	Counsel/IP	Finance	Rights/Security	Engineering
Name inventors	Responsible	Accountable	Consulted	Informed	Consulted
Patent/trade-secret classification	Accountable	Responsible	Consulted	Consulted	Informed
Public release	Accountable	Responsible	Consulted	Consulted	Informed
Provisional/nonprovisional/PCT	Accountable	Responsible	Consulted	Consulted	Informed
Rights grant activation	Informed	Consulted	Responsible	Accountable	Consulted
Live security override	Informed	Consulted	Consulted	Accountable/Responsible	Consulted
Settlement close/correction	Informed	Consulted	Accountable/Responsible	Consulted	Informed

R = responsible, A = accountable, C = consulted, I = informed. If roles are combined temporarily, a two-person control is required where the same person could otherwise create and approve an irreversible action.

19 | Operating playbooks

Playbook A - New idea in 15 minutes

1. Create an INV ID and write the problem in one sentence without marketing language.
2. Link exact research question/version, observation, interview, experiment, or source that triggered it.
3. Write mechanism as inputs -> transformation -> output; name the first human who conceived or selected it.
4. Attach first sketch, note, recording, screenshot, code/config, or test; compute artifact hash.
5. Classify disclosure risk and patent/trade-secret posture.
6. Create next evidence gate: embodiment, alternative, prior art, counsel triage, or prototype test.

Playbook B - Candidate to counsel in 48 hours

1. List every human who may have contributed to conception, selection, implementation, or testing.
2. Search public disclosure: decks, sites, posts, demos, talks, offers, partner material, repositories, and external prompts.
3. Complete one concrete embodiment and one alternative; add architecture/data/state/interface diagrams.
4. Create support matrix and identify missing written description, enablement, drawing, or best-mode detail.
5. Assign counsel, urgency, owner, classification, and calendar event; export package if requested.

Playbook C - Live event security incident

1. Identify event, source, rights version, lease/session IDs, destinations, and suspected failure.
2. Use narrowest safe action: revoke one token/source/session, quarantine feed, stop destination, or invoke event kill switch.
3. Do not alter logs or overwrite rights record. Preserve hashes, timestamps, policy decisions, commands, and media markers.
4. Notify broadcast operations, security, rights operations, and counsel; record who authorized each action.
5. Re-open only after rights, source identity, policy version, destination, and monitoring are revalidated.

Playbook D - 12-month decision

1. Verify filing receipt, application number, named inventors, priority/benefit references, and supported subject matter.
2. Review new embodiments, experiments, disclosures, rights/business changes, and secret controls since filing.

- 3. Choose nonprovisional, PCT/foreign, continuation strategy, abandon, or trade-secret retention with counsel.
- 4. Record budget, jurisdictions, assignment, deadlines, and reason.
- 5. Close or roll calendar only after filing or deliberate disposition is evidenced.

20 | Implementation roadmap

Ship the control plane in layers, starting with irreversible-risk controls

Phase	Build	Exit evidence
Days 0-30	IDs, Research Registry, Invention Ledger, contribution form, disclosure preflight, calendar, counsel workbench, restricted storage. Create six Three-Zone and six Treasure candidates.	One real candidate reconstructed end-to-end; no public release bypass; deadlines visible.
Days 31-90	Hash manifests, append-only events, access policy, AI gateway, support matrix, rights object, first counsel/prior-art review.	Counsel-ready export; secret access review; first rights object and disclosure decision.
Months 3-6	Policy Decision Point, rights leases, WebSocket gateway, ingest qualification, media object metadata, revocation, audit/SIEM.	Unauthorized/stale/expired session tests pass; event can be stopped and reconstructed.
Months 6-12	Discovery graph, measurement facts, settlement ledger, partner adapters, WORM evidence, dashboards, operational drills.	Controlled pilot produces/ingests, routes, measures, settles, and preserves evidence under valid rights.

Recommended minimum stack shape

Capability	Target shape
System of record	Relational metadata store with immutable version tables, row-level access controls, and transactionally linked audit events.
Evidence storage	Encrypted object storage with retention lock/WORM, content hashing, versioning, legal hold, and export manifests.
Identity	OIDC for humans, phishing-resistant MFA, workload identity/mTLS for services/sources, certificate inventory/revocation.
Policy	Central policy decision service with signed decisions/leases, versioned policy, default deny, evaluation logs.
Edge/sockets	WAF/edge, WebSocket gateway, media gateway, private ingest, origin shielding, connection admission control, SIEM.
Eventing	Durable event bus for rights changes, revocations, invention commits, disclosure decisions, and settlement close events.
IP integrations	Counsel workspace, calendar/notifications, source-control hooks, approved AI gateway, and document export.

MVP acceptance criteria

- User can create a question, version it, attach an observation, create an invention candidate, record human contribution, and produce a hash-linked export.
- Public deck or partner artifact is blocked/approved based on linked unfiled inventions and secret tags, with decision and artifact hash.
- Live source cannot connect without correct identity, event binding, rights lease, and time window; revoked/expired lease stops renewal and produces audit event.
- Rights version conflict or missing authority causes hold/quarantine, not best-effort distribution.
- Filed candidate shows receipt, inventor list, supported versions, 6/9/10/11 alerts, and 12-month decision.
- Settlement result recomputes from immutable facts, formula version, rights version, corrections, and approvals without exposing youth or secret data.

21 | Operating forms

Invention capture form

Field	Entry
Invention ID/version	INV- ____ / v __
Project/company	Three-Zone / Treasure / Passport / future
Problem observed	Who experiences what failure under which conditions?
Evidence links	RQ / OBS / EVD / source document IDs
Human conception	Name, action, date, artifact, confidence, unresolved questions
Mechanism	Inputs -> transformations -> outputs -> technical effect
Embodiments	Primary / low-resource / partner / failure-tolerant / alternative
Runtime controls	Rights / identity / socket / privacy / key / audit / kill switch
IP posture	Patent / secret / hybrid / hold; why
Disclosure status	Last disclosure; proposed release; firewall result
Next gate	Counsel / prior art / test / diagram / filing / secret controls

Human contribution attestation

I, _____, attest that the record accurately describes my human contribution to the conception, selection, implementation, or testing of INV-_____, version ____.

My contribution (plain language): _____

AI/tools used (if any): _____
What I personally accepted, changed, rejected, or added: _____

This is a process record. Patent counsel determines inventorship and filing strategy.

Signature: _____ Date/time: _____ Time source: ____

Disclosure preflight checklist

- Artifact hash created and final version identified.
- Audience, channel, recipients, date/time, and NDA/contract status verified.
- Linked unfiled inventions and trade secrets reviewed.
- Youth, personal, partner-confidential, source-code, key, and credential content reviewed.
- Redactions and conditions recorded; approved recipient list locked.
- Named approver and decision reason recorded; release copy hash captured after sending.

Rights lease review checklist

- Authority evidence names grantor and supports exact live/replay/clip/ad/syndication scope.
- Event, rights version, territory, package, destination, device class, and time window are explicit.
- Production/master ownership and technical delivery standards are explicit.
- Source identity, certificate, key, and ingest mode are approved.
- Privacy/youth boundary, measurement permission, and settlement treatment are explicit.
- Revocation authority, incident stop authority, and hard expiry are explicit.

The strategic plan becomes a governed invention pipeline

Three-Zone source element	Moten control-plane object	Candidate link
V2.1 rights object/rights strategy	RIGHTS object + versioned authority evidence + disclosure/contract links	TZ-01, TZ-04
V2.1 measurement/settlement	Measurement facts + formula version + immutable settlement ledger	TZ-05
V2.1 broadcast infrastructure	Production-mode state machine + feed qualification + rights-bound master	TZ-03, TZ-04
V2.1 technology	Runtime services + live sockets + policy lease + audit/revoke	Platform security family; TZ-01/03/04
V2.1 discovery/relationships	Relationship graph + rights-aware query + authorized handoff	TZ-06
V2.1 shared pool/economics	Versioned formula, attribution, correction, and audit controls	TZ-05; possible TS weights
V2.1 youth/privacy	Data classes, purpose tags, identity separation, access boundaries	Cross-cutting; TR-04/06
V2.1 moat/trust	Evidence history, partner settlement, rights exceptions, security records	Portfolio asset; secret controls

The decision

CONTROL NOTE

PROCEED: Move into a confidential IP, rights, broadcast, and security validation phase. Do not announce national coverage or third-party placement before contracts exist. Create and review the candidate records now, while the mechanisms are still emerging and before public language hardens around them.

The strongest IP may not be visible on day one. That is why the ledger, support matrix, disclosure firewall, and calendar should exist before the business is fully operational. Five years from now, Moten should be able to answer:

- When did the signal first appear?
- Which human conceived the mechanism?
- Which embodiments were known?
- What was disclosed and to whom?
- What was filed and when?
- What remained secret?
- Which runtime controls protected it?
- What changed, and who approved the change?

CONTROL NOTE

FINAL RULE: Be first to recognize it. Be disciplined enough to document it. Be fast enough to file it. Be smart enough to know what not to disclose.

Appendix A | Sources

Appendix A | Sources

- [USPTO - Provisional Application for Patent](#) - 12-month pendency, written description, filing-date and foreign-disclosure cautions.

- [USPTO MPEP 211 - Claiming Benefit of an Earlier Filing Date](#) - Support and enablement required for later claims to receive an earlier provisional date.
- [USPTO MPEP 2153 - Prior Art Exceptions under AIA 35 USC 102\(b\)\(1\)](#) - Limited inventor-originated disclosure exception under first-inventor-to-file.
- [USPTO - Revised Inventorship Guidance for AI-Assisted Inventions, 26 Nov 2025](#) - Natural persons are inventors; AI systems are tools; same inventorship standard applies.
- [USPTO - Pursuing International IP Protection](#) - U.S. grace period does not protect foreign rights in the same way.
- [WIPO - File a PCT Application](#) - 12-month priority-period planning for a PCT application claiming priority.
- [USPTO - Trade Secret Policy](#) - Economic value from secrecy and reasonable efforts to maintain secrecy.
- [NIST SP 800-207 - Zero Trust Architecture](#) - No implicit trust; explicit authentication and authorization.
- [NIST SP 800-207A - Cloud-Native Access Control](#) - Identity-tier policy, gateways, service identities, and granular access control.
- [NIST SP 800-53 Rev. 5 - Security and Privacy Controls](#) - Access, audit, security, and privacy control catalog.
- [NIST Key Management Guidelines](#) - Lifecycle treatment of cryptographic keys and keying material.
- [OWASP WebSocket Security Cheat Sheet](#) - Origin validation, message authorization, validation, limits, monitoring, and safe logging.
- Attached source baseline - Three-Zone Sports Access Strategic Plan V2.1 (4), provided in this conversation; sections and appendices integrated into this specification.

Version note: This is a working architecture and control specification. Patentability, inventorship, ownership, disclosure, trade-secret status, privacy compliance, rights authority, and filing deadlines require current review by qualified counsel and responsible security/privacy professionals.