



Search projects

[Help](#)[Sponsors](#)[Log in](#)[Register](#)

multi-agent-generator

0.2.0



Latest version

Released: Apr 30, 2025

```
pip install multi-agent-generator
```



Generate multi-agent AI teams using CrewAI, LangGraph, and ReAct with multiple LLM providers

Navigation

 [Project description](#) [Release history](#) [Download files](#)

Verified details

These details have been
[verified by PyPI](#)

Maintainers

[aakriti1318](#)

Project description

Multi-Agent Generator

A powerful tool that transforms plain English instructions into fully configured multi-agent AI teams - no scripting, no complexity. Powered by multiple LLM providers (OpenAI and IBM WatsonX) with an intuitive Streamlit UI.

Features

- Generate agent code for multiple frameworks:
 - **CrewAI**: Structured workflows for multi-agent collaboration
 - **CrewAI Flow**: Event-driven workflows with state management
 - **LangGraph**: LangChain's framework for stateful, multi-actor applications
 - **ReAct**: Reasoning + Acting framework for adaptive AI agents
- **Multiple LLM Providers**:

Unverified details

These details have **not** been verified by PyPI

Project links

 [Homepage](#)

 [Bug Tracker](#)

Meta

- **License:** MIT License (MIT)
- **Author:** [Aakriti Aggarwal](#) 
- **Requires:** Python >=3.8
- **Provides-Extra:** `watsonx`, `dev`

Classifiers

Development Status

- [4 - Beta](#)

Intended Audience

- [Developers](#)

License

- [OSI Approved :: MIT License](#)

Programming

Language

- [Python :: 3](#)
- [Python :: 3.8](#)
- [Python :: 3.9](#)
- [Python :: 3.10](#)



Red Hat

Red Hat is a Maintaining sponsor of the

- **OpenAI:** Use GPT models for code generation
- **IBM WatsonX:** Enterprise-grade access to Llama and other foundation models
- **User-Friendly Interface:** Streamlit-based UI for effortless code generation
- **Intelligent Analysis:** Analyzes natural language requirements to suggest appropriate agents, roles, and tasks
- **Visualizations:** View agent relationships, workflow paths, and execution flow

Installation

Basic Installation

```
pip install multi-agent-generator
```

With WatsonX Support

```
pip install multi-agent-generator[watsonx]
```

Development Installation

```
pip install multi-agent-generator[dev]
```

Prerequisites

- OpenAI API key OR WatsonX API key and Project ID
- Environment variables setup:
 - `OPENAI_API_KEY`: Your OpenAI API key
 - Or for WatsonX:
 - `WATSONX_API_KEY`: Your WatsonX API key
 - `WATSONX_PROJECT_ID`: Your WatsonX project ID
 - `WATSONX_URL`: WatsonX URL

Python Software
Foundation.

*PSF Sponsor · Served
ethically*

Report project as
malware

Usage

Command Line

Basic usage with OpenAI (default):

```
multi-agent-generator "I need a research assistant that
```

Using WatsonX instead:

```
multi-agent-generator "I need a research assistant that
```

Save output to a file:

```
multi-agent-generator "I need a team to create viral so
```

Get JSON configuration only:

```
multi-agent-generator "I need a team to analyze custom
```

Streamlit UI

```
streamlit run -m multi_agent_generator.streamlit_app.ap
```

The UI allows you to:

- Choose between OpenAI and WatsonX
- Select which framework to use
- Enter your requirements in plain English
- Visualize the agent configuration
- Copy or download the generated code

Examples

Research Assistant

```
I need a research assistant that summarizes papers and
```

Content Creation Team

```
I need a team to create viral social media content and
```

Data Analysis

```
I need a team to analyze customer data and create visual
```

Frameworks

CrewAI

CrewAI is a framework for orchestrating role-playing autonomous AI agents. It allows you to create a crew of agents that work together to accomplish tasks, with each agent having a specific role, goal, and backstory.

CrewAI Flow

CrewAI Flow extends CrewAI with event-driven workflows. It enables you to define multi-step processes with clear transitions between steps, maintaining state throughout the execution, and allowing for complex orchestration patterns like sequential, parallel, and conditional execution.

LangGraph

LangGraph is LangChain's framework for building stateful, multi-actor applications with LLMs. It provides a way to create directed graphs where nodes are LLM calls, tools, or other operations, and edges represent the flow of information between them.

ReAct

ReAct (Reasoning + Acting) is a framework that combines reasoning and action in LLM agents. It prompts the model to generate both reasoning traces and task-specific actions in an interleaved manner, creating a synergy between the two that leads to improved performance.

LLM Providers

OpenAI

OpenAI's GPT models provide state-of-the-art natural language understanding and code generation capabilities. The default model used is GPT-4o-mini.

IBM WatsonX

IBM WatsonX provides enterprise-grade access to foundation models with IBM's security and governance features. The default model used is Llama-3-70B-Instruct.

License

MIT



Help

[Installing packages](#)

[Uploading packages](#)

[User guide](#)

[Project name retention](#)

[FAQs](#)

About PyPI

[PyPI Blog](#)

[Infrastructure dashboard](#)

[Statistics](#)

[Logos & trademarks](#)

[Our sponsors](#)

Using PyPI

[Terms of Service](#)

[Report security issue](#)Code of conduct 

Privacy Notice 

[Acceptable Use Policy](#)

Status: All Systems Operational 

Developed and maintained by the Python community, for the Python community.
Donate today!

"PyPI", "Python Package Index", and the blocks logos are registered trademarks of the Python Software Foundation .

© 2025 Python Software Foundation

Site map

[Switch to desktop version](#)

[English](#)
[español](#)
[français](#)
[日本語](#)
[português \(Brasil\)](#)
[українська](#)
[Ελληνικά](#)
[Deutsch](#)
[中文 \(简体\)](#)
[中文 \(繁體\)](#)
[русский](#)
[עברית](#)
[Esperanto](#)
[한국어](#)

Pingdom
Monitoring

StatusPage
Status page