Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II / Regulation (EU) No. 2015/830.

- Sweden

Date of issue/ Date of : 10.06.2021

revision

Date of previous issue : 30.10.2020

Version : 2.0



SAFETY DATA SHEET

Feed Acidifier 2-3 Solid

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Feed Acidifier 2-3 Solid.

Product code : Not available.
Product type : Solid (Granulate)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Professional USE as such or in a mixture, in the feed industry.	

Uses advised against	: Other non-specified industry
Reason	: Due to lack of related experience or data, the supplier
	cannot approve this use.

1.3 Details of the supplier of the safety data sheet

Nordic Feed Solutions

Address

Street : Spinngatan

Number : 5 Postal code : 267 73

City

Country : Sweden

Telephone number : +46 70 719 14 46

Fax no.

e-mail address of person : info@nordicfeedsolutions.com

responsible for this SDS

1.4 Emergency telephone number

National advisory body/Poison Center

Name : Giftinformationscentralen / Swedish Poisons Information

Centre

Telephone number: 112 – begär Giftinformation / 112 – ask for Poison

Information

Date of issue : 30.10.2019 Page:1/18

Hours of operation 24h

Supplier

Emergency telephone number +46856642573

(with hours of operation)

+44 1235 239670 (Carechem)

(24 h)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture. **Product definition** Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification Skin Irrit. 2, H315

Eye Dam. 1, H318

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms

Signal word Danger

Hazard statements H318 Causes serious eye damage.

Causes skin irritation. H315

Precautionary statements

Prevention P280 Wear protective gloves and eye

protection.

Wash hands thoroughly after handling. P264-a

Response P305 IF IN EYES:

> P351 Rinse cautiously with water for several

> > minutes.

P338 Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a POISON CENTER or

doctor/physician.

IF ON SKIN: P302

P332 If skin irritation occurs: P313-a Get medical attention.

Hazardous ingredients formic acid

EU Regulation (EC) No.

1907/2006 (REACH) Annex XVII

- Restrictions on the

Not applicable.

Date of issue: 10.06.2021 Page:2/18 manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Special packaging requirements

Containers to be fitted with child-resistant fastenings

Not applicable.

Tactile warning of danger

Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

None.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Туре
formic acid	RRN:	>= 25 -	Flam. Liq. 3, H226	[1]
	Not available.	< 30	Acute Tox. 4, H302	[2][1]
	EC:		Acute Tox. 3, H331	[2]
	200-579-1		Skin Corr. 1A, H314	
	CAS:		Eye Dam. 1, H318	
	64-18-6			
	Index:			
	607-001-00-0			
ammonium formate	RRN:	>= 15 -	Skin Irrit. 2, H315	
	Not available.	< 20	Eye Irrit. 2, H319	
	EC:		STOT SE 3, H335	
	208-753-9			
	CAS:			
	540-69-2			
Potassium sorbate	RRN:	>= 2,5 -	Skin Irrit. 2, H315	
	Not available.	< 3	Eye Irrit. 2, H319	
			STOT SE 3, H335	
	CAS:			
	590-00-1			

Type

- [1] Substance classified with a physical, health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Date of issue: 10.06.2021 Page:3/18

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact: Immediately flush eyes with running water for at least 15

minutes, keeping eyelids open. Check for and remove any

contact lenses. Get medical attention immediately.

Inhalation : If inhaled, remove to fresh air. Get medical attention

immediately. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained

breathing apparatus.

Skin contact: Wash with soap and water. Continue to rinse for at least 10

minutes. Get medical attention.

Ingestion : Wash out mouth with water. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so

by medical personnel.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Wash contaminated clothing thoroughly

with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

pain watering redness

Inhalation : No specific data.

Skin contact : Adverse symptoms may include the following:

irritation redness

Ingestion : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Date of issue: 10.06.2021 Page:4/18

Unsuitable extinguishing media

None identified.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: No specific fire or explosion hazard.

Hazardous combustion products

Avoid breathing dusts, vapors or fumes from burning

materials.

In case of inhalation of decomposition products in a fire,

symptoms may be delayed.

5.3 Advice for firefighters

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill

Move containers from spill area. Avoid dust generation.
Using a vacuum with HEPA filter will reduce dust dispersal.
Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses,

Date of issue: 10.06.2021 Page: 5/18

basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Recommendations

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations : Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

Date of issue: 10.06.2021 Page:6/18

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
formic acid	EU OEL (1991-07-01)
	TWA 9 mg/m3 5 ppm
	AFS 2015:7 (1996-08-01)
	TWA 5 mg/m3 3 ppm
	STEL 9 mg/m3 5 ppm

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Reference should be made to monitoring standards, such as the following:

European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy)

European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents)

European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the

measurement of chemical agents)

Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredie nt name	Туре	Exposure	Value	Population	Effects
formic acid	DNEL	Long term Inhalation	9,5 mg/m³	Workers	Systemic
	DNEL	Long term Inhalation	9,5 mg/m³	Workers	Local

PNECs

Product/ingredient name	Туре	Compartment Detail	Value	Method Detail
formic acid	PNEC	Fresh water	2 mg/l	Not applicable.
	PNEC	Marine water	0,2 mg/l	Not applicable.
	PNEC	Intermittent release	1 mg/l	Not applicable.
	PNEC	Fresh water sediment	13,4 mg/l	Not applicable.
	PNEC	Marine water sediment	1,34 mg/l	Not applicable.
	PNEC	Soil	1,5 mg/l	Not applicable.
	PNEC	Sewage Treatment Plant	7,2 mg/l	Not applicable.

8.2 Exposure controls

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other

Date of issue : 10.06.2021 Page:7/18

engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures

A washing facility or water for eye and skin cleaning purposes should be present. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

Recommended: Tightly-fitting goggles,

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For general applications, we recommend gloves with a thickness typically greater than 0.35 mm. It should be emphasized that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Recommended Filter P2

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Personal protective equipment

(Pictograms)







SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>

Physical state : Solid (Granulate)

Date of issue: 10.06.2021 Page:8/18

Color : Brown.,

Odor : Not determined.
Odor threshold : Not determined.

PH : 3,0 - 3,5 [Conc. (% w/w): 10 g/l]

Melting point/freezing point : Not determined Initial boiling point and boiling : Not determined

range

Flash point : Not determined Evaporation rate : Not determined Flammability (solid, gas) : Non-flammable.

Upper/lower flammability or

explosive limits
Vapor pressure
Vapor density
Relative density
Bulk density
Upper: Not determined
Not determined
Not determined
Not determined
780 - 880 kg/m3

Partition coefficient: n-

octanol/water

Auto-ignition temperature

Viscosity

: Not determined

Dynamic: Not determined.Kinematic: Not determined.

Not determined

Lower: Not determined

Explosive properties : Non-explosive.

Oxidizing properties : None

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

<u>10.2 Chemical stability</u>: The product is stable.

10.3 Possibility of hazardous

reactions

Under normal conditions of storage and use, hazardous

reactions will not occur.

10.4 Conditions to avoid : Avoid contamination by any source including metals, dust

and organic materials.

10.5 Incompatible materials : No specific data.

10.6 Hazardous : Under normal conditions of storage and use, hazardous

<u>decomposition products</u> decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Date of issue: 10.06.2021 Page:9/18

Product/ingredie	Method	Species	Result	Exposure	References
nt name					
Potassium sorbate					
	LD50 Oral	Rat	4.340 mg/kg	Not	TRENAF
				applicable.	27,159,1976
ammonium formate	<u> </u>				
formic acid					
	OECD 401	Rat	730 mg/kg	Not	ECHA
	LD50 Oral			applicable.	
	OECD 403	Rat	7,85 mg/l	4 h	ECHA
	LC50 Inhalation				
	LC50 Inhalation	Rat	15 mg/l	0,25 h	GTPZAB 23(12),49,1979

Conclusion/Summary : No known significant effects or critical hazards.

Acute toxicity estimates

Route	ATE value
Oral	2.908,4 mg/kg
Inhalation (vapors)	31,27 mg/l

Irritation/Corrosion

Product/ingredient name	Method	Species	Result	Exposure	References
Not available.		•			
	431 In Vitro Skin Corrosion: Human Skin Model Test Skin	In vitro	Irritant		Charles River (20205151)
formic acid					
	Skin	not available	Corrosive.		
	OECD 404 Skin	Rabbit	Severe irritant		BASF
	Eyes	Rabbit	Irritant		

Conclusion/Summary

Skin : Causes skin irritation.

Eyes : Causes serious eye damage. **Respiratory** : May cause respiratory irritation.

Sensitization

Conclusion/Summary

Skin: No known significant effects or critical hazards.Respiratory: No known significant effects or critical hazards.

Mutagenicity

Conclusion/Summary : No known significant effects or critical hazards.

Carcinogenicity

Date of issue : 10.06.2021 Page:10/18

Feed Acidifier 2-3 Solid.

Conclusion/Summary: No known significant effects or critical hazards.

Reproductive toxicity

Conclusion/Summary: No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
ammonium formate	Category 3	Not applicable	Respiratory tract irritation
Potassium sorbate	Category 3	Not applicable	Respiratory tract irritation

Information on the likely routes of exposure

Not available.

Potential acute health effects

Inhalation : May give off gas, vapor or dust that is very irritating or

corrosive to the respiratory system.

Ingestion : May cause burns to mouth, throat and stomach.

Skin contact : Causes skin irritation.

Eye contact : Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : No specific data.

Ingestion : No specific data.

Skin contact : Adverse symptoms may include the following:

irritation redness

Eye contact : Adverse symptoms may include the following: pain

watering redness

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects: No known significant effects or critical hazards.

Potential delayed effects: No known significant effects or critical hazards.

Long term exposure

Potential immediate effects: No known significant effects or critical hazards.

Potential delayed effects: No known significant effects or critical hazards.

Potential chronic health effects

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Date of issue: 10.06.2021 Page:11/18

Feed Acidifier 2-3 Solid.

Effects on or via lactation: No known significant effects or critical hazards.

Other effects : No known significant effects or critical hazards.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingred ient name	Method	Species	Result	Exposure	References
formic acid					
	OECD 203 Acute LC50	Fish	130 mg/l	96 h	ECHA
	OECD 202 Acute EC50	Daphnia	365 mg/l	48 h	BASF

Conclusion/Summary: No known significant effects or critical hazards.

12.2 Persistence and degradability

Conclusion/Summary : No known significant effects or critical hazards.

12.3 Bioaccumulative potential

Product/ingredient	LogPow	BCF	Potential
name			
formic acid	-2,3	Not applicable.	lowlow

Conclusion/Summary: No known significant effects or critical hazards.

12.4 Mobility in soil

Soil/water partition coefficient :

(KOC)

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable. P: Not available. B: Not available. T: Not

Not available.

available.

vPvB : Not applicable. vP: Not available. vB: Not available.

<u>12.6 Other adverse effects</u>: No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimized

wherever possible. Disposal of this product, solutions and

any by-products should at all times comply with the

Date of issue: 10.06.2021 Page:12/18

requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Yes.

European waste catalogue (EWC)

Waste code	Waste designation
06 01 06*	other acids

Packaging

Methods of disposal

The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

This material and its container must be disposed of in a

safe way.

Care should be taken when handling emptied containers

that have not been cleaned or rinsed out.

Empty containers or liners may retain some product

residues.

Avoid dispersal of spilled material and runoff and contact

with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulation: ADR/RID	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards No.	
Additional information	

Regulation: ADN	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Danger code	: Not applicable.
	11

Regulation: IMDG	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.

Date of issue : 10.06.2021 Page:13/18

14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information	
Marine pollutant	: No.

Regulation: IATA	
14.1 UN number	Not regulated.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	No.
Additional information Marine pollutant : No.	

14.6 Special precautions for

<u>user</u>

Transport within user's premises: Ensure that persons transporting the product know what to do in the event of

an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

14.8 IMSBC

Bulk cargo shipping name : No tradename available.

Class : Not applicable.

Group : C

Marpol V : Non-HME

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Annex XIV: None of the components are listed.

<u>Substances of very high concern</u>: None of the components are listed.

EU Regulation (EC) No.
1907/2006 (REACH) Annex
XVII - Restrictions on the
manufacture, placing on the
market and use of certain
dangerous substances,
mixtures and articles

Not applicable.

Other EU regulations

Ozone depleting substances (1005/2009/EU)

None of the components are listed.

Date of issue: 10.06.2021 Page:14/18

Prior Informed Consent (PIC) (649/2012/EU)

None of the components are listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

Biocidal products regulation : Not applicable.

Flammable liquid class

(SRVFS 2005:10)

Flammable liquid class

(SRVFS 2005:10)

Ordinance on Thermoset

Plastics

Not applicable.

Not applicable.

Not applicable.

Notes : To our knowledge no other country or state specific

regulations are applicable.

15.2 Chemical Safety

<u>Assessment</u>

This product contains substances for which Chemical

Safety Assessments are still required.

SECTION 16: Other information

Abbreviations and acronyms : ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation

[Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level DMEL = Derived Minimal Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

PBT = Persistent, Bioaccumulative and Toxic vPvB = Very Persistent and Very Bioaccumulative

bw = Body weight

Key data sources : EU REACH IUCLID5 CSR.

National Institute for Occupational Safety and Health, U.S. Dept. of Health, Education, and Welfare, Reports and Memoranda Registry of Toxic Effects of Chemical

Substances.

Sphera Solutions Inc., 4777 Levy Street, St Laurent, Quebec HAR 2P9, Canada.Regulation (EC) No

1272/2008 Annex VI.

<u>Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]</u>

Classification	Justification
Skin Irrit. 2, H315	Expert judgment
Eye Dam. 1, H318	Expert judgment

Full text of abbreviated H statements

Date of issue : 10.06.2021 Page:15/18

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

Full text of classifications [CLP/GHS]

Flam. Liq. 3, H226	FLAMMABLE LIQUIDS - Category 3
Acute Tox. 4, H302	ACUTE TOXICITY (oral) - Category 4
Skin Corr. 1A, H314	SKIN CORROSION/IRRITATION - Category 1A
Skin Irrit. 2, H315	SKIN CORROSION/IRRITATION - Category 2
Eye Dam. 1, H318	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
Acute Tox. 3, H331	ACUTE TOXICITY (inhalation) - Category 3
STOT SE 3, H335	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
	(Respiratory tract irritation) - Category 3

Date of printing: 10.06.2021Date of issue/ Date of revision: 10.06.2021Date of previous issue: 30.10.2020

Version : 2.0

Prepared by : Nordic Feed Solutions

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as at the date of its issue. The information it contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein, since all materials may represent unknown hazards and should be used with caution. Final determination of the suitability of any material is the sole responsibility of the user.

Date of issue: 10.06.2021 Page:16/18

Annex to the extended Safety Data Sheet (eSDS) - Exposure Scenario/Safe Use Information:

Identification of the substance or mixture

Product definition : Mixture

Product name : No tradename available.

Exposure Scenario/Safe: Not yet complete. **Use Information**

Date of issue: 10.06.2021 Page:17/18

Feed Acidifier 2-3 Solid.

Date of issue : 10.06.2021 Page:18/18