

P9 10510

FISH SAMPLING DATA

| Project Code: Wetbody: FULMORE | | Site Name: FUL-RST01 | | Date: 16-APR-24 (MORNING) | | Crew: MKM GCT | | Method: RST | | Camera Number: 112 | | | |
|---|----------|--------------------------------|------------------|-------------------------------------|------------------------------|-------------------------|------------|-----------------------|-------------|--|---------------|--|---------|
| Fish # | Specimen | Length | Foot Length (mm) | Weight (g) | Origin (wild or hatchery) | Age Sample | DNA Sample | Otolith Sample | Recap (Y/N) | Condition (possible damage to fin from RST) | Recap Mark ID | Photos | Comment |
| 1 | SK | SMOLT | 143 | 260.6 | WILD | SC-01 | FC-01 | - | N | - | 3 | 718-20 | |
| 2 | SK | SMOLT | 92 | 6.10 | WILD | SC-02 | FC-02 | - | N | - | 2 | 721-24 | |
| 3 | SK | SMOLT | 149 | 27.1 | WILD | SC-03 | FC-03 | - | N | - | 2 | 725-26 | |
| 4 | SK | SMOLT | 142 | 25.3 | WILD | SC-04 | FC-04 | - | N | SPLIT DORSAL FIN | 3 | 725-29 | |
| 5 | SK | SMOLT | 95 | 8.0 | WILD | SC-05 | FC-05 | - | N | - | 2 | 780-31 | |
| 6 | SK | SMOLT | 101 | 9.3 | - | - | - | - | N | - | 332-33 | | |
| 7 | SK | SMOLT | 131 | 18.9 | - | - | - | - | N | - | 334-35 | | |
| 8 | SK | SMOLT | 89 | 5.9 | - | - | - | - | N | - | 36-38 | | |
| 9 | SK | SMOLT | 91 | 6.7 | - | - | - | - | N | - | 39-40 | | |
| 10 | SK | SMOLT | 105 | 10.1 | - | - | - | - | N | - | 41-42 | | |
| 11 | SK | SMOLT | 140 | 22.1 | - | - | - | - | N | - | 43-45 | | |
| 12 | SK | SMOLT | 136 | 21.4 | - | - | - | - | N | - | 46-47 | IDENTIFIED DORSAL BEHIND D. FIN | |
| 13 | SK | SMOLT | 140 | 24.5 | - | - | - | - | N | SCHELISS L. SIDE - | 48-51 | | |
| 14 | SK | SMOLT | 143 | 25.8 | - | - | - | - | N | - | 52-54 | SPLIT DORSAL FIN | |
| 15 | SK | SMOLT | 138 | 22.9 | - | - | - | - | N | - | 55-56 | | |
| 16 | SK | SMOLT | 81 | 4.2 | - | - | - | - | N | - | 57-58 | BLACK SLOT 1 DAMAGE LEFT SIDE | |
| 17 | SK | SMOLT | 110 | 10.8 | - | - | - | - | N | - | 59-60 | | |
| 18 | SK | SMOLT | 137 | 21.5 | - | - | - | - | N | - | 61-64 | | |
| 19 | SK | SMOLT | 106 | 10.4 | - | - | - | - | N | - | 65-68 | IRR. PARR MARKS BUT SOME BLACK ON DORSAL & CAUDAL FINS | |
| 20 | SK | SMOLT | 143 | 25.1 | - | - | - | - | N | SCHELISS. BOTH SIDES - | 69-73 | | |
| 21 | SK | SMOLT | 146 | 25.6 | - | SC-06 | FC-06 | - | N | - | 74-76 | | |
| 22 | SK | SMOLT | 133 | 20.2 | - | - | - | - | N | MM | 77-79 | | |
| 23 | SK | SMOLT | 133 | 21.7 | - | SC-07 | FC-07 | - | N | MM | 80-81 | | |
| 24 | SK | SMOLT | 96 | 7.3 | - | SC-08 | FC-08 | - | N | SCHELISS | 82-86 | BLACK LEAVING EDGE ON CAUDAL FIN | |
| 25 | SK | SMOLT | 151 | 29.0 | - | - | - | - | N | SCHELISS | 87-89 | BUT PARR MARKS EXTEND WELL BELOW LATERAL LINE | |
| 26 | SK | SMOLT | 94 | 7.0 | - | - | - | - | N | SCHELISS | 90-91 | | |
| 27 | SK | SMOLT | 151 | 30.2 | - | - | - | - | N | SCHELISS | 92-93 | | |
| 28 | SK | SMOLT | 140 | 23.7 | - | - | - | - | N | SCHELISS | 94-95 | | |
| 29 | SK | SMOLT | 96 | 8.8 | - | - | - | - | N | SCHELISS | 96-97 | | |
| 30 | Loko | SMOLT | 102 | 9.0 | ✓ | SC-09 | FC-09 | - | N | SCHELISS | 748-81 | | |

FISH SAMPLING DATA

| Project Code | | Site Name | | Crew | | Method | | Condition | | Recap Mark ID | | Comment | |
|--------------|---------|-----------|------------------|------------|---------------------------|------------|------------|------------------|-------------|-----------------------------|---------------|---------------|---|
| Wannabot | | Fullmore | | Date | | R23T | | to far from RST) | | Photos | | Camera Number | |
| Fish # | Species | Length | Fork Length (mm) | Weight (g) | Origin (wild or hatchery) | Age Sample | DNA Sample | Otolith Sample | Recap (Y/N) | Condition (possible damage) | Recap Mark ID | | |
| 1 | SK | SMOLT | 97 | 7.0 | W | SC-10 | FC-10 | | N | - | - | B02-56 | MORE BLACK ON Caudal Fin BUT PARR MARKS |
| 2 | SK | SMOLT | 96 | 8.0 | | SC-11 | FC-11 | | N | - | - | B03-DB | 05-06 COMPARTION OF PREV FISH. |
| 3 | SK | Smolt | 141 | 22.7 | | | | | | | | B30 | |
| 4 | SK? | Smolt | 110 | 11.0 | | | | | | | | 0-0316 | BLACK ON Caudal & DORSAL FIN HERMISKE SPOTS ON LINE, NO DORSAL SPOTS VISIBLE. |
| 5 | SK | Smolt | 104 | 10.0 | | | | | | | | 17-21 | |
| 6 | SK | Smolt | 137 | 22.0 | | | | | | | | 22-23 | |
| 7 | SK | Smolt | 145 | 26.6 | | | | | | | | 24-27 | |
| 8 | SK | SMOLT | 96 | 8.0 | | | | | | | | 28-31 | |
| 9 | SK | SMOLT | 139 | 23.4 | | | | | | | | 32 | |
| 10 | SK | SMOLT | 139 | 23.7 | | | | | | | | 33 | |
| 11 | SK | SMOLT | 96 | 8.0 | | | | | | | | 34-37 | |
| 12 | SK | SMOLT | 106 | 10.8 | | | | | | | | 38-40 | |
| 13 | SK | SMOLT | 99 | 8.4 | | | | | | | | 41 | |
| 14 | SK | SMOLT | 94 | 7.4 | | | | | | | | 42-43 | |
| 15 | SK | SMOLT | 136 | 22.0 | | | | | | | | 44-47 | |
| 16 | SK | SMOLT | 104 | 10.0 | | | | | | | | 45 | |
| 17 | SK | SMOLT | 141 | 24.6 | | | | | | | | 46-47 | |
| 18 | SK | SMOLT | 98 | 8.6 | | | | | | | | 48 | |
| 19 | SK | SMOLT | 87 | 5.9 | | | | | | | | | |
| 20 | SK | SMOLT | 135 | 20.7 | | | | | | | | 49-50 | |
| 21 | SK | SMOLT | 106 | 9.4 | | | | | | | | 51 | |
| 22 | SK | SMOLT | 105 | 10.4 | | | | | | | | 52 | |
| 23 | SK | SMOLT | 135 | 22.0 | | | | | | | | 53-54 | |
| 24 | SK | SMOLT | 145 | 25.0 | | | | | | | | 55 | |
| 25 | SK | SMOLT | 105 | 10.2 | | | | | | | | 56 | |
| 26 | SK | SMOLT | 102 | 7.9 | | | | | | | | 57 | |
| 27 | SK | SMOLT | 91 | 6.0 | | | | | | | | 58 | |
| 28 | SK | SMOLT | 109 | 10.0 | | | | | | | | 59 | |
| 29 | SK | SMOLT | 105 | - | | | | | | | | 60 | scale loss left side |
| 30 | SK | SMOLT | 139 | 23.9 | | | | | | | | 61-63 | SPLIT COADL |
| | | | | | | | | | | | | N | 64 |

* - BLACK ON CAUDAL FIN BUT PARR MARKS BELOW LAT. LINE. RESEMBLES CM SMOLT BUT LIKELY MUCH LARGER THAN CM.

FISH SAMPLING DATA

| Project Code | Site Name | Crew | Carabiner Number | | | | | | | | | | |
|--------------|-----------|--------|------------------|------------|----------------------------|------------|------------|----------------|-------------------------------|---|---------------|--------|----------|
| Watershed | Date | Method | | | | | | | | | | | |
| Field # | Species | Length | Depth (m) | Weight (g) | Origin (field or hatchery) | Age Sample | DNA Sample | Outulin Sample | Recap (N/N) | Condition (Dorsal scale damage to fish from RST) | Recap Mark ID | Photos | Comments |
| 1 | SK Smolt | 97 | 8.2 | N | | | | | N | SC 1 loss LEFT SIDE | B65 | | |
| 2 | SK Smolt | 146 | 25.0 | | | | | | 6 | 14 | 6 | 6667 | |
| 3 | SK Smolt | 106 | 10.2 | | | | | | 10 | | 6B-67 | | |
| 4 | SK Smolt | 138 | 25.1 | | | | | | 11-13 | multiple codings and penetrations | | | |
| 5 | SK Smolt | 150 | 29.7 | | | | | | 14 | | | | |
| 6 | SK Smolt | 104 | 10.0 | | | | | | 15 | | | | |
| 7 | SK Smolt | 153 | 31.5 | | | | | | 16 | | | | |
| 8 | SK Smolt | 159 | 32.0 | | | | | | Scal 2 loss trap in area 2 | 77-78 | | | |
| 9 | SK Smolt | 125 | 10.3 | | | | | | SC L SIDE | 79 | | | |
| 10 | SK Smolt | 83 | 4.3 | | | | | | NC | camera DIED | | | |
| 11 | SK | 69 | 8.2 | | | | | | | | | | |
| 12 | SK | 112 | 11.5 | | | | | | | | | | |
| 13 | SK | 103 | 9.1 | | | | | | | | | | |
| 14 | SK | 128 | 18.2 | | | | | | | | | | |
| 15 | SK | 99 | 8.4 | | | | | | | | | | |
| 16 | SK Smolt | 153 | 20.4 | | | | | | | | | | |
| 17 | SK Smolt | 134 | 21.5 | | | | | | | | | | |
| 18 | SK Smolt | 93 | 7.2 | | | | | | | | | | |
| 19 | SK Smolt | 98 | 8.2 | | | | | | | | | | |
| 20 | SK Smolt | 125 | 15.5 | | | | | | | | | | |
| 21 | SK Smolt | 102 | 8.5 | | | | | | | | | | |
| 22 | SK Smolt | 139 | 26.8 | | | | | | | | | | |
| 23 | SK Smolt | 147 | 28.3 | | | | | | | | | | |
| 24 | SK Smolt | 95 | 7.2 | | | | | | | | | | |
| 25 | SK Smolt | 143 | 25.1 | | | | | | | | | | |
| 26 | SK Smolt | 155 | 32.1 | | | | | | | | | | |
| 27 | SK Smolt | 139 | 23.2 | | | | | | | | | | |
| 28 | SK Smolt | 142 | 24.7 | | | | | | | | | | |
| 29 | SK Smolt | 144 | 26.1 | | | | | | | | | | |
| 30 | SK Smolt | 112 | 12.5 | W | | | | | N | NC - head wound (both sides) WORN PHONE (2 DORSAL FINS!) | | | |

| Project Code: 1335 | | Site Name: FUL RESTO | | Crew: MKR, GET | |
|--------------------|---------|----------------------|------------------|----------------|---------------------------|
| Wardrobe: Fulmore | | Date: APR - 24 | | Method: RST | |
| Fish # | Species | Length | Fork Length (mm) | Weight (g) | Origin (wild or hatchery) |
| 1 | SK | Smolt | 105 | 2.6 | W |
| 2 | SK | Smolt | 146 | 27.9 | |
| 3 | SK | Smolt | 149 | 29.0 | |
| 4 | SK | Smolt | 140 | 23.8 | |
| 5 | SK | Smolt | 102 | 9.3 | |
| 6 | SK | Smolt | 102 | 9.1 | |
| 7 | SK | Smolt | 9.5 | 0.0 | |
| 8 | SK | Smolt | 105 | 10.3 | |
| 9 | SK | Smolt | 9.5 | 1.0 | |
| 10 | SK | Smolt | 152 | 30.1 | |
| 11 | SK | Smolt | 123 | 13.0 | |
| 12 | SK | Smolt | 138 | 23.8 | |
| 13 | SK | Smolt | 126 | 17.0 | |
| 14 | SK | Smolt | 103 | 9.6 | |
| 15 | SK | Smolt | 9.9 | 6.0 | |
| 16 | SK | Smolt | 118 | 14.0 | |
| 17 | SK | Smolt | 105 | 10.5 | |
| 18 | SK | Smolt | 106 | 10.6 | |
| 19 | SK | Smolt | 100 | 9.5 | |
| 20 | SK | Smolt | 135 | 22.3 | |
| 21 | SK | Smolt | 9.9 | 0.3 | |
| 22 | SK | Smolt | 9.5 | 7.5 | |
| 23 | SK | Smolt | 100 | 9.0 | |
| 24 | SK | Smolt | 127 | 18.1 | |
| 25 | SK | Smolt | 105 | 10.5 | |
| 26 | SK | Smolt | 100 | 8.6 | |
| 27 | SK | Smolt | 106 | 10.0 | |
| 28 | SK | Smolt | 123 | 15.0 | |
| 29 | SK | Smolt | 137 | 22.7 | ↙ |
| 30 | SK | Smolt | 131 | 19.2 | ↘ |

FISH SAMPLING DATA

| Project Code | Site Name | | Date | Crew | Camera Number | | | | | | | | |
|--------------|-----------|--------|------------------|------------|----------------------------|------------|------------|----------------|-------------|---|---------------|--------|---------|
| Waterbody | | | | RST | | | | | | | | | |
| Fish # | Species | Length | fork length (mm) | Weight (g) | Origin (field or hatchery) | Age Sample | DNA Sample | Otolith Sample | Recap (M/N) | Condition (possible damage to fin from RST) | Recap Mark ID | Photos | Comment |
| 1 | SK | Smolt | 137 | 207 | W | | | | N | | | | |
| 2 | SK | Smolt | 142 | 25.3 | | | | | | | | | |
| 3 | SK | Smolt | 153 | 53.8 | | | | | | | | | |
| 4 | SK | Smolt | 138 | 22.2 | | | | | | | | | |
| 5 | SK | Smolt | 145 | 26.9 | | | | | | | | | |
| 6 | SK | Smolt | 134 | 21.2 | | | | | | | | | |
| 7 | SK | Smolt | 143 | 25.0 | | | | | | | | | |
| 8 | SK | Smolt | 138 | 23.8 | | | | | | | | | |
| 9 | SK | Smolt | 144 | 27.3 | | | | | | | | | |
| 10 | SK | Smolt | 159 | 34.4 | | | | | | | | | |
| 11 | SK | Smolt | 129 | 19.2 | | | | | | | | | |
| 12 | SK | Smolt | 144 | 24.6 | | | | | | | | | |
| 13 | SK | Smolt | 143 | 24.6 | | | | | | | | | |
| 14 | SK | Smolt | 101 | 8.3 | | | | | | | | | |
| 15 | SK | Smolt | 143 | 24.2 | | | | | | | | | |
| 16 | SK | Smolt | 102 | 9.2 | | | | | | | | | |
| 17 | SK | Smolt | 111 | 12.0 | | | | | | | | | |
| 18 | SK | Smolt | 109 | 11.1 | | | | | | | | | |
| 19 | SK | Smolt | 97 | 8.1 | | | | | | | | | |
| 20 | SK | Smolt | 132 | — | | | | | | | | | |
| 21 | SK | Smolt | 132 | 22.1 | | | | | | | | | |
| 22 | SK | Smolt | 98 | 8.2 | | | | | | | | | |
| 23 | SK | Smolt | 146 | 27.6 | | | | | | | | | |
| 24 | SK | Smolt | 131 | 19.4 | | | | | | | | | |
| 25 | SK | Smolt | 92 | 6.8 | | | | | | | | | |
| 26 | SK | Smolt | 135 | 20.8 | | | | | | | | | |
| 27 | SK | Smolt | 142 | 25.0 | | | | | | | | | |
| 28 | SK | Smolt | 128 | 20.4 | | | | | | | | | |
| 29 | SK | Smolt | 136 | 20.7 | ↓ | | | | | | | | |
| 30 | SK | Smolt | 139 | 33.9 | W | | | | | | | | |

S.L = SCALE LOSS

FISH SAMPLING DATA

Rough Draft

| Project Code: | 1335 | Site Name: | FUL-RST1 | Crew: | MCM, GCT. | | | | | | | | | |
|---------------|---------|------------|------------------|------------|-------------------------|------------|------------|----------------|-------------|---|---------------|--------|---------|---------------|
| Watterbody: | FULMORE | Date: | 16-APR-21 | Method: | RST | | | | | | | | | |
| Fish # | Species | Length | Fork Length (mm) | Weight (g) | Otolith (left or right) | Age Sample | DNA Sample | Otolith Sample | Recap (Y/N) | Condition (possible damage to fin from RST) | Recap Mark ID | Photos | Comment | Camera Number |
| 1 | SK | SMOLT | 108 | 10.8 | W | | | | N | | | | | 112 |
| 2 | SK | | 103 | 10.1 | | | | | | | | | | |
| 3 | SK | | 132 | 20.6 | | | | | | | | | | |
| 4 | SK | | 142 | 25.3 | | | | | | | | | | |
| 5 | SK | | 163 | 25.4 | | | | | | | | | | |
| 6 | SK | | 152 | 30.1 | | | | | | | | | | |
| 7 | SK | | 142 | 26.1 | | | | | | | | | | |
| 8 | SK | | 102 | 8.9 | | | | | | | | | | |
| 9 | SK | | 145 | 28.1 | | | | | | | | | | |
| 10 | SK | | 130 | 18.2 | | | | | | | | | | |
| 11 | SK | | 105 | 9.9 | | | | | | | | | | |
| 12 | SK | | 87 | 5.4 | | | | | | | | | | |
| 13 | SK | | 98 | 7.7 | | | | | | | | | | |
| 14 | SK | | 100 | 8.7 | | | | | | | | | | |
| 15 | SK | | 143 | 25.4 | | | | | | | | | | |
| 16 | SK | | 138 | 22.6 | | | | | | | | | | |
| 17 | SK | | 146 | 27.0 | | | | | | | | | | |
| 18 | SK | | 98 | 7.6 | | | | | | | | | | |
| 19 | SK | | 143 | 25.6 | | | | | | | | | | |
| 20 | SK | | 98 | 8.0 | | | | | | | | | | |
| 21 | SK | | 89 | 6.4 | | | | | | | | | | |
| 22 | SK | | 110 | 11.3 | | | | | | | | | | |
| 23 | SK | | 132 | 23.0 | | | | | | | | | | |
| 24 | SK | | 96 | 7.6 | | | | | | | | | | |
| 25 | SK | | 103 | 9.7 | | | | | | | | | | |
| 26 | SK | | 106 | 9.1 | | | | | | | | | | |
| 27 | SK | | 142 | 24.7 | | | | | | | | | | |
| 28 | SK | | 144 | 25.0 | | | | | | | | | | |
| 29 | SK | | 108 | 10.5 | ✓ | | | | | | | | | |
| 30 | SK | SMOLT | 148 | 27.6 | W | | | | | | | | | |

FISH SAMPLING DATA

| Project Code | Site Name | | Crew: <u>AKM</u> , GET. | | | | | | | | | | |
|--------------|-----------|--------|-------------------------|-----------------|---------------------------|------------|------------|-------------|---------------|--|--------|---------|---------------|
| Waterbody | FULMORE | | Date | Date: 16-APR-24 | | | | | | | | | |
| Fish # | Species | Length | Fork Length (mm) | Weight (g) | Origin (Ward or Hatchery) | Age Sample | DNA Sample | Recap (Y/N) | Recap Mark ID | Condition (possible damage to fin from RSTI) | Photos | Comment | Camera Number |
| 1 | SK | SMOLT | 143 | 24.7 | W | | | | N | | | | |
| 2 | SK | | 138 | 22.9 | | | | | | | | | |
| 3 | SK | | 147 | 76.0 | | | | | | | | | |
| 4 | SK | | 131 | 19.4 | | | | | | | | | |
| 5 | SK | | 146 | 27.0 | | | | | | | | | |
| 6 | SK | | 146 | 26.2 | | | | | | | | | |
| 7 | SK | | 128 | 16.0 | | | | | | | | | |
| 8 | SK | | 134 | 20.3 | | | | | | | | | |
| 9 | SK | | 101 | 9.1 | | | | | | | | | |
| 10 | SK | | 143 | 24.5 | | | | | | | | | |
| 11 | SK | | 143 | 24.0 | | | | | | | | | |
| 12 | SK | | 141 | 23.1 | | | | | | | | | |
| 13 | SK | | 150 | 28.4 | | | | | | | | | |
| 14 | SK | | 95 | 7.0 | | | | | | | | | |
| 15 | SK | | 168 | 26.1 | | | | | | | | | |
| 16 | SK | | 139 | 22.5 | | | | | | | | | |
| 17 | SK | | 104 | 9.5 | | | | | | | | | |
| 18 | SK | | 103 | 9.9 | | | | | | | | | |
| 19 | SK | | 95 | 6.9 | | | | | | | | | |
| 20 | SK | | 95 | 6.0 | | | | | | | | | |
| 21 | SK | | 142 | 25.1 | | | | | | | | | |
| 22 | SK | | 136 | 22.5 | | | | | | | | | |
| 23 | SK | | 99 | 8.3 | | | | | | | | | |
| 24 | SK | | 115 | 12.5 | | | | | | | | | |
| 25 | SK | | 95 | 7.3 | | | | | | | | | |
| 26 | SK | | 133 | 21.2 | | | | | | | | | |
| 27 | SK | | 101 | 9.0 | | | | | | | | | |
| 28 | SK | | 134 | 20.0 | | | | | | | | | |
| 29 | SK | SMOLT | 95 | 7.2 | ✓ | | | | N | | | | |
| 30 | SK | | 128 | 16.5 | W | | | | | | | | |

FISH SAMPLING DATA

Page 806

| Project Code: | 1335 | Site Name: | FUL-RSTO | Crew: | MKE M.G.C.T. | | | | | | | | |
|---------------|---------|------------|------------------|------------|---------------------------|------------|------------|-------------|---------------|--|--------|---------|----------------|
| Waterbody: | FULMORE | Date: | 16-APR-24 | Method: | R-ST | | | | | | | | |
| Fish # | Species | Length | Fork Length (mm) | Weight (g) | Origin (Wild or Hatchery) | Age Sample | DNA Sample | Recap (Y/N) | Recap Mark ID | Condition (possible damage to fish from RST) | Photos | Comment | Camera Number: |
| 1 | SK | SMOLT | 134 | 20.5 | W | | | | | | | | NC |
| 2 | SK | | 148 | 27.3 | | | | | | | | | |
| 3 | SK | | 144 | 24.0 | | | | | | | | | |
| 4 | SK | | 88 | 5.8 | | | | | | | | | |
| 5 | SK | | 144 | 25.8 | | | | | | | | | |
| 6 | SK | | 108 | 10.2 | | | | | | | | | |
| 7 | SK | | 141 | 23.5 | | | | | | | | | |
| 8 | SK | | 148 | 27.3 | | | | | | | | | |
| 9 | SK | | 110 | 12.1 | | | | | | | | | |
| 10 | SK | | 145 | 26.7 | | | | | | | | | |
| 11 | SK | | 134 | 21.0 | | | | | | | | | |
| 12 | SK | | 144 | 26.8 | | | | | | | | | |
| 13 | SK | | 146 | 27.5 | | | | | | | | | |
| 14 | SK | | 150 | 30.2 | | | | | | | | | |
| 15 | SK | | 137 | 21.2 | | | | | | | | | |
| 16 | SK | | 93 | 7.2 | | | | | | | | | |
| 17 | SK | | 141 | 24.2 | | | | | | | | | |
| 18 | SK | | 140 | 23.4 | | | | | | | | | |
| 19 | SK | | 141 | 22.9 | | | | | | | | | |
| 20 | SK | | 132 | 16.4 | | | | | | | | | |
| 21 | SK | | 139 | 21.4 | | | | | | | | | |
| 22 | SK | | 146 | 27.2 | | | | | | | | | |
| 23 | SK | | 105 | 9.6 | | | | | | | | | |
| 24 | SK | | 124 | 20.5 | | | | | | | | | |
| 25 | SK | | 142 | 25.3 | | | | | | | | | |
| 26 | SK | SMOLT | 143 | 25.7 | | | | | | | | | |
| 27 | LEMMORE | JUV | 136 | 3.2 | | | | | | | | | |
| 28 | SK | SMOLT | 136 | 21.3 | | | | | | | | | |
| 29 | SK | | 98 | 8.3 | ↙ | | | | | | | | |
| 30 | SK | SMOLT | 136 | 21.1 | W | | | | | | | | |

| Project Code: | | Site Name: | | Crew: | |
|---------------|---------|------------|------------------|------------|---------------------------|
| Watersbody: | | Date: | | Method: | |
| Fish # | Species | Length | Fork Length (mm) | Weight (g) | Origin (wild or hatchery) |
| 1 | SK | SMOLT | 123 | 16.5 | N |
| 2 | SK | | 97 | 7.4 | |
| 3 | SK | | 141 | 26.5 | |
| 4 | SK | | 142 | 29.2 | |
| 5 | SK | | 139 | 24.2 | |
| 6 | SK | | 144 | 26.5 | |
| 7 | SK | | 143 | 26.3 | |
| 8 | SK | | 111 | 11.4 | |
| 9 | SK | | 110 | 11.6 | |
| 10 | SK | | 126 | 17.5 | |
| 11 | SK | | 92 | 6.8 | |
| 12 | SK | | 136 | 23.0 | |
| 13 | SK | | 135 | 21.6 | |
| 14 | SK | | 95 | 6.8 | |
| 15 | SK | | 162 | 35.0 | |
| 16 | SK | | 193 | 28.4 | |
| 17 | SK | | 124 | 16.0 | |
| 18 | SK | | 142 | 25.3 | |
| 19 | SK | | 141 | 24.8 | |
| 20 | SK | | 152 | 31.2 | |
| 21 | SK | | 128 | 17.0 | |
| 22 | SK | | 143 | 26.5 | |
| 23 | CO | | 102 | 10.3 | SC-13 FC-13 |
| 24 | SK | ✓ | 146 | 26.0 | |
| 25 | CO | SMOLT | 172 | 15.6 | SC-14 FC-14 |
| 26 | CC | FG | 37 | 0.5 | |
| 27 | CC | FG | 36 | 0.4 | |
| 28 | CC | FG | 41 | 0.6 | |
| 29 | CC | FG | 34 | 0.3 | W |
| 30 | | | | | N |

FISH SAMPLING DATA

Rogel 10000

| Project Code | 335 | Site Name | FULMORE | Crew | M.V.N. GET | | | | | | | | |
|--------------|---------|-----------|------------------|------------|---------------------------|------------|------------|-------------|---------------|--|--------|---------|---------------|
| Waterbody | | Date | 16-APR-24 | Method | RST | | | | | | | | |
| Fish # | Species | Length | Fork Length (mm) | Weight (g) | Origin (wild or hatchery) | Age Sample | DNA Sample | Recap (Y/N) | Recap Mark ID | Condition (possible damage to fish from RST) | Photos | Comment | Camera Number |
| 1 | CC | JUV | 39 | 0.6 | W | N | | | | | | | 112 |
| 2 | LAMP | JUV | 120 | 2.7 | W | Y | | | | | | | |
| 3 | LAMP | JUV | 135 | 3.0 | W | Y | | | | | | | |
| 4 | LAMP | JUV | 115 | 2.2 | W | Y | | | | | | | |
| 5 | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | |
| 11 | | | | | | | | | | | | | |
| 12 | | | | | | | | | | | | | |
| 13 | | | | | | | | | | | | | |
| 14 | | | | | | | | | | | | | |
| 15 | | | | | | | | | | | | | |
| 16 | | | | | | | | | | | | | |
| 17 | | | | | | | | | | | | | |
| 18 | | | | | | | | | | | | | |
| 19 | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | |
| 21 | | | | | | | | | | | | | |
| 22 | | | | | | | | | | | | | |
| 23 | | | | | | | | | | | | | |
| 24 | | | | | | | | | | | | | |
| 25 | | | | | | | | | | | | | |
| 26 | | | | | | | | | | | | | |
| 27 | | | | | | | | | | | | | |
| 28 | | | | | | | | | | | | | |
| 29 | | | | | | | | | | | | | |
| 30 | | | | | | | | | | | | | |