KIPRÉ ELECTRIC BIKES

WORLD TOP QUALITY ELECTRIC BICYCLES

TOP RANK- BEST BRAND - HIGH QUALITY - ARTISTIC DESIGN, FASHION SHOW - UNIQUE STYLE - VERY CLASSIC - ULTRA MODERN - ANTIQUE MODEI

Specification Sheet

Brand: KIPRÉ. Model: KEV-QS-1901

\$690 USD

J
M
П
P
RI
CE:
CII
= =
C
0
ST
ī.
IN
8
U
R
Α
N
C
Е
Α
V
D
В
R
3
G
н
Т

	101011	ii component	
Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
	Geared hub motor	Tyres	20X1.75 Kenda tyre
	36v 250w Rear motor	Rim	Al alloy double wall,CNC side wall
Foldable	Yes	Front/rear brake	V brake
Battery	36v 10ah li-ion battery	Speed gears	SHIMANO 7 speed
Display	LED display with 3 assist level	Handlebar	Al alloy
		Stem	Al alloy
PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
Controller	intelligent brushless,KT brand	Chain	KMC
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy ,al alloy crank
Charge	Charging time: 4-6h	Mudguard	Al alloy
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Al alloy
Range	45-60km(PAS)	Saddle	Soft comfortable
Max load	125kgs	Pedal	Wellgo, foldable
Gross weight	23kgs	Front fork	ZOOM brand, suspension, Al alloy
Packing	880*375*660mm	Capacity	20Ft 120 pcs / 40Ft 290 pcs

Brand: KIPRÉ. Model: KEV-QS-1902		Mai	n components	5
	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
		Geared hub motor	Tyres	20X1.75 Kenda tyre
		36V 250W Rear motor	Rim	Al alloy double wall,CNC side wall
~ (\ \ \	Foldable	Yes	Front/rear brake	V brake
	Battery	36V/10Ah li-ion battery	Speed gears	SHIMANO 7 speed
	Display	LED display with 3 assist level	Handlebar	Al alloy
			Stem	Al alloy
_\].	PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
	Controller	intelligent brushless,KT brand	Chain	КМС
	Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy,al alloy crank
	Charger	Charging time: 4-6h	Mudguard	Al alloy
	Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Al alloy
	Range	45-60km(PAS)	Saddle	Soft comfortable
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Max load	125kgs	Pedal	Wellgo,foldable
	Gross weight	23kgs	Front fork	ZOOM brand,suspension,Al alloy
\$690 USD CIF	Packing	880*375*660mm	Capacity	20Ft 120 pcs / 40Ft 290 pcs

Brand: KIPRÉ. Model: KEV-QS-1903		Mai	n components	s
•	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
		Geared hub motor	Tyres	20X1.75 Kenda tyre
		36V 250W Rear motor	Rim	Al alloy double wall,CNC side wall
\\ \	Foldable	Yes	Front/rear brake	V brake
	Battery	36V/10Ah li-ion battery	Speed gears	SHIMANO 7 speed
	Display	LED display with 3 assist level	Handlebar	Al alloy
T			Stem	Al alloy
	PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
	Controller	intelligent brushless,KT brand	Chain	KMC
	Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy,al alloy crank
	Onlarger	Charging time: 4-6h	Mudguard	Al alloy
	Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Al alloy
	Range	45-60km(PAS)	Saddle	Soft comfortable
	Max load	125kgs	Pedal	Wellgo, foldable
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Gross weight	23kgs	Front fork	ZOOM brand,suspension,Al alloy
\$690 USD CIF	Packing	880*375*660mm	Capacity	20 Ft 120 pcs / 40Ft 290 pcs

Brand: KIPRÉ. Model: KEV-QS-1904		Mai	n components	S
	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
		Geared hub motor	Tyres	20X1.75 Kenda tyre
		36V 250W front motor	Rim	Al alloy double wall,CNC side wall
	Foldable	Yes	Front/rear brake	V brake
\	Battery	36V/8.8Ah li-ion battery	Speed gears	SHIMANO nexus 3 speed w/ coaster brake
	Display	LED display with 3 assist level	Handlebar	Al alloy
			Stem	Al alloy ZOOM BRAND
	PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
	Controller	intelligent brushless,KT brand	Chain	КМС
	Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy,al alloy crank
	Cilargei	Charging time: 4-6h	Mudguard	Al alloy
	Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Al alloy
	Range	45-60km(PAS)	Saddle	Soft comfortable SR brand
	Max load	125kgs	Pedal	Wellgo, foldable
UNIT PRICE: CIF - COST, INSURANCE AND FREIGHT	Gross weight	24kgs	Front fork	steel
\$690 USD CIF	Packing	880*375*660mm	Capacity	20Ft 120 pcs / 40Ft 290 pcs

Brand: KIPRÉ. Model: KEV- QS-1905		Mai	n component	5
	Motor	Light weight high speed brushless	Frame	Aluminium alloy
		36V 250W	Tyres	20X1.75 Kenda tyre
		Shengyi brand mid drive motor	Rim	Al alloy double wall,CNC side wall
	Foldable	No	Front brake	Disc brake
	Battery	36V/7.8Ah li-ion battery	Rear brake	Disc brake
	Display	LCD display with 5 assist level	Speed gears	SHIMANO 6 speed
	PAS	Torque sensor	Handlebar	Al alloy
	Controller	Shengyi brand inside mid drive motor	Stem	Al alloy
	Charger	AC 100V -240V 2amps smart charger	Brake lever	Al alloy with power off switch
	Charger	Customer request plug	Chain	KMC stainless
	Max speed	25km/h(EU),32km/h(USA&Canada)	Chain wheel	Alloy 46T,al alloy crank
	Range	40-50 km	Mudguard	Without
	Max load	125 kgs	Rear rack	Without
	Gross weight	24 kgs	Saddle	Soft comfortable,SR brand
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Capacity	20Ft 95 pcs / 40Ft 210 pcs	Pedal	Wellgo,Al alloy
\$890 USD CIF	Packing	1350*300*700 mm	Front fork	Aluminium alloy

Brand: KIPRÉ. Model: KEV-QS-1906		Mai	n components	S
	Motor	Light weight high speed brushless	Frame	Al alloy,6061
		Geared hub motor	Tyres	700C Kenda tyre
		36V 250W Rear motor	Rim	Al alloy triple wall
			Front/rear brake	Clamp brake
	Battery	36V/8.8Ah li-ion battery(panasonic)	Speed gears	fixed gear
	Display	LED display with 3 assist level	Handlebar	Al alloy,6061
			Stem	Al alloy,6061
	PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
	Controller	intelligent brushless	Chain	КМС
	Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy
		Charging time: 4-6h	Mudguard	without
	Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	without
	Range	45-60km(PAS)	Saddle	Soft comfortable
	Max load	125kgs	Pedal	Plastic
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Gross weight	23kgs	Front fork	Al alloy,6061
USD 690 for bafang motor and samsung battery \$690 USD CIF	Packing size	1350*260*720mm	Capacity	20Ft 85 pcs / 40Ft 200 pcs

Brand: KIPRÉ. Model: KEV-QS-1907		Mai	n components	5
	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
		Geared hub motor	Tyres	26X1.75 Kenda tyre
		36V 250W front motor	Rim	Al alloy ,
			Front/rear brake	V brake,Promax Brand
	Battery	36V/10.4Ah li-ion battery	Speed gears	SHIMANO 6 speed
	Display	LED display with 3 assist level	Handlebar	Steel
			Stem	Al alloy
\\	PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
	Controller	intelligent brushless,KT brand	Chain	KMC stainless
	Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 42T,Al crank
	Charger	Charging time: 4-6h	Mudguard	Steel
	Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Al alloy
	Range	45-60km(PAS)	Saddle	Soft comfortable,SR
	Max load	125kgs	Pedal	Al alloy
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Gross weight	22kgs	Front fork	Steel
\$690 USD CIF	Packing size	1480*250*790mm	Capacity	20Ft 84 pcs / 40Ft 162 pcs

Brand: KIPRÉ. Model: KEV-QS-1908		Mai	n components	5
	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
No.		Geared hub motor	Tyres	26X1.75 Kenda tyre
		36V 250W Rear motor	Rim	Al alloy double wall,CNC side wall
			Front/rear brake	V brake
A /	Battery	36V/10Ah li-ion battery	Speed gears	SHIMANO 7 speed
	Display	LED display with 3 assist level	Handlebar	Al alloy
			Stem	Al alloy
	PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
- I	Controller	intelligent brushless,KT brand	Chain	КМС
	Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 48T,al alloy crank
	Charger	Charging time: 4-6h	Mudguard	Al alloy
	Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Al alloy
	Range	45-60km(PAS)	Saddle	Soft comfortable
	Max load	125kgs	Pedal	Plastic
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Gross weight	22kgs	Front fork	suspension,Al alloy
USD 690 for bafang motor and samsung battery \$690 USD CIF	Packing size	1480*250*790mm	Capacity	20Ft 84 pcs / 40Ft 162 pcs

Brand: KIPRE. Model KEV-QS-1909		Mai	n component	S
	Motor	Light weight high speed brushless	Frame	Hi-ten steel
		Geared hub motor	Tyres	24X1.75 Kenda tyre
		36V 250W	Rim	Al alloy ,
	Front light	LED	Front/rear brake	V brake
	Battery	36V/8.8Ah li-ion battery	Speed gears	Single speed
	Display	No (if need LED display add 5 RMB)	Handlebar	Steel
	Basket	Yes	Stem	Al alloy
	PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
	Controller	intelligent brushless,XT brand	Chain	KMC stainless
	Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 42T,Al crank
	Charger	Charging time: 4-6h	Mudguard	Steel
	Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Hi-ten stronger for carrier
	Range	45-60km(PAS)	Saddle	F: Soft comfortable,SR / R: Soft for carrier
	Max load	125kgs	Pedal	Plastic city style
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Gross weight	21kgs	Front fork	Alloy suspension
\$690 USD CIF	Packing size	1480*250*790mm	Capacity	20Ft 84 pcs / 40Ft 162 pcs

Brand: KIPRÉ. Model: KEV-QS-1910		Mai	n component	s
	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
		Geared hub motor	Tyres	26X1.75 Kenda tyre
		36V 250W Rear motor	Rim	Al alloy double wall, CNC side wall
* /	Foldable	NO	Front brake	V brake
	Battery	36V/10Ah li-ion battery	Rear brake	V brake
Second M.	Display	LCD display with 5 assist level	Speed gears	SHIMANO 7 speed
	PAS	1:1 pedal assistant system	Pedal	Al alloy
	Controller	intelligent brushless,KT brand	Front fork	suspension,Al alloy
	Charger	AC 100V -240V 2amps smart charger	Chain	КМС
	Onlarger	Charging time: 4-6h	Certification	CE,EN15194
	Max speed	25km/h(EU),32km/h(USA&Canada)	Capacity	20Ft 84 pcs / 40Ft 162 pcs
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Range	45-60km(PAS)	Packing	1480*250*790mm
\$690 USD CIF				

Down de KIDDÉ Mardal, KEV OC 1011		Mai		
Brand: KIPRÉ. Model: KEV-QS-1911			n components	
9**	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
		Geared hub motor	Tyres	700C*40C kenda tyre
		36V 250W Rear motor	Rim	Al alloy double rims
4	Foldable	NO	Front brake	V brake
	Battery	36V/10Ah li-ion battery	Rear brake	V brake
	Display	LCD display with 5 assist level	Speed gears	SHIMANO 7 speed
	PAS	1:1 pedal assistant system	Chain	кмс
	Controller	intelligent brushless,KT brand	Pedal	Al alloy
	Charger	AC 100V -240V 2amps smart charger	Front fork	Aluminium alloy,6061
		Charging time: 4-6h	Certification	CE,EN15194
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Max speed	25km/h(EU),32km/h(USA&Canada)	Packing size	1480*250*790mm
\$690 USD CIF	Range	45-60km(PAS)	Capacity	20Ft 84pcs / 40Ft 160 pcs

Brand: KIPRÉ. Model: KEV-QS-1912	Main components				
20-	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061	
		Rear hub motor	Tyres	26"*1.75 kenda tyre	
4		36V 250W	Rim	Al alloy double rims	
	Basket	YES	Front brake	V brake	
	Battery	36V/8.8Ah li-ion battery	Rear brake	V brake	
	Display	LED display with 3 assist level	Speed gears	SHIMANO 7 speed	
	PAS	1:1 pedal assistant system	Chain	KMC	
	Controller	intelligent brushless,LISHUI brand	Pedal	Plastic	
	Charger	AC 100V -240V 2amps smart charger	Front fork	Hi-ten rigid fork	
		Charging time: 4-6h	Certification	CE,EN15194	
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Max speed	25km/h(EU),32km/h(USA&Canada)	Packing size	1480*250*790mm	
\$690 USD CIF	Range	45-60km(PAS)	Capacity	20Ft 84 pcs / 40Ft 160 pcs	

Brand: Kipré. Model: KEV-QS-1913		Mai	n components	5
	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
		Geared hub motor	Tyres	700*45c Kenda tyre
		36V 250W 8fun Rear motor	Rim	Al alloy
			Stem	Al alloy,Zoom Brand
	Foldable	NO	Front brake	disc brake,Promax Brand
	Battery	36V/10.4Ah li-ion battery	Rear brake	disc brake,Promax Brand
	Display	LCD display with 5 assist level	Speed gears	SHIMANO 7 speed
			Pedal	Al alloy
	PAS	1:1 pedal assistant system	Front fork	suspension,zoom,Aluminium alloy
	Controller	intelligent brushless,KT brand	Chain	KMC stainless
		AC 100V -240V 2amps smart charger	Certification	CE,EN15194
	Charger	Charging time: 4-6h	Rear rack	Al alloy,MATT Black
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Max speed	25km/h(EU),32km/h(USA&Canada)	Capacity	20Ft 70 pcs / 40Ft 160 pcs
\$690 USD CIF	Range	45-60km(PAS)	Packing	1560*270*960mm

Brand: KIPRÉ. Model: KEV-QS-1914		Mai	n components	5
,	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
		Geared hub motor	Tyres	700*45c Kenda tyre
		36V 250W 8fun Rear motor	Rim	Al alloy
			Stem	Al alloy,Zoom Brand
	Foldable	NO	Front brake	disc brake,Promax Brand
	Battery	36V/10.4Ah li-ion battery	Rear brake	disc brake,Promax Brand
	Display	LCD display with 5 assist level	Speed gears	SHIMANO 7 speed
			Pedal	Al alloy
	PAS	1:1 pedal assistant system	Front fork	suspension,zoom,Aluminium alloy
	Controller	intelligent brushless,KT brand	Chain	KMC stainless
		AC 100V -240V 2amps smart charger	Certification	CE,EN15194
	Charger	Charging time: 4-6h	Rear rack	Al alloy,MATT Black
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Max speed	25km/h(EU),32km/h(USA&Canada)	Capacity	20Ft 70pcs,40Ft 160pcs
\$690 USD CIF	Range	45-60km(PAS)	Packing	1550*260*950mm(inner)1560*270*960mm(outer)

Brand: KIPRÉ. Model: KEV-QS-1915		Maiı	n components	
Biana. Kii Ke. Model. Kev Q3-1313	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
		Geared hub motor	Tyres	26X1.75 Kenda tyre
		36V 250W Rear motor	Rim	Al alloy CNC side wall
			Front/rear brake	V brake
	Battery	36V/10Ah li-ion battery	Speed gears	SHIMANO 7 speed
	Display	LED display with 3 assist level	Handlebar	Al alloy
			Stem	Al alloy
	PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
	Controller	intelligent brushless,KT brand	Chain	KMC
	Charren	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 48T,al alloy crank
	Charger	Charging time: 4-6h	Mudguard	Al alloy
	Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Al alloy
	Range	45-60km(PAS)	Saddle	Soft comfortable
	Max load	125kgs	Pedal	Al alloy
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Gross weight	22kgs	Front fork	suspension,Al alloy
\$690 USD CIF	Packing size	1530*260*820mm	Capacity	20Ft 84 pcs / 40Ft 162 pcs

Brand: KIPRÉ. Model: KEV-QS-1916		Mai	n component	S
	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
		Geared hub motor	Tyres	700C*40C Kenda Tyre
		36V 250W Rear motor	Rim	Al alloy double wall,CNC side wall
			Front/rear brake	V brake
	Battery	36V/10Ah li-ion battery	Speed gears	SHIMANO 7 speed
	Display	LCD display with 5 assist level	Handlebar	Al alloy
Y			Stem	Al alloy,adjustable
	PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
A COL	Controller	intelligent brushless,KT brand	Chain	KMC
	01	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 38T,al alloy crank
	Charger	Charging time: 4-6h	Mudguard	Al alloy
	Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Al alloy
	Range	45-60km(PAS)	Saddle	Soft comfortable
	Max load	125kgs	Pedal	Al alloy
UNIT PRICE: CIF- COST, INSURANCE AND FREIGHT	Gross weight	24kgs	Front fork	Al alloy with suspension
\$790 USD CIF	Packing size	1530*260*820mm	Capacity	20Ft 80 pcs / 40Ft 200 pcs

Brand: KIPRÉ. Model: KEV-IMQ- QS-1917		Mai	n component	s
	Motor	Light weight high speed brushless	Frame	Aluminium alloy
		Geared hub motor	Tyres	700C*40C Kenda Tyre
		36V 180W Front motor	Rim	Al alloy double wall
	Foldable	NO	Front brake	Tektro V brake
	Battery	36V/10Ah li-ion battery	Rear brake	SHIMANO roller brake
	Display	LCD display with 5 assist level	Speed gears	SHIMANO nexus 7 speed
	PAS	1:1 pedal assistant system	Pedal	Al alloy
2000	Controller	intelligent brushless,KT brand	Front fork	Al alloy
	Charger	AC 100V -240V 2amps smart charger	Chain	кмс
	Charger	Charging time: 4-6h	Packing size	1530*260*820mm
UNIT PRICE: CIF USD 990 / pc	Max speed	25km/h(EU),32km/h(USA&Canada)	Certification	CE,EN15194
\$990 USD CIF	Range	45-60km(PAS)	Capacity	20Ft 80 pcs / 40Ft 150 pcs

Brand: KIPRÉ. Model: KEV-QS-1918	Main components				
	Motor	Light weight high speed brushless	Frame	Aluminium alloy	
		Geared hub motor bafang	Tyres	27.5*1.95 kenda tyre	
		48V 350W rear motor	Rim	Al alloy double wall	
	Foldable	NO	Front brake	Disc brake	
	Battery	48V/10.4Ah li-ion battery samsung	Rear brake	Disc brake	
	Display	LCD display with 5 assist level	Speed gears	SHIMANO Altus 7 speed	
	PAS	1:1 pedal assistant system	Chain	КМС	
	Controller	intelligent brushless	Pedal	Al alloy	
	Charger	AC 100V -240V 2amps smart charger	Front fork	Al alloy with suspension,SR suntour brand	
		Charging time: 4-6h	Certification	CE,EN15194	
	Max speed	25km/h(EU),32km/h(USA&Canada)	Packing size	1420*280*900mm	
UNIT PRICE: CIF USD 790 / pc	Range	45-60km(PAS)	Capacity	20Ft 80 pcs / 40Ft 180 pcs	
\$790 USD CIF					

Brand: KIPRÉ. Model: KEV-QS-1919

UNIT PRICE: CIF USD 890 if change to speed sensor will be CIF USD 990



\$790 USD

Motor

Light weight high speed brushless

Geared hub motor

Main components						
Motor	Light weight high speed brushless	Frame	Aluminium alloy			
	36V 250W hub motor	Tyres	700C X 40C Kenda tyre			
	Aikema rear motor	Rim	Al alloy double wall,CNC side wall			
		Front brake	hydraulic disc brake,TEKTRO brand			
		Rear brake	hydraulic disc brake,TEKTRO brand			
Battery	36V/10.4Ah Samsung battery	Speed gears	SHIMANO 7 speed			
Display	LCD display with 5 assist level	Handlebar	Al alloy			
		Stem	Al alloy			
PAS	Torque sensor	Brake lever	Al alloy			
Controller	Intelligent brushless, Lishui brand	Drive system	KMC brand			
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 48T,al alloy crank			
Charge	Charging time: 4-6h	Mudguard	Plastic			
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Al alloy			
Range	45-60km	Saddle	Soft comfortable,SR brand			
Max load	125kgs	Pedal	Al alloy,Wellgo			
Gross weight	25kgs	Front fork	Suntour brand, suspension, Al alloy			

Main components
Frame

Tyres

Aluminium alloy

26X1.95 Kenda tyre

T	

Brand: KIPRÉ. Model: KEV-QS-1920

UNIT PRICE: CIF USD 790 / pc

	36V 250W Rear hub motor	Rim Al alloy CNC side wall	
		Front/rear brake	Disc brake
Battery	36V/8.8Ah li-ion battery	Speed gears	SHIMANO 21 speed
Display	LCD display with 5 assist level	Handlebar	Al alloy
		Stem	Al alloy
PAS	1:1 pedal assistant system	Brake lever	Al alloy
Controller	intelligent brushless,KT brand	Chain	КМС
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy,al alloy crank
Charge	Charging time: 4-6h	Mudguard	without
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	without
Range	45-60km(PAS)	Saddle	Soft comfortable
Max load	125kgs	Pedal	Al alloy
Gross weight	23kgs	Front fork	Al alloy with suspension, MOZO
Packing size	1400*250*760mm	Capacity	20Ft 80 pcs / 40Ft 200 pcs

Brand: KIPRÉ. Model: KEV-QS-1921		Mai	n component	c
Brailu. KIPKE. Wodel. KEV-Q5-1921	Matan		_	
4	Motor	Light weight high speed brushless	Frame	Aluminium alloy
		Geared hub motor	Tyres	26X1.95 Kenda tyre
		36v 500w rear hub motor	Rim	Al alloy double wall,CNC inside
	Foldable	NO	Front brake	Disc brake
	Battery	36V/13Ah li-ion battery(Samsung)	Rear brake	Disc brake
	Display	LCD display with 5 assist level	Speed gears	SHIMANO 7 speed
	PAS	1:1 pedal assistant system	Handlebar	Al alloy
	Controller	intelligent brushless,KT brand	Brake lever	Al alloy with power off switch
	Charger	AC 100V -240V 2amps smart charger	Stem	Al alloy
	Onarger	Charging time: 4-6h	Saddle	Soft comfortable
	Max speed	25km/h(EU),32km/h(USA&Canada)	Pedal	Al alloy
	Range	60-65km(PAS)	Front fork	ZOOM brand, suspension, Al alloy
	Max load	125kgs	Chain	KMC
UNIT PRICE: CIF USD 890 / pc	Gross weight	22kgs	Certification	CE,EN15194
\$890 USD CIF	Packing size	151*26*92cm	Capacity	20Ft 84 pcs / 40Ft 162 pcs

Brand: KIPRÉ. Model: KEV-QS-1922		Mai	n component	s
	Motor	Light weight high speed brushless	Frame	Aluminium alloy 6061
⊈.		Geared hub motor	Tyres	26X1.75 Kenda tyre
		48V 500W Rear hub motor	Rim	All alloy double wall , CNC side wall
			Front/rear brake	Disc brake
	Battery	48V/8.8Ah li-ion battery	Speed gears	SHIMANO 7 speed
	Display	LCD display with 5 assist level	Handlebar	ALL alloy
			Stem	ALL alloy
	PAS	Torque sensor	Brake lever	ALL alloy
	Controller	intelligent brushless	Chain	KMC
	Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 44T,all alloy crank
	Charger	Charging time: 4-6h	Mudguard	without
	Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	without
	Range	55-60km(PAS)	Saddle	Soft comfortable
	Max load	125kgs	Pedal	Al alloy
UNIT PRICE: CIF USD 890 / pc	Gross weight	23kgs	Front fork	Al alloy with suspension, ZOOM brand
\$890 USD CIF	Packing size	1400*250*760mm	Capacity	20Ft 80 pcs / 40Ft 200 pcs

Brand: KIPRÉ. Model: KEV-QS-1923		Maiı	n components	3
	Motor	Rear Mounted Geared hub	Frame	Aluminium alloy 6061 size 27.5"*17"
		Bafang brand	Tyres	27.5*2.1 kenda tyre
1		36V 350W rear motor	Rim	Al alloy double wall
			Front brake	Disc brake TEKTRO brand Mechanical w/lever
	Battery	36V/13Ah li-ion battery samsung 18650	Rear brake	Disc brake TEKTRO brand Mechanical w/lever
	Display	LCD display with 5 assist level	Speed gears	SHIMANO Tourney 7 speed
	PAS	1:1 pedal assistant system	Chain	кмс
As .	Controller	intelligent brushless	Chainwheel	Prowheel Ounce
There will	Charger	AC 100V -240V 2amps smart charger	Pedal	Al alloy Wellgo brand
		Charging time: 4-6h	Front fork	Al alloy with suspension,SR suntour XCT
	Max speed	28km/h	Certification	CE,EN15194
UNIT PRICE: CIF USD 890 / pc	Range	50-65km(PAS)	Packing size	1420*280*900mm
\$890 USD CIF			Capacity	20Ft 80 pcs / 40Ft 180 pcs

Brand: KIPRÉ. Model: KEV-QS-1924		Mair	n components	5
4	Motor	Rear Mounted Geared hub	Frame	Aluminium alloy 6061 size 27.5"*17"
		Bafang brand	Tyres	27.5*2.1 kenda tyre
		36V 350W rear motor	Rim	Al alloy double wall
			Front brake	Disc brake TEKTRO brand Mechanical w/lever
	Battery	36V/13Ah li-ion battery samsung 18650	Rear brake	Disc brake TEKTRO brand Mechanical w/lever
	Display	LCD display with 5 assist level	Speed gears	SHIMANO Tourney 7 speed
	PAS	1:1 pedal assistant system	Chain	кмс
	Controller	intelligent brushless	Chainwheel	Prowheel Ounce
	Charger	AC 100V -240V 2amps smart charger	Pedal	Al alloy Wellgo brand
		Charging time: 4-6h	Front fork	Al alloy with suspension,SR suntour XCT
	Max speed	28km/h	Certification	CE,EN15194
UNIT PRICE: CIF USD 890 / pc	Range	50-65km(PAS)	Packing size	1420*280*900mm
\$890 USD CIF			Capacity	20Ft 80 pcs / 40Ft 180 pcs

Brand: KIPRÉ. Model: KEV-QS-1925		Mai	n component	S
_	Motor	Light weight high speed brushless	Frame	Aluminium alloy 6061
& ⊷		Geared hub motor	Tyres	26"X2.10" Kenda tyre
		36V BAFANG Middle drive motor	Rim	Al alloy CNC side wall
		250W - 350W for optional	Front/rear brake	SHIMANO DISC BRAKE
	Battery	36V/11Ah li-ion battery ,18650 cells	Speed gears	SHIMANO 9 speed
	Display	LCD display BAFANG	Handlebar	AL alloy
			Stem	AL alloy
	PAS	Torque sensor BAFANG	Brake lever	AL alloy
	Controller	intelligent brushless,BAFANG	Chain	KMC stainless
	Charger	AC 100V -240V 2amps smart charger	Chain wheel	BAFANG Al alloy crank
	Charge	Charging time: 4-6h	Mudguard	without
The same of the sa	Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	without
	Range	55-65km(PAS)	Saddle	Soft comfortable, SR brand
	Max load	125kgs	Pedal	Al alloy
UNIT PRICE: CIF USD 1290 / pc	Gross weight	23kgs	Front fork	Al alloy with suspension, RST brand
\$1290 USD CIF	Packing size	1400*250*760mm	Capacity	20Ft 80 pcs / 40Ft 200 pcs

Brand: KIPRÉ. Model: KEV-QS-1926		Ma	in component	s
	Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061
		Geared hub motor	Tyres	20X1.75 Kenda tyre
7		36v 250w Rear motor	Rim	Al alloy double wall,CNC side wall
₩ { }	Foldable	Yes	Front/rear brake	DISC brake
	Battery	36v 10ah li-ion battery	Speed gears	SHIMANO 7 speed
	Display	LED display with 3 assist level	Handlebar	Steel
			Stem	Al alloy
	PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
	Controller	intelligent brushless,KT brand	Chain	KMC
	Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy ,al alloy crank
	Charge	Charging time: 4-6h	Mudguard	Al alloy
	Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Al alloy
	Range	45-60km(PAS)	Saddle	Soft comfortable FAT
UNIT PRICE: CIF USD 790 / pc	Max load	125kgs	Pedal	Wellgo,foldable
	Gross weight	24kgs	Front fork	Suspension,Al alloy
\$790 USD CIF	Packing	880*660*375mm	Capacity	20Ft 120 pcs / 40Ft 290 pcs
\$790 USD	Gross weight	24kgs	Front fork	Suspension,Al alloy



UNIT PRICE: CIF USD 790 / pc

\$7	790 U	SD
\	CIF	

\$790 USD CIF Motor

Light weight high speed brushless

Geared hub motor

Main components				
Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061	
	Geared hub motor	Tyres	20X4.0 Kenda tyre	
	48v 500W Rear motor	Rim	Al alloy double wall	
		Front/rear brake	Disc brake	
Battery	48V/10.4Ah Samsung li-ion battery	Speed gears	SHIMANO 7 speed	
Display	LCD display with 5 assist level	Handlebar	Al alloy	
		Stem	Al alloy	
PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch	
Controller	intelligent brushless,KT brand	Chain	КМС	
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy,al alloy crank	
Charger	Charging time: 4-6h	Mudguard	Al alloy	
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Al alloy	
Range	45-60km(PAS)	Saddle	Soft comfortable,SR	
Max load	125kgs	Pedal	foldable	
Gross weight	20kgs	Front fork	suspension, Al alloy, MOZO	
Packing	1500*320*800mm	Capacity	20Ft 62 pcs / 40Ft 168 pcs	

Main components

Frame

Tyres

Aluminium alloy,6061

20X4.0 Kenda tyre

RESIDE	• KID	DE N		8/4 3 7 7 8	
	I. NIF		MODEL		QS-1928



UNIT PRICE: CIF USD 790 / pc

	48v 500W Rear motor	Rim	Al alloy double wall
		Front/rear brake	Disc brake
Battery	48V/10.4Ah Samsung li-ion battery	Speed gears	SHIMANO 7 speed
Display	LCD display with 5 assist level	Handlebar	Al alloy
		Stem	Al alloy and folding
PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
Controller	intelligent brushless,KT brand	Chain	КМС
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy,al alloy crank
Charger	Charging time: 4-6h	Mudguard	Alloy
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Alloy
Range	45-60km(PAS)	Saddle	Soft comfortable,SR
Max load	125kgs	Pedal	foldable
Gross weight	20kgs	Front fork	suspension, Al alloy, MOZO
Packing	1500*320*800mm	Capacity	20Ft 64 pcs / 40Ft 168 pcs

Brand: KIPRÉ. Model: KEV-QS-1929

Main components					
Motor	Light weight high speed brushless	Frame	Aluminium alloy,6061		
	Geared hub motor	Tyres	20X4.0 Kenda tyre		
	48v 500W Rear motor	Rim	Al alloy double wall		
		Front/rear brake	Disc brake		
Battery	48V/10.4Ah Samsung li-ion battery	Speed gears	SHIMANO 7 speed		
Display	LCD display with 5 assist level	Handlebar	Al alloy		
		Stem	Al alloy and folding		
PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch		
Controller	intelligent brushless,KT brand	Chain	KMC		
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy,al alloy crank		
Gliarger	Charging time: 4-6h	Mudguard	Alloy		
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Alloy		
Range	45-60km(PAS)	Saddle	Soft comfortable,SR		
Max load	125kgs	Pedal	foldable		
Gross weight	20kgs	Front fork	suspension, Al alloy, MOZO		
Packing	1500*320*800mm	Capacity	20Ft 64 pcs / 40Ft 168 pcs		

Brand: KIPRE. Model: KEV- QS-1930	

\$790 USD CIF

\$790 USD

Motor

Light weight high speed brushless

Geared hub motor

J
V
I
P
R
CE:
CIF
USD
790
/ pc

	48v 500w rear hub motor	Rim	Al alloy
Foldable	NO	Front brake	Disc brake
Battery	48V/10.4Ah li-ion battery(samsung)	Rear brake	Disc brake
Display	LCD display with 5 assist level	Handlebar	Al alloy
PAS	1:1 pedal assistant system	Brake lever	Al alloy with power off switch
Controller	intelligent brushless,KT brand	Stem	Al alloy
Charger	AC 100V -240V 2amps smart charger	Saddle	Soft comfortable
	Charging time: 4-6h	Speed gears	SHIMANO 7 speed
Max speed	25km/h(EU),32km/h(USA&Canada)	Pedal	Al alloy
Range	60-65km(PAS)	Front fork	MOZO,suspension,Al alloy
Max load	125kgs	Chain	KMC
Gross weight	28kgs	Certification	CE,EN15194
Packing size	1480*350*780mm	Capacity	20Ft 50 pcs / 40Ft 132 pcs

Main components

Frame

Tyres

Aluminium alloy,6061

26*4.0 Kenda Tyre

Brand: KIPRÉ. Model: KEV-QS-1931
Sales voits

UNIT PRICE: CIF USD 890 / pc

\$890	USD
C	IF

Main components				
Motor	Light weight high speed brushless	Frame	Aluminium alloy	
	Geared hub motor	Tyres	26*4.0 Kenda tyre	
	36V 250W 8Fun Rear motor	Rim	Al alloy double wall,CNC side wall	
		Front brake	Disc brake	
		Rear brake	Disc brake	
Battery	48V/10.4Ah Samsung battery	Speed gears	SHIMANO 7 speed	
Display	LCD display with 5 assist level	Handlebar	Al alloy	
PAS	1:1 pedal assistant system	Stem	Al alloy	
Controller	Intelligent brushless,Lishui brand,	Brake lever	Al alloy with power off switch	
Controller	with bluetooth	Chain	KMC brand	
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 42T,al alloy crank	
Onlarger	Charging time: 4-6h	Mudguard	Without	
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Without	
Range	45-60km(PAS)	Saddle	Soft comfortable,SR brand	
Max load	125kgs	Pedal	Al alloy	
Gross weight	25kgs	Front fork	Mozo brand,suspension,Al alloy	

Brand: KIPRÉ. Model: KEV-QS-1932



UNIT PRICE: CIF USD 790 / pc

\$790 USD CIF

Main components				
Motor	Light weight high speed brushless	Frame	Aluminium alloy	
	Geared hub motor	Tyres	20*4.0 Kenda tyre	
	48V 500W 8Fun Rear motor	Rim	Al alloy double wall.	
		Front brake	Disc brake	
		Rear brake	Disc brake	
Battery	48V/10.4Ah LITHIUM battery	Speed gears	SHIMANO 7 speed	
Display	LCD display with 5 assist level	Handlebar	Al alloy	
PAS	1:1 pedal assistant system	Stem	Al alloy	
Controller	Intelligent brushless,Lishui brand,	Brake lever	Al alloy with power off switch	
Controller	with bluetooth	Chain	KMC brand	
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 42T,al alloy crank	
Charger	Charging time: 4-6h	Mudguard	ALLOY	
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	ALLOY	
Range	45-60km(PAS)	Saddle	Soft comfortable,SR brand	
Max load	125kgs	Pedal	Al alloy	
Gross weight	25kgs	Front fork	Mozo brand,suspension,Al alloy	

Brand: KIPRÉ. Model: KEV-QS-1933

UNIT PRICE: CIF USD 890 / pc

Main components				
Motor	Light weight high speed brushless	Frame	Aluminium alloy	
	Geared hub motor	Tyres	26*2.5 Kenda tyre	
	48V 500W 8Fun Rear motor	Rim	Al alloy double wall.	
		Front brake	Disc brake	
		Rear brake	Disc brake	
Battery	48V/10.4Ah LITHIUM battery	Speed gears	SHIMANO 7 speed	
Display	LCD display with 5 assist level	Handlebar	Al alloy	
PAS	1:1 pedal assistant system	Stem	Al alloy	
Controller	Intelligent brushless,Lishui brand,	Brake lever	Al alloy with power off switch	
Controller	with bluetooth	Chain	KMC brand	
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 42T,al alloy crank	
Charge	Charging time: 4-6h	Mudguard	ALLOY	
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	ALLOY	
Range	45-60km(PAS)	Saddle	Soft comfortable,SR brand	
Max load	125kgs	Pedal	Al alloy	
Gross weight	25kgs	Front fork	Mozo brand,suspension,Al alloy	

Main components



\$890 USD CIF

\$890 USD

UNIT PRICE: CIF USD 890 / pc

Motor	Light weight high speed brushless	Frame	Aluminium alloy
	Geared hub motor	Tyres	26*2.5 Kenda tyre
	48V 500W 8Fun Rear motor	Rim	Al alloy double wall.
		Front brake	Disc brake
		Rear brake	Disc brake
Battery	48V/10.4Ah LITHIUM battery	Speed gears	SHIMANO 7 speed
Display	LCD display with 5 assist level	Handlebar	Al alloy
PAS	1:1 pedal assistant system	Stem	Al alloy
Controller	Intelligent brushless,Lishui brand,	Brake lever	Al alloy with power off switch
Controller	with bluetooth	Chain	KMC brand
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 42T,al alloy crank
Onlarger	Charging time: 4-6h	Mudguard	ALLOY
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	ALLOY
Range	45-60km(PAS)	Saddle	Soft comfortable,SR brand
Max load	125kgs	Pedal	Al alloy
Gross weight	25kgs	Front fork	Mozo brand,suspension,Al alloy

Brand: KIPRÉ. Model: KEV-QS-1935

\$890 USD CIF

\$890 USD

CIF

Motor

Battery

Display

PAS

UNIT PRICE: CIF USD 890/ pc CIF USD 990/ pc for 750W motor

Main components				
Motor	Light weight high speed brushless	Frame	Aluminium alloy	
	Geared hub motor	Tyres	26*4.0 Kenda tyre	
	48V 500W 8Fun Rear motor	Rim	Al alloy double wall.	
		Front brake	Disc brake	
		Rear brake	Disc brake	
Battery	48V/10.4Ah LITHIUM battery	Speed gears	SHIMANO 7 speed	
Display	LCD display with 5 assist level	Handlebar	Al alloy	
PAS	1:1 pedal assistant system	Stem	Al alloy	
Controller	Intelligent brushless,Lishui brand,	Brake lever	Al alloy with power off switch	
Controller	with bluetooth	Chain	KMC brand	
Chargor	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 42T,al alloy crank	
Charger	Charging time: 4-6h	Mudguard	ALLOY	
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	ALLOY	
Range	45-60km(PAS)	Saddle	Soft comfortable,SR brand	
Max load	125kgs	Pedal	Al alloy	
Gross weight	25kgs	Front fork	Mozo brand,suspension,Al alloy	

Main components
Frame

Front brake

Rear brake

Handlebar

Stem

Speed gears

Tyres

Rim

Aluminium alloy

Disc brake

Disc brake

Al alloy

Al alloy

26*4.0 Kenda tyre

Al alloy double wall.

SHIMANO 7 speed

	-	X	
~		1	
	1.		
1	1-		
	1		

Brand: KIPRÉ. Model: KEV-QS-1936

UNIT PRICE:CIF USD 890/ pc CIF USD 890/ pc for 750W motor

Controller	Intelligent brushless,Lishui brand,	Brake lever	Al alloy with power off switch
Controller	with bluetooth	Chain	KMC brand
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 42T,al alloy crank
Onarger	Charging time: 4-6h	Mudguard	ALLOY
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	ALLOY
Range	45-60km(PAS)	Saddle	Soft comfortable,SR brand
Max load	125kgs	Pedal	Al alloy
Gross weight	25kgs	Front fork	Mozo brand,suspension,Al alloy

Light weight high speed brushless

48V 500W 8Fun Rear motor

48V/10.4Ah LITHIUM battery

LCD display with 5 assist level

1:1 pedal assistant system

Geared hub motor

Brand: KIPRÉ. Model: KEV-QS-1937
almator.

UNIT PRICE:CIF USD 890/ pc CIF USD 990/ pc for 750W motor

\$890	USD
C	IF

\$1090

USD CIF

Motor

Gross weight

25kgs

	Mai	n component	S
Motor	Light weight high speed brushless	Frame	Aluminium alloy
	Geared hub motor	Tyres	26*4.0 Kenda tyre
	48V 500W 8Fun Rear motor	Rim	Al alloy double wall.
		Front brake	Disc brake
		Rear brake	Disc brake
Battery	48V/10.4Ah LITHIUM battery	Speed gears	SHIMANO 7 speed
Display	LCD display with 5 assist level	Handlebar	Al alloy
PAS	1:1 pedal assistant system	Stem	Al alloy
Controller	Intelligent brushless,Lishui brand,	Brake lever	Al alloy with power off switch
Controller	with bluetooth	Chain	KMC brand
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 42T,al alloy crank
Charger	Charging time: 4-6h	Mudguard	ALLOY
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	WITHOUT
Range	45-60km(PAS)	Saddle	Soft comfortable,SR brand
Max load	125kgs	Pedal	Al alloy
Gross weight	25kgs	Front fork	Mozo brand,suspension,Al alloy

Main components Frame

Front fork

Aluminium alloy TRICYCLE

Mozo brand, suspension, Al alloy

		KEV-QS-1938
Kranu. Kidd	F MOGOI: F	
PHOTOL NIE N		



UNIT PRICE: CIF USD 1090/ pc

			,
	Geared hub motor	Tyres	F:26*4.0 R: 20*4.0 Kenda tyre
	48V 500W 8Fun FRONT motor	Rim	Al alloy double wall.
		Front brake	Disc brake
		Rear brake	Disc brake
Battery	48V/10.4Ah LITHIUM battery	Speed gears	SHIMANO 7 speed
Display	LCD display with 5 assist level	Handlebar	Al alloy
PAS	1:1 pedal assistant system	Stem	Al alloy
Controller	Intelligent brushless,Lishui brand,	Brake lever	Al alloy with power off switch
Controller	with bluetooth	Chain	KMC brand
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 42T,al alloy crank
Charger	Charging time: 4-6h	Mudguard	ALLOY
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	WITHOUT
Range	45-60km(PAS)	Saddle	Soft comfortable,SR brand
Max load	125kgs	Pedal	Al alloy

Light weight high speed brushless

Brand: KIPRÉ. Model: KEV-QS-1939

	\$1090	
\	USD CIF	

	Ma	ain componer	nts
Motor	Light weight high speed brushless	Frame	Aluminium alloy
	36V 350W	Tyres	27.5*40C Kenda tyre
	8Fun brand mid drive motor	Rim	Al alloy double wall,CNC side wall
		Front brake	Disc brake,Shimano brand
		Rear brake	Disc brake,Shimano brand
Battery	36V/10.4Ah Samsung battery	Speed gears	SHIMANO 9 speed
Display	LCD display with 5 assist level	Handlebar	Al alloy
		Stem	Al alloy
PAS	Torque sensor	Brake lever	Al alloy with power off switch
Controller	8Fun brand	Chain	KMC brand
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 38T,al alloy crank
Onarger	Charging time: 4-6h	Mudguard	Without
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Without
Range	45-60km	Saddle	Soft comfortable,SR brand
Max load	125kgs	Pedal	Al alloy,Wellgo
Gross weight	25kgs	Front fork	RST brand,suspension,Al alloy

Brand: KIPRÉ. Model: KEV-QS-1940



h	
Z	
П	
Γ	
Р	
R	
u	
С	
н	
KO.	
Ш	
1	
U	
S	
D	
ı	
ľ	
e	
II	
J	
4	
0	
С	

\$1190 USD CIF

Main components					
Motor	Light weight high speed brushless	Frame	Aluminium alloy		
	36V 350W	Tyres	700C*40C Kenda tyre		
	8Fun brand mid drive motor	Rim	Al alloy double wall,CNC side wall		
		Front brake	Disc brake, TEKTRO brand		
		Rear brake	Disc brake, TEKTRO brand		
Battery	36V/10.4Ah Samsung battery	Speed gears	SHIMANO 9 speed		
Display	LCD display with 5 assist level	Handlebar	Al alloy,ZOOM brand		
		Stem	Al alloy,ZOOM brand		
PAS	Torque sensor	Brake lever	Al alloy with power off switch		
Controller	8Fun brand	Chain	KMC brand		
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 38T,al alloy crank		
Charger	Charging time: 4-6h	Mudguard	Without		
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Without		
Range	45-60km	Saddle	Soft comfortable,SR brand		
Max load	125kgs	Pedal	Al alloy,Wellgo		
Gross weight	25kgs	Front fork	ZOOM brand,suspension,Al alloy		

Brand: KIPRÉ. Model: KEV-QS-1941

Main components					
Motor	Light weight high speed brushless	Frame	Aluminium alloy		
	36V 350W	Tyres	26*1.75 Kenda tyre		
	8Fun brand mid drive motor	Rim	Al alloy double wall,CNC side wall		
		Front brake	hydraulic disc brake,TEKTRO brand		
		Rear brake	hydraulic disc brake,TEKTRO brand		
Battery	36V/10.4Ah Samsung battery	Speed gears	SHIMANO nexus 8 speed		
Display	LCD display with 5 assist level	Handlebar	Al alloy,Promax brand		
		Stem	Al alloy,Promax brand		
PAS	Torque sensor	Brake lever	Al alloy with power off switch		
Controller	8Fun brand	Drive system	Belt pulley		
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 38T,al alloy crank		
Charger	Charging time: 4-6h	Mudguard	Plastic		
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Aluminium alloy		
Range	45-60km	Saddle	Soft comfortable,SR brand		
Max load	125kgs	Pedal	Al alloy,Wellgo		
Gross weight	25kgs	Front fork	Suntour brand, suspension, Al alloy		

Brand: I	KIPRE. Mo	odel: KEV	-QS-1942



UNIT PRICE: CIF USD 1290/ pc

\$1290 USD CIF

\$1290 USD CIF

Main components					
Motor	Light weight high speed brushless	Frame	Aluminium alloy		
	36V 350W	Tyres	26X1.75 Kenda tyre		
	8Fun brand mid drive motor	Rim	Al alloy double wall,CNC side wall		
		Front brake	hydraulic disc brake,TEKTRO brand		
		Rear brake	hydraulic disc brake,TEKTRO brand		
Battery	36V/10.4Ah Samsung battery	Speed gears	SHIMANO nexus 8 speed		
Display	LCD display with 5 assist level	Handlebar	Al alloy,Promax brand		
		Stem	Al alloy,Promax brand		
PAS	Torque sensor	Brake lever	Al alloy with power off switch		
Controller	8Fun brand	Drive system	Belt pulley		
Charger	AC 100V -240V 2amps smart charger	Chain wheel	Alloy 38T,al alloy crank		
Charger	Charging time: 4-6h	Mudguard	Plastic		
Max speed	25km/h(EU),32km/h(USA&Canada)	Rear rack	Al alloy		
Range	45-60km	Saddle	Soft comfortable,SR brand		
Max load	125kgs	Pedal	Al alloy,Wellgo		
Gross weight	25kgs	Front fork	Suntour brand, suspension, Al alloy		