



Scheduled Maintenance File

Page 1 of 3

Model	Updated on
GTC4LUSSO	October 2016

Chassis number:

Dossier creation date:

Job order No.:

Mileage in Km/mi:

Notes:

120.000 km (75.000 miles)

Description of operation	Performed OK	NOT OK	Notes
Checking ModisCS system for any active campaigns	☐	☐	
A Booking in - preparing vehicle			
B Indicator light check	☐	☐	
C Removing the wheels			
D Visual brake wear inspection (pads and discs) (replace if necessary)	☐	☐	
E Check function of electric parking brake (EPB)	☐	☐	
F Lifting the vehicle			
H Removing the rear flat undertray section			
M Removing the front flat undertray section			
M2 Replace PTU gear oil (every 20.000 Km/4 years)	☐	☐	
N Preparations for draining engine oil. change more frequently if the vehicle is used in severe operating conditions (vehicle used frequently in intense traffic or in dusty or sandy road conditions)			
O Visual inspection for leaks (perform while draining engine oil)	☐	☐	
P Removing the engine oil filter			
Q Checking state and tightness of front and rear suspension components (perform while draining engine oil)	☐	☐	
R Visual inspection of differential-gearbox assembly, fasteners and bushings and state of exhaust system (perform while draining oil via filter)	☐	☐	

	Description of operation	Performed OK	NOT OK	Notes
S	Fitting a new engine oil filter	☐	☐	
T	<i>Setting the vehicle on the ground</i>			
T1	Filling with engine oil	☐	☐	
U	<i>Removal of left hand inspection shield to allow access to brake fluid reservoir</i>			
V	Visual inspection of power steering fluid, engine coolant and windscreen washer fluid levels and topping up if necessary	☐	☐	
	Visual inspection of state of pipes	☐	☐	
V1	Visual inspection of brake fluid level and topping up if necessary	☐	☐	
	Visual inspection of state of pipes	☐	☐	
V2	Replacing air filter cartridges _ perform every 40,000 km/4 years, or more frequently if the vehicle is used in severe operating conditions (vehicle used frequently in intense traffic or in dusty or sandy road conditions)	☐	☐	
Z	Replace pollen filter	☐	☐	
Z2	Replacing engine ancillary drive belts _ perform every 60,000 km / 4 years, or more frequently if the vehicle is used in severe operating conditions (vehicle used frequently in intense traffic or in dusty or sandy road conditions).	☐	☐	
Z5	<i>Refitting the wheels</i>			
a	Starting the vehicle to check engine oil level	☐	☐	
a1	Check tyre pressure and wear	☐	☐	
a3	Checking function of AC system	☐	☐	
a4	Visual inspection of seal tightness of oil, fluid and fuel circuits, and inspection of areas subject to fretting in engine compartment and gearbox area (pipes and hoses)	☐	☐	
	<i>Refitting left hand inspection shield under engine compartment lid</i>			
a5	Final checks (open/close doors, check fuel filler cap and check seat and seat belt functions)	☐	☐	
a6	Checking function of lights and horn	☐	☐	
a7	Checking wear of windscreen wiper blades and checking function of headlamp washer nozzles	☐	☐	
a8	Check and lubricate controls and adjuster parts in general (including hinges, doors and lid strikers)	☐	☐	

Description of operation		Performed OK	NOT OK	Notes
b	<i>Lifting vehicle</i>			
c	Visual inspection of vehicle underbody for oil and fluid leaks	☐	☐	
c1	Check radiators for fouling; clean if necessary	☐	☐	
d	<i>Refitting the rear flat undertray section</i>			
e	<i>Refitting the front flat undertray section</i>			
f	<i>Setting the vehicle on the ground</i>			
g	Service counter reset	☐	☐	
g1	Cancel errors from ECUs with DEIS tester	☐	☐	
h	Road test (vehicle test)	☐	☐	
h1	Perform SCAN OUT with DEIS tester	☐	☐	
i	Car wash and cleaning interiors (optional)	☐	☐	
l	Treat interior leather trim (if necessary)	☐	☐	
m	Enter service in service entry	☐	☐	
n	Compiling Warranty Booklet and Genuine Maintenance coupons	☐	☐	

Procedure carried out by (Dealer):

Technical Manager:

Name: _____
(block letters)

Surname: _____
(block letters)

Stamp with company trading name

Full signature

Vehicle delivery date: _____