



GTC4Lusso USA - Tightening torques - Latest Update: 2021-01-26

Protected by copyright. Copying for private or commercial purposes, in part or in whole, is not permitted unless authorised by Ferrari S.p.A. Ferrari S.p.A. does not guarantee or accept any liability with respect to the correctness of information in this document.

Copyright by Ferrari S.p.A. - P.IVA 00159560366

C1.03 Tightening torques

			
Tightening torque		Nm	Class
Fastening flywheel to crankshaft	Screw (pretightening)	45 Nm	A
	Screw	91 Nm	A
Fastening the transmission housing	Nut (pretightening)	20 Nm	A
	Nut	60 Nm	A
Fastening gearbox gear oil filler/drain plugs	Plug	25 Nm	B
Fastening hydraulic clutch fluid filler/drain plugs	Plug	25 Nm	B
Fastening rear removable subframe	Screw	60 Nm	B
	Screw	110 Nm	B
	Screw	60 Nm	B
	Screw	60 Nm	B
	Screw (pre-tightening)	20 Nm	B
Fastening the water pipe mounting bracket to the bodyshell	Screw	9 Nm	B
Fastening single oil heat exchanger to mounting subframe	Nut	9 Nm	B
Fastening engine coolant pipes	Screw collar	4 Nm	B
Fastening clutch hydraulic system pipes to single oil heat exchanger Products to use: AREXONS SYSTEM 52A43 - MEDIUM STRENGTH THREAD LOCK	Screw	8 Nm	B
Fastening gearbox gear oil pipes to single oil heat exchanger Products to use: AREXONS SYSTEM 52A43 - MEDIUM STRENGTH THREAD LOCK	Screw	8 Nm	B
Fastening the single oil heat exchanger bracket	Screw	40 Nm	B



Tightening torque		Nm	Class
Fastening the transmission shaft Products to use: Loctite® 243, AREXONS SYSTEM 52A43 - MEDIUM STRENGTH THREAD LOCK	Nut	200 Nm	B
Fastening transmission shaft heat shield	Nut	5 Nm	B
	Screw	4 Nm	B
Fastening the rear gearbox mounting struts to the rear removable subframe	Pin	200 Nm	A
	Nut (pre-tightening)	9 Nm	B
	Nut	70 Nm	B
Fastening front gearbox mounting struts to front gearbox bushes	Nut (pre-tightening)	9 Nm	B
	Nut	70 Nm	B
Fastening front gearbox bushes to rear removable subframe	Screw (pre-tightening)	9 Nm	B
	Screw	25 Nm	A
Fastening gearbox-chassis earth braid	Screw	18 Nm	B
Fastening DCT gearbox mounting struts	Screw	30 Nm	A
	Screw	30 Nm	A
Fastening single oil heat exchanger water delivery and return pipe to gearbox	Screw	9 Nm	B
	Nut	9 Nm	B
Fastening ATF fluid delivery and return pipes to gearbox	Screw	20 Nm	A
	Screw	20 Nm	B
	Nut	9 Nm	B
Fastening GL fluid delivery and return pipes to gearbox	Screw	20 Nm	A
Fastening the front axle shafts	Screw	30 Nm	A
	Nut	275 Nm	A
Fastening the rear axle shafts	Screw	78 Nm	A
	Screw (pretightening)	30 Nm	B
	Nut	275 Nm	A
Fastening PTU gear oil radiator pipes	Union	35 Nm	B
Fastening PTU gear oil drain plug	Threaded plug	40 Nm	B
Fastening PTU wiring harness ground	Screw	18 Nm	B
	Screw	9 Nm	B
Fastening PTU hydraulic system pipes	Screw	9 Nm	B
	Nut	9 Nm	B
Fastening brake air duct	Screw	6 Nm	B
Fastening PTU gear oil pipes Products to use: AREXONS SYSTEM 52A43 - MEDIUM STRENGTH THREAD LOCK	Screw	9 Nm	B
Fastening PTU hydraulic system fluid reservoir bracket to chassis	Screw	20 Nm	B
Fastening PTU to engine	Screw	40 Nm	A

			
Tightening torque		Nm	Class
	Nut	20 Nm	A
Fastening the PTU gear oil level inspection/filler plug	Threaded plug	40 Nm	B
Fastening PTU gear oil radiator mounting bracket	Screw	20 Nm	B
Fastening PTU gear oil radiator air duct	Screw	4 Nm	B
	Screw	6 Nm	B
Fastening axle shaft heat shield	Screw	9 Nm	B