A. General Information					
1	Project Name	020012-OffSml-CECStd22			
2	Run Title				
3	Project Location	- specify -			
4	City	- specify -	**5**	Standards Version	Compliance 2025
6	Zip code	95814	**7**	Compliance Software (version)	CBECC 2025.2.1.1 (1409)
8	Climate Zone	12	**9**	Building Orientation (deg)	0
10	Building Type(s)	• Nonresidential	**11**	Weather File	CA_Title24_2025_CZ12_SACRAMENTO-EXECUTIVE.epw
12	Project Scope	• New complete scope	**13**	Number of Dwelling Units	0
14	Total Conditioned Floor Area in Scope (ft^2)	5502.05	**15**	Total # of hotel/motel rooms	0
16	Total Unconditioned Floor Area (ft^2)	0	**17**	Fuel Type	Natural gas
18	Is Natural Gas Available per Section 100.1?	Yes	**19**	Nonresidential Conditioned Floor Area	5502.05
20	Total # of Stories (Habitable Above Grade)	1	**21**	Residential Conditioned Floor Area	0

B. PROJECT SUMMARY

Table B shows which building components are included in the performance calculation. If indicated as not included, the project must show compliance prescriptively if within the permit application.

Building Components Complying via Performance						Building Components Complying Prescriptively	
Envelope (See Table G)	Nonres	Performance	Solar Thermal Water Heating (See Table I3)	☐	Performance	The following building components are ONLY eligible for prescriptive compliance and should be documented on the NRCC form listed if within the scope of the permit application (i.e. compliance will not be shown on the NRCC-PRF-E).	
	MultiFam	Not Included		☒	Not Included		
Mechanical (See Table H)	Nonres	Performance	Covered Process: Commercial Kitchens (see Table J)	☐	Performance	Indoor Lighting (Unconditioned) 140.6 & 170.2(e)	NRCC-LTI-E is required
	MultiFam	Not Included		☒	Not Included	Outdoor Lighting 140.7 & 170.2(e)	NRCC-LTO-E is required
Domestic Hot Water (See Table I)	Nonres	Performance	Covered Process: Laboratory Exhaust (see Table J)	☐	Performance	Sign Lighting 140.8 & 170.2(e)	NRCC-LTS-E is required
	MultiFam	Not Included		☒	Not Included	**Building Components Complying with Mandatory Measures**	
Lighting (Indoor Conditioned, see Table K)	Nonres	Performance	Photovoltaics (see Table F)	☐	Performance	Electrical power systems, commissioning, solar ready, elevator and escalator requirements are mandatory and should be documented on the NRCC form listed if applicable (i.e. compliance will not be shown on the NRCC-PRF-E.)	
	MultiFam	Not Included		☒	Not Included	Electrical Power Distribution 110.11	NRCC-ELC-E is required
			Battery (see Table F)	☐	Performance	Commissioning 120.8	NRCC-CXR-E is required
				☒	Not Included	Solar and Battery 110.10	NRCC-SAB-E is required

C1. COMPLIANCE SUMMARY

DOES NOT COMPLY *

	Long-term System Cost (LSC)[1]		Source Energy Use
	Efficiency[2] ($/ft^2-yr)	Total[3] ($/ft^2-yr)	Total[3] (kBtu/ft^2-yr)
Standard Design	32.9	14.65	5.86
Proposed Design	33.9	33.9	10.98
Compliance Margins	**-1**	**-19.25**	**-5.12**
	Fail	**Fail**	**Fail**

[1] Long-term System Cost (LSC) is a 30-year present value cost to California's energy system. LSC is not a predicted utility bill.

[2] Efficiency measures include energy efficiency improvements such as better building envelope and more efficient mechanical equipment

[3] Compliance Totals include efficiency, photovoltaics and batteries

** New Construction: Building complies when Proposed Design is equal to or less than Standard Design in all compliance categories and unmet load hour limits are not exceeded. Complete Addition Scope and Existing, Addition and Alteration Scope: Building complies when efficiency compliance margin is greater than or equal to zero and unmet load hour limits are not exceeded.*

C2. LSC ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual LSC Energy Use, $/ft^2-yr)			
DOES NOT COMPLY			
Energy Component	**Standard Design (LSC)**	**Proposed Design (LSC)**	**Compliance Margin (LSC)[1]**
Space Heating	3.08	8.38	-5.3
Space Cooling	6.3	0.04	6.26
Indoor Fans	17.07	19.02	-1.95
Heat Rejection	0	0	0
Pumps & Misc.	0	0	0
Domestic Hot Water	1.5	1.51	-0.01
Indoor Lighting	4.95	4.95	0
Flexibility	---	---	---
EFFICIENCY COMPLIANCE TOTAL	**32.9**	**33.9**	**-1 (-3%)**
Photovoltaics	-17.71	---	-17.71
Batteries	-0.54	---	-0.54
TOTAL COMPLIANCE	**14.65**	**33.9**	**-19.25 (-131.4%)**
[1] *Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.*			

C3. LSC ENERGY RESULTS FOR NON-REGULATED COMPONENTS[1]			
Non-Regulated Energy Component	**Standard Design (LSC)**	**Proposed Design (LSC)**	**Compliance Margin (LSC)[2]**
Receptacle	19.93	19.93	---
Process	---	---	---
Other Ltg	---	---	---
Process Motors	---	---	---
TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)	**34.58**	**53.83**	**-19.25 (-55.7%)**

[1] *Notes: This table is not used for Energy Code Compliance.*
[2] *Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.*

C4. SOURCE ENERGY COMPLIANCE RESULTS FOR PERFORMANCE COMPONENTS (Annual SOURCE Energy Use, kBtu/ft^2 /yr)			
DOES NOT COMPLY			
Energy Component	**Standard Design (SOURCE)**	**Proposed Design (SOURCE)**	**Compliance Margin (SOURCE)[1]**
Space Heating	1.49	3.75	-2.26
Space Cooling	0.79	0.01	0.78
Indoor Fans	4.58	5.61	-1.03
Heat Rejection	0	0	0
Pumps & Misc.	0	0	0
Domestic Hot Water	0.37	0.37	0
Indoor Lighting	1.24	1.24	0
Flexibility	---	---	---
EFFICIENCY COMPLIANCE TOTAL	**8.47**	**10.98**	**-2.51 (-29.6%)**
Photovoltaics	-2.12	---	-2.12
Batteries	-0.49	---	-0.49
TOTAL COMPLIANCE	**5.86**	**10.98**	**-5.12 (-87.4%)**
[1] *Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.*			

C5. SOURCE ENERGY RESULTS FOR NON-REGULATED COMPONENTS[1]			
Non-Regulated Energy Component	**Standard Design (SOURCE)**	**Proposed Design (SOURCE)**	**Compliance Margin (SOURCE)[2]**
Receptacle	4.21	4.21	---
Process	---	---	---
Other Ltg	---	---	---
Process Motors	---	---	---
TOTAL (TOTAL COMPLIANCE + NON-REGULATED COMPONENTS)	**10.07**	**15.19**	**-5.12 (-50.8%)**

[1] *Notes: This table is not used for Energy Code Compliance.*
[2] *Notes: This number in parenthesis following the Compliance Margin in column 4, represents the Percent Better than Standard.*

C6. 'ABOVE CODE' QUALIFICATIONS	
☐ This project is pursuing CalGreen Tier 1	☐ This project is pursuing CalGreen Tier 2

C7. ENERGY USE SUMMARY

Energy Component	Standard Design Site (MWh)	Proposed Design Site (MWh)	Margin (MWh)	Standard Design Site (MBtu)	Proposed Design Site (MBtu)	Margin (MBtu)
Space Heating	2.4	7	-4.6	---	---	---
Space Cooling	7.7	0.1	7.6	---	---	---
Indoor Fans	17.9	19.1	-1.2	---	---	---
Heat Rejection	---	---	---	---	---	---
Pumps & Misc.	---	---	---	---	---	---
Domestic Hot Water	1.7	1.7	0	---	---	---
Indoor Lighting	5.4	5.4	0	---	---	---
Flexibility	---	---	---	---	---	---
EFFICIENCY TOTAL	**35.1**	**33.3**	**1.8**	**0**	**0**	**0**
Photovoltaics	-27.1	---	---	---	---	---
Batteries	0.2	---	---	---	---	---
ENERGY USE SUBTOTAL	**8.2**	**33.3**	**-25.1**	**0**	**0**	**0**
Receptacle	23.6	23.6	0	---	---	---
Process	---	---	---	---	---	---
Other Ltg	---	---	---	---	---	---
Process Motors	---	---	---	---	---	---
ENERGY USE TOTAL	**31.8**	**56.9**	**-25.1**	**0**	**0**	**0**

C8. ENERGY USE INTENSITY (EUI)				
	Standard Design (kBtu/ft^2 / yr)	Proposed Design (kBtu/ft^2 / yr)	Margin (kBtu/ft^2 / yr)	Margin Percentage
GROSS EUI[1]	36.53	35.29	1.24	3.39
NET EUI[1]	19.72	35.29	-15.57	-78.96

[1] Notes: Gross EUI is Energy Use Total (not including PV)/Total Building Area. Net EUI is Energy Use Total (including PV)/Total Building Area.

D1. EXCEPTIONAL CONDITIONS

• The aged solar reflectance and aged thermal emittance must be listed in the Cool Roof Rating Council database of certified products. For projects where initial reflectance is used, the initial reflectance must be listed, and the aged reflectance is calculated by the software program and used in the compliance model.
• Verify project meets the requirements for Vestibules as per Section 120.7(e).

G1. ENVELOPE GENERAL INFORMATION (conditioned spaces only)			
01	02	03	04
Opaque Surfaces & Orientation	Total Gross Surface Area (ft^2)	Total Fenestration Area (ft^2)	Window to Wall Ratio (%)
North-Facing[1]	909.06	180.12	19.81
East-Facing[2]	606.04	120.08	19.81
South-Facing[3]	909.06	222.15	24.44
West-Facing[4]	606.04	120.08	19.81
Total	**3030.21**	**642.43**	**21.2**
Roof	6445.01	0	0

Notes
[1]North-Facing is oriented to within 45 degrees of true north, including 4500'00" east of north (NE), but excluding 4500'00" west of north (NW),
[2]East-Facing is oriented to within 45 degrees of true east, including 4500'00" south of east (SE), but excluding 4500'00" north of east (NE),
[3]South-Facing is oriented to within 45 degrees of true south, including 4500'00" west of south (SW), but excluding 4500'00" east of south (SE),
[4]West-Facing is oriented to within 45 degrees of true west, including 4500'00" north of west (NW), but excluding 4500'00" south of west (SW),

G2A. ROOFING PRODUCT SUMMARY (NONRESIDENTIAL)					
01	02	03	04	05	06
Assembly Name	Roof Pitch	Roof Rise (x in 12)	Aged Solar Reflectance	Thermal Emittance	SRI
Base_CZ12-SteepNonresWoodFramingAndOtherRoofU034	SteepSlope	N/A	0.25	0.8	N/A

G4. NONRESIDENTIAL AIR BARRIER	
01	02
Building Story Name	Air Barrier
Building Story 1	No air barrier

G5. OPAQUE SURFACE ASSEMBLY SUMMARY

01	02	03	04	05	06		07	08	09	10
Surface Name	Construction Type	Area (ft^2)	Framing Type	Cavity R-Value	Continuous R-Value		Units	Value	Description of Assembly Layers	Status[1]
					Interior	Exterior				
Base_CZ12-SlabOnOrBelowGradeF073	Underground Floor	5,502.05	N/A	0	N/A	N/A	F-factor	0.73	Slab Type =Unheated slab on grade Insulation Orientation =None Insulation R-Value =none	N
Base_CZ12-NonresMetalFrameWallU055	Exterior Wall	3,030.21	Metal	0	N/A	16.05	U-factor	0.055	Stucco - 7/8 in. Compliance Insulation R14.60 Compliance Insulation R1.41 Compliance Insulation R0.02 Compliance Insulation R0.02 Air - Metal Wall Framing - 16 or 24 in. OC Gypsum Board - 1/2 in.	N
NACM_Interior Wall	Interior Wall	2,645.59	Metal	0	N/A	N/A	U-factor	0.3195	Gypsum Board - 5/8 in. Air - Metal Wall Framing - 16 or 24 in. OC Gypsum Board - 5/8 in.	N
Base_CZ12-SteepNonresWoodFramingAndOtherRoofU034	Roof	6,445.01	N/A	0	N/A	28.63	U-factor	0.034	Metal Standing Seam - 1/16 in. Compliance Insulation R28.63	N
Base_CZ12-NonresOtherFloorU071	Exterior Floor	611.6	N/A	0	N/A	9.83	U-factor	0.071	Compliance Insulation R9.83 Plywood - 5/8 in. Carpet - 3/4 in.	N
NACM_Drop Ceiling	Interior Floor	5,502.05	N/A	0	N/A	N/A	U-factor	0.2924	Acoustic Tile - 3/4 in.	N

[1] Status: N - New, A - Altered, E - Existing

G7A. FENESTRATION ASSEMBLY SUMMARY (NONRESIDENTIAL)

01	02	03	04	05	06	07	08	09
Fenestration Assembly Name	Fenestration Type/ Product Type / Frame Type	Certification Method[1]	Assembly Method	Area (ft^2)	Overall U-factor	Overall SHGC	Overall VT	Status[2]
Base_AllCZ_FixedWindowU34	Vertical fenestration Fixed window N/A	NFRC	Manufactured	600.39	0.34	0.22	0.42	N
Glazed Door	Vertical fenestration Glazed door N/A	NFRC	Manufactured	42.04	0.45	0.23	0.17	N

[1] Notes: Newly installed fenestration shall have a certified NFRC Label Certificate or use the CEC default tables found in Table 110.6-A and Table 110.6-B. Center of Glass (COG) values are for the glass-only, determined by the manufacturer, and are shown for ease of verification. Site-built fenestration values are calculated per Nonresidential Appendix NA6 and are used in the analysis.
[2] Status: N - New, A - Altered, E - Existing

H1. DRY SYSTEM EQUIPMENT (FURNACES, AIR HANDLING UNITS, HEAT PUMPS, VRF, ECONOMIZERS ETC.)

01	02	03	04	05	06	07	08	09	10	11	12
			Heating				Cooling				
Equipment Name	Equipment Type	Qty	Total Heating Output (kBtu/h)	Supp Heat Output (kBtu/h)	Efficiency Unit	Efficiency	Total Cooling Output (kBtu/h)	Efficiency Unit	Efficiency	Economizer Type (if present)	Status[1]
Core ZnSys	EvaporativeCooler	1	0	0	N/A	NA	0	N/A	NA	N/A	N
Perim1 ZnSys	EvaporativeCooler	1	0	0	N/A	NA	0	N/A	NA	N/A	N
Perim2 ZnSys	EvaporativeCooler	1	0	0	N/A	NA	0	N/A	NA	N/A	N
Perim3 ZnSys	EvaporativeCooler	1	0	0	N/A	NA	0	N/A	NA	N/A	N

[1] Status: N - New, A - Altered, E - Existing

H1. DRY SYSTEM EQUIPMENT (FURNACES, AIR HANDLING UNITS, HEAT PUMPS, VRF, ECONOMIZERS ETC.)

01	02	03	04	05	06	07	08	09	10	11	12
			Heating				Cooling				
Equipment Name	Equipment Type	Qty	Total Heating Output (kBtu/h)	Supp Heat Output (kBtu/h)	Efficiency Unit	Efficiency	Total Cooling Output (kBtu/h)	Efficiency Unit	Efficiency	Economizer Type (if present)	Status[1]
Perim4 ZnSys	EvaporativeCooler	1	0	0	N/A	NA	0	N/A	NA	N/A	N
Core TrimSys	Package Terminal Heat Pump	1	44.1	0	COP	2.8	42	EER SEER	9.5 14	N/A	N
Perim1 TrimSys	Package Terminal Heat Pump	1	44.1	0	COP	2.8	42	EER SEER	9.5 14	N/A	N
Perim2 TrimSys	Package Terminal Heat Pump	1	44.1	0	COP	2.8	42	EER SEER	9.5 14	N/A	N
Perim3 TrimSys	Package Terminal Heat Pump	1	44.1	0	COP	2.8	42	EER SEER	9.5 14	N/A	N
Perim4 TrimSys	Package Terminal Heat Pump	1	44.1	0	COP	2.8	42	EER SEER	9.5 14	N/A	N

[1] *Status: N - New, A - Altered, E - Existing*

H3. NONRESIDENTIAL / COMMON USE AREA FAN SYSTEMS SUMMARY

01	02	03	04	05	06	07	08	09	10	11	12	13
Name or Item Tag	Qty	Design OA CFM	Supply Fan				Return / Relief Fan					Status[1]
			CFM	Power	Power Units	Control	Fan Type	CFM	Power	Power Units	Control	
Core ZnSys	1	241.63	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Perim1 ZnSys	1	183.17	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Perim2 ZnSys	1	108.66	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Perim3 ZnSys	1	183.17	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Perim4 ZnSys	1	108.66	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Core TrimSys	1	0	1,500	2	InH2O	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
Perim1 TrimSys	1	0	1,500	2	InH2O	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
Perim2 TrimSys	1	0	1,500	2	InH2O	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
Perim3 TrimSys	1	0	1,500	2	InH2O	Constant Vol	N/A	N/A	N/A	N/A	N/A	N
Perim4 TrimSys	1	0	1,500	2	InH2O	Constant Vol	N/A	N/A	N/A	N/A	N/A	N

01	14	15	16	17	18	19
Name or Item Tag	Supply Fan			Return / Relief Fan		
	Modeling Method	Fan Efficiency	Motor Efficiency	Modeling Method	Fan Efficiency	Motor Efficiency
Core ZnSys	N/A	N/A	N/A	N/A	N/A	N/A
Perim1 ZnSys	N/A	N/A	N/A	N/A	N/A	N/A
Perim2 ZnSys	N/A	N/A	N/A	N/A	N/A	N/A
Perim3 ZnSys	N/A	N/A	N/A	N/A	N/A	N/A
Perim4 ZnSys	N/A	N/A	N/A	N/A	N/A	N/A
Core TrimSys	Static Pressure	0.5	0.86	N/A	N/A	N/A
Perim1 TrimSys	Static Pressure	0.5	0.86	N/A	N/A	N/A
Perim2 TrimSys	Static Pressure	0.5	0.86	N/A	N/A	N/A
Perim3 TrimSys	Static Pressure	0.5	0.86	N/A	N/A	N/A
Perim4 TrimSys	Static Pressure	0.5	0.86	N/A	N/A	N/A

[1] *Status: N - New, A - Altered, E - Existing*

H8. SYSTEM SPECIAL FEATURES

01	02	03	04
System Name	**Equipment Type**	**Interlocks per 140.4(n)[1]**	**Other Special Features and Controls**
Perim1 ZnSys	EvaporativeCooler	No	N/A
SHWFluidSysElec	Service Hot Water	N/A	Fixed Temperature Control

Notes: This table includes controls related to the performance path only. For projects using the prescriptive path, mandatory and prescriptive controls requirements are documented on the NRCC-MCH-E.

[1] Yes = interlocks are provided, No = interlocks are not provided, NA means no operable openings.

H9. NONRESIDENTIAL / COMMON USE AREA & HOTEL/MOTEL VENTILATION

01	02	03	04	05	06	07
Zone Name	**Mechanical Ventilation**				**Conditioned Area (sf)**	**DCV or Occupant Sensor Controls, or Both**
	Ventilation Function	**# of People**	**Supply OA CFM**	**Exhaust CFM**		
Core_ZN Thermal Zone	Office - Office space	8.05	241.63	0	1610.9	N/A
Perimeter_ZN_1 Thermal Zone	Office - Office space	6.11	183.17	0	1221.17	N/A
Perimeter_ZN_2 Thermal Zone	Office - Office space	3.62	108.66	0	724.41	N/A
Perimeter_ZN_3 Thermal Zone	Office - Office space	6.11	183.17	0	1221.17	N/A
Perimeter_ZN_4 Thermal Zone	Office - Office space	3.62	108.66	0	724.41	N/A

H11. ZONAL SYSTEM AND TERMINAL UNIT SUMMARY

01	02	03	04	05	06	07	08	09	10	11	12
System ID	**System Type**	**Qty**	**Rated Capacity (kBtuh)**		**Airflow (cfm)**			**Fan**			**VSD**
			Heating	**Cooling**	**Design**	**MIn.**	**Min. Ratio**	**Power**	**Power Units**	**Cycles**	
Core ZnSys	EvaporativeCooler	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Continuous	☐

H11. ZONAL SYSTEM AND TERMINAL UNIT SUMMARY

01	02	03	04	05	06	07	08	09	10	11	12
System ID	System Type	Qty	Rated Capacity (kBtuh)		Airflow (cfm)			Fan			VSD
			Heating	Cooling	Design	MIn.	Min. Ratio	Power	Power Units	Cycles	
Perim1 ZnSys	EvaporativeCooler	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Continuous	☐
Perim2 ZnSys	EvaporativeCooler	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Continuous	☐
Perim3 ZnSys	EvaporativeCooler	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Continuous	☐
Perim4 ZnSys	EvaporativeCooler	1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Continuous	☐
Core TrimSys	Package Terminal Heat Pump	1	44.1	42	1,500	N/A	N/A	2	InH2O	Cycling	☐
Perim1 TrimSys	Package Terminal Heat Pump	1	44.1	42	1,500	N/A	N/A	2	InH2O	Cycling	☐
Perim2 TrimSys	Package Terminal Heat Pump	1	44.1	42	1,500	N/A	N/A	2	InH2O	Cycling	☐
Perim3 TrimSys	Package Terminal Heat Pump	1	44.1	42	1,500	N/A	N/A	2	InH2O	Cycling	☐
Perim4 TrimSys	Package Terminal Heat Pump	1	44.1	42	1,500	N/A	N/A	2	InH2O	Cycling	☐

I1. WATER HEATER EQUIPMENT SUMMARY

01	02	03	04	05	06	07	08	09	10	11	12	13	14
Name	Heater Element Type	Tank Type	Qty	Tank Vol (gal)	Rated Input	Rated Input Unit	Efficiency	Efficiency Unit	Tank Insulation R-value Int/Ext	Standby Loss Fraction	1st Hr. Rating or Flow Rate (gal)	Heat Pump Type	Tank Location or Ambient Condition
WaterHeaterElec	Electricity	Storage	1	30	8.74	kW	0.92	UEF	N/A	N/A	60	N/A	N/A

K1. INDOOR CONDITIONED LIGHTING GENERAL INFO

01	02	03	04	05	06
				Additional (Custom) Allowance	
Occupancy Type[1]	Conditioned Floor Area[2] (ft^2)	Installed Lighting Power (Watts)	Lighting Control Credits (Watts)	Area Category Footnotes (Watts)	Area Category Footnotes (Watts)
Office (250 square feet)	5502.05	3301.23	0	0	0
Building Totals:	**5502.05**	**3301.23**	**0**	**0**	**0**

[1]*See Table 140.6-C*
[2]*See NRCC-LTI--E for unconditioned spaces*
[3]*Lighting information for existing spaces modeled is not included in this table*

K4. INDOOR CONDITIONED LIGHTING MANDATORY LIGHTING CONTROL

See NRCC-LTI-E for mandatory controls

N. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION

Selections made by Documentation Author indicate which Certificates of Installation must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online

Building Component	Form/Title
Envelope	NRCI-ENV-E - Envelope (for all buildings)
Mechanical	NRCI-MCH-E - For all buildings with Mechanical Systems
Plumbing	NRCI-PLB-E - For all buildings with Plumbing Systems
Indoor Lighting	NRCI-LTI-E - Indoor Lighting (for all buildings)

O. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE

Selections made by Documentation Author indicate which Certificates of Acceptance must be submitted for the features to be recognized for compliance. These documents must be provided to the building inspector during construction. Lighting controls and mechanical NRCAs must be completed through an Acceptance Test Technician Certification Provider (ATTCP).

Building Component [1]	Form/Title & System Name(s)
Envelope	NRCA-ENV-02-F - NRFC label verification for fenestration
Indoor Lighting	NRCA-LTI-02-A - Occupancy Sensors and Automatic Time Switch Controls.
Indoor Lighting	NRCA-LTI-03-A - Automatic Daylight Controls.
Mechanical	NRCA-MCH-02-A - Outdoor Air must be submitted for all newly installed HVAC units. Note: MCH-02-A can be performed in conjunction with MCH-07-A Supply Fan VFD Acceptance (if applicable) since testing activities overlap
	Core ZnSys, Perim1 ZnSys, Perim2 ZnSys, Perim3 ZnSys and Perim4 ZnSys.
Mechanical	NRCA-MCH-03-A - Constant Volume Single Zone HVAC
	Core TrimSys, Perim1 TrimSys, Perim2 TrimSys, Perim3 TrimSys and Perim4 TrimSys.

[1]Refer to other prescriptive NRCC forms applicable to the project for additional NRCA tests required that are not included in the NRCC-PRF-E form

P. DECLARATION OF REQUIRED CERTIFICATES OF VERIFICATION

Selections made by Documentation Author indicate which Certificates of Verification must be submitted for the features to be recognized for compliance. These documents must be retained and provided to the building inspector during construction and can be found online

Building Component	Form/Title
Mechanical	NRCV-MCH-27 Indoor Air Quality & Mechanical Ventilation

Documentation Author's Declaration Statement

1. I certify that this Certificate of Compliance documentation is accurate and complete.	
Documentation Author Name:	Documentation Author Signature:
Company:	Signature Date:
Address:	CEA/AEA/ECC Certification Identification (if applicable):
City/State/Zip: ,	Phone:

Responsible Person's Declaration statement

I certify the following under penalty of perjury, under the laws of the State of California:

1. The information provided on this Certificate of Compliance is true and correct.
2. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design or system design identified on this Certificate of Compliance (responsible designer).
3. The energy features and performance specifications, materials, components, and manufactured devices for the building design or system design identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations.
4. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.
5. I understand that a completed signed copy of this Certificate of Compliance shall be made available with the building permit(s) issued for the building and shall be made available to the enforcement agency for all applicable inspections. I will take the necessary steps to fulfill this requirement.
6. I understand that a completed signed copy of this Certificate of Compliance is required to be included with the documentation the builder provides to the building owner at occupancy. I will take the necessary steps to fulfill this requirement.

Responsible Designer Name:	Responsible Designer Signature:	
Company:		
Address:	Date Signed:	
City/State/Zip: ,	License #:	
Phone:	Title:	Scope: