

## Send Email from a PHP Script Using SMTP Authentication

Author:  
Kionic Inc

Created On: Oct 04 2006 09:11 AM

---

By default, user 'nobody' is disabled in our servers. To send emails from a PHP script, please code your PHP script using SMTP authentication.

If you are using a PHP forum or a PHP script with emailing capability, please be sure to configure your script with SMTP Mail in order to send emails.

### SMTP Details:

Host: mail.yourdomain.com

Port: 25

Username: your email account username (can be [username@yourdomain.com](#))

Password: your email account password

**Web Contact Forms:** Here is an example of a PHP Script using SMTP Authentication:

```
<?php
require_once "Mail.php";

$from = "Sender ";
$to = "Recipient ";
$subject = "Subject Here";
$body = "Hi,nnHow are you?";

$host = "mail.yourdomain.com";
$username = "Username";
$password = "Password";

$headers = array ('From' => $from,
    'To' => $to,
    'Subject' => $subject);
$smtp = Mail::factory('smtp',
    array ('host' => $host,
        'auth' => true,
        'username' => $username,
        'password' => $password));
```

```
$mail = $smtp->send($to, $headers, $body);

if (PEAR::isError($mail)) {
    echo("
" . $mail->getMessage() . " ");
} else {
    echo("
Message successfully sent!");
}
?>
```