

Ablating Persistent Structured State Collapses a Weak-Model Scaffolding Harness: A Seed-Matched Component Study*

[Author name — fill in]
[affiliation / contact -- fill in]

Abstract

We study whether a scaffolding harness built around persistent structured state can move a weak 4B language model from universal failure to majority success on a 200-day business-operations simulator, and we test which high-level harness treatment is necessary for the observed performance. Using a simulator with deterministic transition dynamics, matched environment seeds, and Vending-Bench economics [1] (supplier roster including adversarial profiles), we compare three arms on **gemma3:4b**: a naive one-call-per-day model baseline (**bare**), a deterministic scripted policy with no model judgment (**scripts**), and the full harness combining persistent structured state, financial gates, and specialized model seats (**full**). Over $N = 100$ matched seeds, bare fails 100% of runs (median net worth \$83), scripts fails 59% (\$29), and full fails 46% (\$1,415). Paired comparisons strongly favor full over both baselines on net worth (full–scripts +\$990/seed, Wilcoxon $p = 1.3 \times 10^{-9}$). Decomposing “failure,” we find little evidence of a bankruptcy reduction versus the scripted policy (44% vs 47%; paired risk difference -3 pp, 95% CI $[-11, +5]$); instead the harness’s advantage grows with the success threshold, from 3 pp at bankruptcy to 32 pp at a \$2,000 bar. A component ablation is strongly asymmetric: removing the gate suite does not measurably degrade median net worth or failure rate (paired median $\Delta = \$0$, composite-failure risk difference -1 pp $[-11, +9]$), while removing persistent structured state collapses performance to 100% failure and a median net worth *below* the naive baseline. The removal-of-state arm retains the full call structure and budget, ruling out decision budget or task decomposition *alone* as sufficient explanations. A seat-level ablation identifies pricing as a necessary model-mediated contributor: replacing only the pricing seat with a script erases the full arm’s advantage — the result is statistically indistinguishable from scripts on composite failure and modestly *worse* on mean net worth ($N = 100$). Consistent with this, among co-surviving runs the full harness realizes substantially higher selling prices with no evidence of increased sales volume. We interpret the state result as the harness supplying persistent structured state the weak model cannot hold in-context; whether the mechanism is persistence, denoised representation, or both is not separated here. We report exploratory capability-gradient, live-adversary, and durability studies in an appendix, and discuss threats to validity — including the inferential estimand, seed-holdout, decoding stochasticity, that the gates are lightly stressed by this workload, and that we did not test a tool-enabled model permitted to construct its own scaffold.

1 Introduction

Long-horizon agentic tasks — where a model must act coherently across hundreds of steps — are a known weak point for language models, and a common way to measure the weakness is to run a

*All quantitative results regenerate from the archived databases and scripts in the accompanying reproducibility package (Appendix A).

model “bare”: a prompt, a tool interface, and no persistent scaffolding. We argue this measures the absence of scaffolding as much as the ceiling of the model, and we test what a scaffolding harness contributes and *which part of it* contributes. Throughout, we scope claims to what a seed-matched ablation can support: components that are *necessary* for the observed performance under this workload, not general laws about what agents need.

Contributions.

1. A seed-matched three-arm comparison (naive baseline / scripted policy / full harness) on a 200-day business simulator with adversarial supplier profiles, $N = 100$ (§5.1).
2. A decomposition of “failure” into bankruptcy versus quality-of-survival — reported with paired risk differences and confidence intervals, and a full seed-level transition table — showing the harness’s advantage grows with the success threshold (§5.2).
3. A behavioral analysis among co-surviving runs showing similar late-horizon sales volume but a substantially higher realized selling price under the full harness (§5.3).
4. A component ablation with a strongly asymmetric result — persistent structured state is necessary for the observed performance; the financial gates are not necessary for median performance or failure reduction under this workload — with decision budget and task decomposition controlled between the full and no-state arms (§5.4).
5. A seat-level ablation identifying pricing as a necessary model-mediated contributor to the full harness’s advantage (§5.4).

Research questions.

- **RQ1.** Does a persistent-structured-state harness move a weak 4B model from failure to majority success on this long-horizon task, relative to a naive model baseline and a model-free scripted policy?
- **RQ2.** Is the harness’s advantage over the scripted policy attributable to the model’s judgment, and through what behavioral channel?
- **RQ3.** Which harness component — persistent structured state or financial gates — is necessary for the observed performance?
- **RQ4.** Does the harness reduce outright failure (bankruptcy), or improve the quality of surviving businesses?

2 Related Work

Long-horizon agent benchmarks. Our economics (a \$500 starting balance, a \$2/day operating fee, and bankruptcy after 10 consecutive unpaid days) follow Vending-Bench [1], a benchmark designed to stress long-horizon coherence rather than single-step reasoning; Vending-Bench itself reports that leading models lose coherence over long runs. A broader line of agent benchmarks — GAIA [5] for general assistant tasks and τ -bench [6] for tool-and-policy-following in dynamic environments — likewise finds that headline capability degrades sharply once tasks require sustained, multi-step execution rather than single-shot reasoning. We contribute a controlled decomposition of *what scaffolding supplies* on one such task, rather than a new leaderboard.

Memory and state in language agents. A recurring design pattern in language-agent systems is to externalize memory for long-horizon operation. MemGPT [7] gives an agent an OS-like memory hierarchy so that working context is paged against durable external storage; Generative Agents [8] maintain a retrievable memory stream that is periodically reflected into higher-level state; Voyager [9] accumulates a persistent skill library across a lifelong task. The CoALA framework [10] organizes these systems as cognitive architectures with explicit working and long-term memory. Our harness occupies the same design space — an append-only ledger read through a single serializing actor, with a fresh bounded state brief per call — and our contribution is to *ablate* that state substrate against an otherwise identical agent and measure the effect. Because our full arm changes several things at once relative to its no-state ablation (persistence, a canonical denoised representation, and fresh-prompt context management), we are careful to claim necessity of the state treatment rather than to attribute the effect to any single one of these mechanisms (§5.4, §7).

Reasoning, acting, and decomposition scaffolds. A parallel line adds structure to *how* the model acts rather than what it remembers: ReAct [11] interleaves reasoning and tool actions, and Reflexion [12] adds verbal self-feedback across attempts. Practitioner guidance on building agents similarly emphasizes decomposing tasks into specialized calls and constraining actions [3], and our harness design derives in part from the open-source BMAD-METHOD [2]. These works motivate our decision to hold the specialized-call structure and budget *fixed* across the state ablation (§5.4), so that decomposition is controlled rather than confounded with state.

Capability measurement under scaffolding. Measuring a model “bare” conflates the model’s capability with the absence of scaffolding. We treat the bare arm strictly as a control that isolates what the scaffold adds, and we rest no capability verdict on it (§7).

3 Experimental Setup

Simulator. A discrete-day simulator (full description and diagrams in the accompanying `SIMULATOR.md`) with 8 products, seasonality, weather-driven demand, finite storage, and a supplier roster that includes greedy negotiators plus two adversarial profiles (a rug-pull and a prepay scammer). The simulator’s transition dynamics are deterministic conditional on the environment seed and the emitted actions. Matching environment seeds across arms therefore holds the exogenous simulator conditions (demand draws, supplier behavior, weather) fixed, so every cross-arm comparison is **paired on the environment seed**. This is a blocked design over environment seeds, not a fully deterministic pairing of the arms: the model arms’ decoding stochasticity was not recorded and is not matched across arms (§7), so the *complete* trajectory of an LLM arm is not reproducible from the environment seed alone.

Economics. \$500 start, \$2/day fee, bankruptcy after 10 consecutive unpaid days, 200-day horizon (Vending-Bench parameters [1]).

Model. `gemma3:4b` — a small 4-billion-parameter instruction-tuned model [4] — served locally via Ollama. The choice is deliberate: a model that is weak *on this benchmark* (bare fails 100% of runs, §5.1) makes the scaffold’s contribution measurable. We use “weak” throughout to mean weak on this task as observed, not a claim about an external capability ranking. Decoding configuration is recorded per run in the run manifest (see Appendix A; historical runs’ decoding seeds are a provenance gap noted in §7).

Arms. All arms share the simulator and differ only in the decision layer:

- **bare** — a single model call per simulated day. The model sees the day’s state and emits all decisions (pricing, restock, procurement, cash collection) in one shot, with a forced-growing context and no persistent externalized ledger. (Baseline runner; the experimental control.)
- **scripts** — a deterministic policy implementing operational fundamentals (buffer-based reordering, margin-preserving pricing rules, automatic cash collection, supplier validation) with no model judgment on economic decisions.
- **full** — the harness: an append-only SQLite state ledger read/written through a single serializing actor; a fresh, bounded state brief constructed for each model call (no accumulating transcript); specialized model seats (e.g., pricing, procurement) whose proposals pass deterministic financial gates (margin floor, spend cap, payment validation, spec-before-pay); and deterministic routines for the remainder. This treatment bundles several things — persistence, a canonical denoised state representation, and fresh-prompt context management; the ablation below removes them together, and we do not separate their individual contributions (§7).
- **R1a** (ablation) — full with the entire gate suite removed.
- **R1b** (ablation) — full with the persistent structured-state ledger removed: the model must track inventory, costs, and prices in-context. The specialized call structure and per-step call budget are retained.
- **R5** (ablation) — full with the pricing model seat replaced by a script ($N = 100$), isolating which model decision earns the advantage over the scripted policy.

Provenance. Each run is a single SQLite file carrying a run manifest (git commit field, gate-config hash, simulator-config hash, model id, seed) and per-call records (prompt hash, tokens, latency, HTTP status). All six arms carry the same simulator-config hash (64fa1ff5). We treat this as evidence of *configuration* consistency across arms conditional on implementation identity; because the historical manifests do not carry a populated code commit, the hash cannot by itself establish that the compiled implementation was identical across arms (§7). We report this as a limitation rather than a guarantee.

4 Methods

Failure and success definitions. We distinguish three outcomes: *bankruptcy* (termination), *alive-but-broke* (survived to horizon with net worth $< \$500$), and *composite failure* (bankruptcy or net worth $< \$500$). *Success* is the complement of composite failure: survival to the 200-day horizon with ending net worth at or above the \$500 starting balance. We use this operational definition in place of the looser word “viable,” and report the three outcomes separately because the harness’s effect differs across them (§5.2).

Statistics. All cross-arm comparisons are paired on the environment seed. For net worth we report paired mean and median differences, seeded 10,000-resample bootstrap 95% confidence intervals, and the two-sided Wilcoxon signed-rank test. For binary outcomes we report both McNemar’s test (exact two-sided) and the paired **risk difference** with a seeded bootstrap 95% CI, so that magnitude and uncertainty are visible rather than a single p-value; where a claim is one of *no meaningful effect* we

say so only to the precision the CI supports and do not read a non-significant test as proof of equality. We also report a threshold-sensitivity sweep of the full-vs-scripts comparison across success bars from “terminated” through “cleared \$2,000,” presented as effect sizes (percentage-point advantages with CIs) rather than p-values. Analysis is stdlib-only and regenerates from the archived databases (Appendix A).

Estimand and inferential target. We treat environment seeds as indexing exchangeable realizations from the simulator’s procedural environment distribution (demand draws, weather, supplier behavior). Model arms additionally contain decoding randomness: because historical decoding seeds were neither recorded nor matched, each observed trajectory represents one draw from that decoding process. Our bootstrap intervals and paired tests therefore reflect variation across the combined environment-and-decoding process induced by the evaluated configuration, while blocking only on the environment seed; they do not separately estimate environment-seed and within-seed decoding variance, and they are not the finite-set difference on seeds 1–100 alone (a known constant). Because seeds 1–100 were used during development rather than held out (see below), the resulting intervals should not be interpreted as unbiased estimates on untouched evaluation instances.

Primary vs. secondary analyses (multiplicity). We designate two comparisons as **primary**: full vs. scripts (net worth and composite failure) and full vs. R1b (net worth and composite failure). All others — the threshold sweep, R1a, R5, and the realized-price decomposition — are **secondary/mechanistic** supporting analyses. The primary family was specified above; secondary intervals and p-values are not multiplicity-adjusted and are interpreted as supporting analyses rather than independent confirmatory tests.

Seed provenance and pre-specification. The primary comparison uses the contiguous environment seeds 1–100 (the full evaluated ensemble, not filtered for validity). The outcome definitions above and the harness/scripts/prompt code were fixed during a development phase that inspected earlier, smaller batches (including runs at $N \approx 48$ and $N \approx 136$) and simulator instances; seeds 1–100 were not held out as a fresh, never-inspected test set, and $N = 100$ was chosen as a round target rather than by a formal power analysis. A clean held-out replication with frozen code and recorded decoding seeds is the strongest remaining validity step and is noted as future work (§7).

5 Results

5.1 Core three-arm comparison (RQ1)

arm	N	fail %	mean	median
bare (model only)	100	100	\$86	\$83
scripts (fundamentals)	100	59	\$735	\$29
full (harness + model)	100	46	\$1,725	\$1,415

The distribution is heavily right-skewed and bimodal; we report quantiles rather than privileging a single statistic. Net-worth quantiles: bare (p10 \$51, p50 \$83, p90 \$120); scripts (p10 −\$20, p50 \$29, p90 \$2,226); full (p10 −\$20, p50 \$1,415, p90 \$4,363). The typical full run is a solvent business; the typical bare or scripts run is broke. Figure 1 shows the full empirical CDFs.

Paired comparisons (matched seeds, $N = 100$):




Figure 1: Empirical CDF of final net worth by arm ($N = 100/\text{arm}$).

comparison	mean Δ/seed	median Δ	bootstrap 95% CI	Wilcoxon p	McNemar (comp.)
full – bare	+\$1,639	+\$1,364	[\$1,259, \$2,041]	1.6×10^{-7}	54/0
scripts – bare	+\$649	–\$38	[\$438, \$883]	6.8×10^{-4}	41/0
full – scripts	+\$990	+\$386	[\$740, \$1,247]	1.3×10^{-9}	16/3

Full achieves substantially higher net worth than both baselines. Note the scripts–bare **median** difference is negative (–\$38) despite a positive mean: the scripted policy beats the naive baseline through its winners, not at the median.

5.2 The advantage grows with the success threshold (RQ4)

Decomposing outcomes for full vs scripts (paired, $N = 100$):

outcome (full vs scripts)	full	scripts	paired effect
bankruptcy (terminated)	44%	47%	risk diff –3 pp, 95% CI [–11, +5]; McNemar $p = 0.61$
composite failure ($< \$500$)	46%	59%	risk diff –13 pp, 95% CI [–21, –5]; McNemar $p = 0.0044$
net worth both survived	—	—	+\$1,751/seed, Wilcoxon $p = 5 \times 10^{-9}$

We find **little evidence of a bankruptcy reduction** relative to the scripted policy: the estimated difference is only 3 percentage points and its confidence interval spans zero ([–11, +5] pp), so the experiment does not distinguish the two bankruptcy rates. This is *not* evidence that the rates are equal — only that any difference is small and imprecisely estimated. The harness’s clear advantage is elsewhere: surviving businesses are far more valuable, and the composite-failure rate is separated with a risk difference whose CI excludes zero.

A dead/broke/thriving transition table (rows = each seed’s outcome under scripts, columns = its outcome under full, so cells count seeds) shows where the 100 seeds actually move (Figure 2 renders

the same matrix as a heatmap — green for improved, red for regressed, grey for unchanged):

scripts ↓ / full →	dead	broke	thriving	(row total)
dead	38	1	8	47
broke	3	1	8	12
thriving	3	0	38	41
(col total)	44	2	54	100

Two things are visible that aggregate rates hide. First, the harness nearly empties the alive-but-broke middle (2 seeds under full vs 12 under scripts) and lifts most of it to thriving. Second, the movement is not one-directional: 8 seeds that die under scripts thrive under full, but 3 seeds that thrive under scripts die under full — the harness is not a strict Pareto improvement on survival, and the net shift toward thriving ($41 \rightarrow 54$) is what the paired net-worth tests capture. (bare thrives on 0 seeds; it is omitted from the table.)




Figure 2: Outcome transition scripts → full ($N = 100$ matched seeds). Green = improved, red = regressed, grey = unchanged; cell counts are seeds.

Threshold sensitivity shows the same story as an effect size: the full-vs-scripts *advantage* (scripts failure rate minus full failure rate) grows as the success bar rises, with bootstrap CIs excluding zero from the \$250 bar upward (Figure 3):

success bar	scripts fail%	full fail%	full advantage (pp)	95% CI
terminated only	47	44	+3	[−5, +11]
< \$250	55	46	+9	[+1, +17]
< \$500	59	46	+13	[+5, +21]
< \$1,000	69	47	+22	[+13, +31]
< \$2,000	87	55	+32	[+23, +42]

The advantage of the full harness over the scripted policy therefore increases from 3 pp at the

bankruptcy bar (indistinguishable from zero) to 32 pp at a \$2,000 threshold — the harness does not primarily keep the business alive; it raises how much the survivors are worth.




Figure 3: Failure rate vs. success bar, by arm. The full-vs-scripts gap widens as the bar rises.

5.3 Mechanism: realized selling price, not throughput (RQ2); and how bare fails

The model’s channel is price, not throughput. To compare behavior over an equal exposure window, we descriptively condition on the 47 seeds where both policies reach day 200 and examine the back half of the run (days 101–200), per seed. This removes differential exposure time but conditions on a post-treatment subset (survival is itself affected by the policy), so this analysis is mechanistic/descriptive rather than a full-sample causal effect:

metric (co-survivors, days 101–200)	scripts	full	paired Δ (full–scripts), 95% CI
units sold / day	52.6	51.7	–1.0 [–3.0, +1.3]
realized price / unit	\$1.57	\$1.84	+\$0.27 [+\$0.23, +\$0.32]
revenue / day	\$83.1	\$94.8	+\$11.7 [+\$8.3, +\$15.5]

The quantities reconcile per seed as an exact identity (price $\times$ volume = revenue). There is **no evidence of a volume increase** under full — the estimated difference is -1.0 unit/day, with the 95% interval ranging from -3.0 to $+1.3$ (roughly -5.7% to $+2.5\%$ of the ~ 52 units/day base) — whereas realized selling price rises by **\$0.27/unit** ($\sim 17\%$), **with the entire interval positive**. A per-seed symmetric (Shapley) decomposition of the revenue difference into a price component $\Delta p \cdot \bar{q}$ and a volume component $\Delta q \cdot \bar{p}$ makes the asymmetry precise: the **price effect is +\$13.75/day** [$+11.66, +15.99$] while the **volume effect is $-\$2.01/\text{day}$** [$-5.33, +1.65$], and the two sum exactly to the observed $+\$11.7/\text{day}$ revenue gain. So the price effect is large enough to *more than* explain the revenue gain; the slight volume decline partially offsets it.

Realized selling price is directly measured ($\text{revenue} \div \text{units}$); we report it rather than “margin” deliberately, because the procurement-cost tables (`orders`, `price_book`, `quotes`) are empty in these runs, so cost of goods sold per unit — and hence gross margin — is **not** recoverable from the archived logs. The mechanism we can defend is therefore *higher realized selling price at comparable throughput*; whether the full contribution margin also rises depends on unlogged COGS. Both arms face the same deterministic supplier environment, although their procurement decisions may differ (procurement is one of the seats the harness routes to the model, §3), so we do not claim procurement cost is held constant — only that the selling-price lever is directly measured and the seat ablation in §5.4 isolates pricing causally. Figure 4 plots median net worth over time; the price premium compounds into the net-worth separation seen there.




Figure 4: Median net worth over time, by arm.

Bare’s failure is immediate, not gradual. Contrary to a “loses the thread over a long horizon” reading, the bare arm sells ~ 0.3 units/day from the first week onward. It procures inventory and collects cash — those actions execute — but never effectively prices or sells; net worth decays as the fixed fee drains an inert business. Its ~ 143 -day median survival is fee-arithmetic, not slow degradation. The failure is that the one-shot compound decision is too much to juggle without scaffolding, and pricing is the dropped sub-task. (Model outputs were unparseable on 7.7% of bare days — a minor contributor; the other 92% parse and still do not sell.)

5.4 Component ablation: a strongly asymmetric result (RQ3)

Removing harness components one at a time, matched-seed against full ($N = 100$; Figure 5):

The gates are not necessary for median performance or failure reduction under this workload. Removing the entire gate suite leaves the composite-failure rate essentially unchanged (45% vs 46%; paired risk difference -1 pp, 95% CI $[-11, +9]$; McNemar 13/12, $p = 1.0$) and the

arm	change from full	fail %	median net worth
full	— (reference)	46	\$1,415
R1a	gates removed	45	\$1,378
R1b	persistent state removed	100	−\$18




Figure 5: Component ablation — median net worth by arm ($N = 100/\text{arm}$).

paired median net-worth difference at exactly \$0. The paired *mean* net worth actually rises when gates are removed (+\$399/seed), but this estimate is imprecise and tail-driven: its bootstrap 95% CI is $[-\$7, +\$822]$, which includes zero, and the paired differences are wide, with a median of \$0 and 10th/90th percentiles of $-\$2, 152 / +\$3, 316$. The reading consistent with all of this is that gates occasionally clip a below-floor move that would have paid off in the right tail, while leaving the median run and the failure rate unchanged; we do **not** claim the two arms are equivalent — the CIs are too wide for an equivalence verdict at any tight margin. Two facts help explain why gate removal has little detectable effect on the median and failure rate in this workload: gates bind on only 0.2% of money actions in the full runs, and the procurement/vendor subsystem they primarily protect is lightly exercised by this simulator (§7). (These contextualize the weak observed effect; they do not bound the effect a rarely-binding gate could have in a workload that stressed it — a gate that fires on 0.01% of actions could still avert a catastrophic irreversible loss.) So the defensible statement is narrow: *under the proposal distribution this workload generates, the financial gates were rarely causally active and their removal did not degrade median performance or failure rate.* (Verified behaviorally: R1a’s gates were evaluated 403,441 times and denied none, versus 697 denials in full — enforcement is genuinely off; note the gate-config hash is identical across the two, so the manifest hash does not capture whether enforcement is on, a provenance gap flagged in §7.)

Persistent structured state is necessary, and its removal is worse than no harness. Removing the state ledger collapses performance to 100% failure (98% bankruptcy), median net

worth $-\$18$ — *below* bare’s $\$86$. This is a genuine behavioral collapse, not a broken pipeline: R1b runs lasted 183 days on average, made 511 model calls each, and traded ~ 220 units per run. Because R1b retains the full specialized-call structure and per-step budget, the comparison **rules out additional model calls or task decomposition *alone* as sufficient** to explain the full arm’s performance: the same call structure without persistent state produces catastrophe. It does **not** show that decomposition contributes nothing — the two are plausibly complementary (decomposition helps only when state is present; we lack the no-decomposition/with-state cell to separate them, since bare differs in many other respects). What R1b establishes is the necessity of the state treatment. We interpret this as the harness supplying persistent structured state the weak model cannot hold in-context, but the treatment bundles persistence, a canonical denoised representation, and fresh-prompt context management, and this experiment does not isolate which of those is the operative mechanism (§7). That R1b underperforms bare is mechanistically informative — the harness’s action structure, deprived of state to coordinate it, drives the model to keep procuring and pricing incoherently, trading itself into deeper insolvency than the near-inert baseline.

Together these give a strongly **asymmetric ablation**: removing persistent structured state is catastrophic, while removing the gates is not detectable at the median or on the failure rate. (We avoid the term “double dissociation”: that requires two components with selective effects on two *different* outcomes, which we do not demonstrate.)

Within a functioning harness, the pricing seat is necessary for — and appears to account for most of — the model’s advantage over the scripted policy. The harness routes several decisions to the model (pricing, procurement, cash collection). Replacing only the pricing seat with a deterministic rule (R5, $N = 100$, matched seeds) **erases the full arm’s advantage** (Figure 6): mean net worth falls to $\$577$ (scripts $\$735$; full $\$1,725$) and the composite-failure rate rises to 65%. Against full the effect is decisive — paired composite-failure McNemar 2/21 ($p < 0.001$), and surviving businesses worth roughly half as much (co-survivor mean $\$1,714$ vs $\$3,566$; ratio 0.48). The mean gap has two components — R5 produces both fewer winners (35 vs 54) and smaller ones (winner-mean $\$1,658$ vs $\$3,201$) — with the size effect the larger of the two.

Against the scripted baseline, R5 does not merely match it — it is *statistically indistinguishable on composite failure* (McNemar $p = 0.27$) and *modestly worse on mean net worth* (R5–scripts $-\$158$, 95% CI $[-\$258, -\$75]$, median $-\$0$). This is more informative than “R5 sits at the scripted level”: conditional on scripted pricing, retaining the model’s other seats (procurement, cash collection) does not improve on the fully scripted policy and is associated with slightly lower mean net worth. We cannot additively attribute $-\$158$ to those seats — interactions preclude that — but the finding indicates the model’s value in this harness is **highly localized**: pricing judgment more than compensates for whatever costs the remaining model-mediated decisions impose, rather than the model being generically useful throughout. We therefore identify pricing as a *necessary* model-mediated contributor while stopping short of “pricing carries the model’s entire contribution”: establishing that the other seats contribute nothing (or that a single seat carries everything) requires the remaining per-seat ablations, which we have not run (§7).

The mechanism we can defend is unified in direction: pricing sets the realized selling price, increasing revenue per unit sold and potentially enlarging the cash buffer available to absorb the environment’s shocks; the archived logs do not permit a direct gross-margin decomposition (COGS is unlogged, §5.3). Scripting the pricing seat removes that lever — the causal complement to §5.3’s realized-price finding, and convergent with the bare arm, whose fatal omission was also pricing.

A further caveat scopes even the pricing result. R5 shows the model’s pricing policy beats *this* deterministic pricing rule, which was written as operational “fundamentals,” not tuned for optimality.




Figure 6: Seat ablation: scripting the pricing seat (R5) erases the full arm’s advantage over the scripted baseline.

It does not establish that no simple model-free rule (e.g., an elasticity-aware or tuned-markup policy given the same state) could recover the same value. Distinguishing “the model contributes flexible judgment” from “our baseline rule leaves obvious pricing value on the table” requires a stronger non-LLM pricing baseline, which we flag as future work (§7).

6 Exploratory Studies

The primary study is the three-arm comparison and the component ablation above. We ran three further studies — a capability gradient across model tiers, a live-LLM adversary, and a durability push to a long horizon — but each is underpowered or off the primary simulator configuration, so we report them as preliminary observations in **Appendix B** rather than as results, to keep them from lending unearned weight to the main claims. They motivate future work (notably the multi-model full-arm curve); none is load-bearing for RQ1–RQ4.

7 Threats to Validity

- **Seed holdout and pre-specification.** The $N = 100$ primary seeds were not a held-out test set: the harness, scripts, prompts, thresholds, and outcome definitions were fixed during development that inspected earlier smaller batches and simulator instances, and $N = 100$ was a round target, not a powered one (§4). As stated in the §4 estimand, our intervals quantify variation over the simulator’s procedural environment distribution conditional on the evaluated (development-tuned) implementation; because the seeds were not held out, they are not an unbiased estimate of performance on untouched evaluation instances. **The single strongest remaining validity step is a clean held-out replication** — a development seed set, a

fresh untouched test seed set, frozen code and prompts, and one final evaluation — which we have not yet run.

- **Decoding stochasticity is not paired.** The design pairs the *simulator* condition on seed, but historical runs did not record a decoding seed, so the model’s stochastic realization is not matched across arms. This is a sensible blocked design over environment seeds, but it means “isolating the decision layer as the only variable” is too strong: environment-seed variance and LLM-sampling variance are not separated. A clean replication should use deterministic decoding or record decoder seeds, ideally with repeated decoding replicates on a subset of environment seeds to estimate sampling variance directly.
- **The state ablation is a bundle, not a single mechanism.** R1b removes persistence, a canonical denoised state representation, and fresh-prompt context management together. It establishes the necessity of the state *treatment*, not that persistence per se (rather than, say, a denoised current-state brief) is the operative mechanism. Finer ablations — persistent ledger with a raw vs. canonical representation, a ledger with a growing vs. fresh transcript, current-operational-state vs. historical/vendor memory only — and a direct measurement of **state-reconstruction error** in R1b (asking the model what it believes inventory, cost basis, and prices are, and comparing to ground truth over the horizon) would turn the working-memory interpretation into an observed mechanism. These are not attempted here.
- **The gates are lightly stressed by this workload.** Gates bind on only 0.2% of money actions and the procurement/vendor subsystem is lightly exercised, so the “gates not necessary” finding is scoped to *this proposal distribution* and does not establish that guardrails are unimportant to agent performance in general. A targeted experiment constructed to contain high-risk situations where gates actually bind is needed to evaluate their value where it would matter.
- **The pricing localization is one seat, not a full attribution.** R5 establishes pricing as necessary, but interactions could mask contributions from the other model seats (procurement, cash collection). The remaining per-seat ablations (script each other seat individually) are required before claiming pricing is the model’s *only* contribution.
- **The pricing baseline is “fundamentals,” not optimized.** R5 compares the model against a deliberately simple deterministic pricing rule. A stronger model-free pricing baseline (elasticity-aware, tuned markup, or a small search) is needed to distinguish “the model contributes flexible judgment” from “the baseline rule leaves obvious value on the table.”
- **Co-survivor analysis is on a post-treatment subset.** The +\$1,751/seed “quality of survival” figure conditions on seeds where *both* arms survived, and survival is itself affected by the policy; it should be read as a description of the both-survived subset, not as a clean causal decomposition. The threshold sweep and the full-sample net-worth comparison (§5.1–5.2) carry the broader claim.
- **Single model in the primary arms.** The primary result shows a scaffold rescues a *weak* model; it does not show performance is independent of capability. The multi-model full-arm curve is the pending test.
- **No self-scaffolding control.** We tested “the model cannot hold state when we withhold it,” not “the model could not build state if given tools.” A tool-enabled model permitted to construct and maintain its own scaffold is the fair capability ceiling and was not run.

- **Bare is a control, not a capability verdict.** “Unaided fails” is not “incapable.”
- **Long-horizon framing.** The paper’s framing invokes long-horizon coherence, but bare fails essentially from the first week (§5.3) — its failure is an immediate compound-decision/pricing omission, not gradual drift. R1b is the arm that could substantiate a specifically long-horizon-memory mechanism, but only if its state errors are shown to *accumulate with horizon*; we have not yet produced that evidence (e.g., state-reconstruction error vs. day, or the full-vs-baseline advantage at 10/25/50/100/200-day horizons). As it stands the paper establishes a scaffolding result on a long-horizon task more firmly than it establishes a long-horizon-memory *mechanism*.
- **Provenance gaps.** A simulator-config hash alone proved insufficient earlier in the project (a code-level `placeOrder` fix left same-hash runs incomparable), motivating full implementation provenance (git commit, binary hash, quantization, decoding seed, prompt-template hashes). The shared `sim_config_sha` (64fa1ff5) supports *configuration* consistency across arms but, absent a populated code commit, cannot by itself prove the compiled implementation was identical. A concrete symptom: R1a carries the same *gate-config* hash as full despite gate enforcement being disabled — the manifest hash does not capture whether enforcement is on, which the provenance schema should fix. Historical runs also lack recorded decoding seeds. “Recomputable to the cent from archived databases” is the accurate reproducibility claim; rerunning stochastic model calls reproduces effect sizes, not exact dollars. The cleanest remedy is to rerun the core arms with git commit and decoder seed recorded.
- **A negative result we retain.** A prototyped fix to the harness’s tendency to starve rather than overpay a predatory vendor appeared to add survivors at $N = 48$ but evaporated at $N = 136$ (−\$208/seed); the starvation is a deliberate net-worth-maximizing policy, not a bug. (The $N = 136$ databases were lost to infrastructure failure; this figure is from notes.)
- **Ablation scope.** The ablation isolates state vs gates; finer decomposition of *which* state (inventory vs cost vs vendor memory) is not attempted, and the procurement/vendor subsystem is lightly exercised in this simulator.

8 Discussion

The result reframes what the harness is doing, within the scope this workload supports. Under this proposal distribution it is not primarily a guardrail system: the gates almost never bind, and removing them leaves the median run and the failure rate unchanged. Its load-bearing component is persistent structured state: the 4-billion-parameter model does not perform reliably when required to operate without the harness’s persistent structured-state treatment, and pricing is a necessary model-mediated contribution on top of that substrate — it sets the realized selling price. We read the state result as the harness supplying persistent structured state the weak model cannot hold in-context; we are deliberately cautious about the stronger cognitive claim that this is specifically the model’s “working memory,” because the state treatment also supplies a canonical denoised representation and fresh-prompt context management, and this experiment does not separate persistence from representation (§7). The complementarity is nonetheless asymmetric: without the state treatment, the resulting harness configuration performs even worse than bare ($R1b < \text{bare}$), consistent with an action-taking architecture amplifying incoherent decisions when its coordinating state is removed.

The seat ablation carries a further engineering implication worth stating, if not overselling. Full (model pricing + other model seats) beats scripts by +\$990/seed, whereas R5 (scripted pricing + the same other model seats) is \$158/seed *below* scripts: one model-mediated decision appears valuable

enough to more than overcome the aggregate cost of leaving the remaining decisions with the weak model. We cannot decompose that aggregate cost (interactions preclude it, §5.4), but the pattern suggests a design heuristic beyond this simulator: hybrid systems may gain more from selectively allocating model judgment to the few decisions with high upside than from maximizing the number of decisions delegated to the model. We offer this as a hypothesis motivated by one seat ablation, not a demonstrated general law.

A design corollary, illustrated by the study’s own process. Conducting this study was itself a long-horizon process executed partly by agents, and it failed twice at exactly the steps left to an agent’s judgment rather than a gate: an ungated teardown destroyed a set of runs by skipping a sync step, and a silently mis-parsed configuration flag corrupted a comparison for days (surfaced only because the manifest hashes the simulator config). Both are instances of the same design principle the harness embodies — externalize the state, gate the irreversible step, verify before an action becomes irreversible — and both are anecdotes about process discipline, not controlled evidence. We include them as motivation, not as a second demonstration of a general law; the relationship between a model losing state and an experimenter skipping a gate is an analogy across different mechanisms, not identical causation.

9 Conclusion

On a long-horizon business simulator with adversarial supplier profiles, a scaffolding harness moves a weak 4B model from 100% composite failure (median net worth \$83) to 54% success (median \$1,415), and within the harness that performance depends on the persistent structured-state treatment: neither gate enforcement nor the additional model calls and task decomposition alone explains the observed advantage. Removing the state substrate collapses the arm to total failure, while removing the gates does not measurably degrade median net worth or failure rate. The harness does not measurably keep the model *solvent* relative to a scripted policy (bankruptcy differs by 3 pp, CI spanning zero); its clear advantage grows with the success threshold, and pricing is necessary for that observed advantage. A seat-level ablation shows this: scripting the pricing seat alone erases the full arm’s advantage — the result is statistically indistinguishable from the deterministic policy on composite failure and modestly *worse* on mean net worth — identifying pricing as a necessary model-mediated contributor, and indicating that the model’s value in this harness is highly localized rather than distributed across its decisions. We deliberately hold the claims narrow — necessity under this workload, not a general law — and the strongest open tests remain for future work: a held-out replication with recorded decoding seeds, the remaining per-seat ablations, a stronger model-free pricing baseline, and a tool-enabled model permitted to build its own scaffold.

A Reproducibility

Code and analysis scripts are at <https://github.com/bigshotClay/SuperVend9000>; the archived run databases (679 SQLite files) are the `data-v1` release asset at <https://github.com/bigshotClay/SuperVend9000/releases/tag/data-v1>, extracted at the repository root. `compute_results.py` regenerates the core three-arm, paired, capability-gradient, and exploratory numbers; `phase1_stats.py` the quantiles, bootstrap CIs, Wilcoxon tests, separated failure tests, and threshold sweep; `phase1_mechanism.py` the trajectory and efficiency analyses; `phase1_gates_bare.py` the gate-rejection rates and bare-behavior breakdown; `verify_r1.py` the R1a/R1b ablation paired comparisons and the R1b real-vs-artifact check; `verify_r5.py` the R5 seat-ablation paired comparisons (vs

full and vs scripts); `verify_revision.py` the R1a full paired statistics (mean/median difference, bootstrap CI, quantiles, composite-failure risk difference), the scripts→full dead/broke/thriving transition table, the bankruptcy and threshold-sweep risk differences with CIs, the co-survivor realized-price/volume/revenue table, the per-seed Shapley price-vs-volume revenue decomposition, and the R5-vs-scripts net-worth paired test; `figures.py` regenerates all seven figures as dependency-free SVG. Failure is defined as termination or final net worth below \$500. All comparisons are matched-seed. The primary three arms share simulator-config hash `64fa1ff5`.

B Preliminary Observations (underpowered; not part of the main result)

These are stress tests, not powered experiments, and each is either underpowered or off the primary simulator configuration. We report them to motivate future work; none supports the main claims (RQ1–RQ4).

Capability gradient (bare arm, across model tiers). Bare-arm net worth rises with model tier — `gemma3:4b` \$86 (100% fail), `qwen2.5:7b` \$171 (100% fail), `deepseek-v4-flash` \$2,452 (50% fail) — suggesting the harness’s necessity is greatest for the weakest models (Figure 7). This does **not** establish model-independence of the full arm, which requires the (unrun) multi-model full-arm curve. This is the one exploratory result we would carry forward, as it directly motivates the pending multi-model study.




Figure 7: Capability gradient — bare-arm net worth by model tier (exploratory).

Harness on a capable model. On `deepseek-v4-flash` (paired, $n = 10$), full beats bare on both net worth (+\$3,607/seed, $t = 2.48$) and failure rate (10% vs 50%), suggesting the harness helps even a stronger model. Small n ; directional only.

Live adversary. Replacing scripted suppliers with a larger live model (qwen2.5:7b) for supplier dialogue, $n = 3$ selected seeds ran 577–985 days with zero bankruptcies. This shows long-horizon coherence against live-LLM-mediated suppliers is *achievable*; $n = 3$ cannot establish a rate, the sim config differs from the ablation, and whether the vendor model controlled economically consequential behavior (versus dialogue only) is not established.

Durability. Five near-median seeds pushed toward a 3,000-day cap: two bankrupt early (on-distribution), three compounded with monotonically rising net worth past day 365 before infrastructure loss. Demonstrates achievability of 500+ day coherence, not a survival rate; the seeds were selected and the survivors are right-censored by infrastructure failure.

References

- [1] Backlund, A., & Petersson, L. (2025). *Vending-Bench: A Benchmark for Long-Term Coherence of Autonomous Agents*. arXiv:2502.15840. <https://arxiv.org/abs/2502.15840>
- [2] BMAD Code. *BMAD-METHOD* (v6.x.x) [software]. GitHub. <https://github.com/bmad-code-org/bmad-method>
- [3] Anthropic. (2024). *Building Effective Agents*. Anthropic Engineering. <https://www.anthropic.com/engineering/building-effective-agents>
- [4] Google. *Gemma 3 Model Card*. Google AI for Developers. https://ai.google.dev/gemma/docs/core/model_card_3
- [5] Mialon, G., Fourrier, C., Swift, C., Wolf, T., LeCun, Y., & Scialom, T. (2023). *GAIA: A Benchmark for General AI Assistants*. arXiv:2311.12983. <https://arxiv.org/abs/2311.12983>
- [6] Yao, S., Shinn, N., Razavi, P., & Narasimhan, K. (2024). *τ -bench: A Benchmark for Tool-Agent-User Interaction in Real-World Domains*. arXiv:2406.12045. <https://arxiv.org/abs/2406.12045>
- [7] Packer, C., Wooders, S., Lin, K., Fang, V., Patil, S. G., Stoica, I., & Gonzalez, J. E. (2023). *MemGPT: Towards LLMs as Operating Systems*. arXiv:2310.08560. <https://arxiv.org/abs/2310.08560>
- [8] Park, J. S., O’Brien, J. C., Cai, C. J., Morris, M. R., Liang, P., & Bernstein, M. S. (2023). *Generative Agents: Interactive Simulacra of Human Behavior*. arXiv:2304.03442. <https://arxiv.org/abs/2304.03442>
- [9] Wang, G., Xie, Y., Jiang, Y., Mandlekar, A., Xiao, C., Zhu, Y., Fan, L., & Anandkumar, A. (2023). *Voyager: An Open-Ended Embodied Agent with Large Language Models*. arXiv:2305.16291. <https://arxiv.org/abs/2305.16291>
- [10] Sumers, T. R., Yao, S., Narasimhan, K., & Griffiths, T. L. (2023). *Cognitive Architectures for Language Agents*. arXiv:2309.02427. <https://arxiv.org/abs/2309.02427>
- [11] Yao, S., Zhao, J., Yu, D., Du, N., Shafran, I., Narasimhan, K., & Cao, Y. (2022). *ReAct: Synergizing Reasoning and Acting in Language Models*. arXiv:2210.03629. <https://arxiv.org/abs/2210.03629>

- [12] Shinn, N., Cassano, F., Berman, E., Gopinath, A., Narasimhan, K., & Yao, S. (2023). *Reflexion: Language Agents with Verbal Reinforcement Learning*. arXiv:2303.11366. <https://arxiv.org/abs/2303.11366>