Neovim Cheat Sheet

Basics: - Quit Neovim - Save the file :wq - Save and quit :q! - Quit without saving :w! - Force write if file is read-only - Undo Ctrl + r - Redo :e <file> - Open a file - Explore files (file browser) Moving Around: - Move left h - Move down k - Move up - Move right - Go to the beginning of the file gg G - Go to the end of the file - Go to the beginning of the line 0 - Go to the end of the line \$ - Jump forward by word W b - Jump backward by word Ctrl + o - Jump to older cursor position

Ctrl + i - Jump to newer cursor position

Insert Mode:

- i Insert before the cursor
- I Insert at the beginning of the line
- a Insert after the cursor
- A Insert at the end of the line
- o Open a new line below
- O Open a new line above
- Esc Exit insert mode

Editing:

- x Delete the character under the cursor
- dw Delete the word
- dd Delete the current line
- D Delete from the cursor to the end of the line
- yy Yank (copy) the current line
- yw Yank (copy) a word
- p Paste after the cursor
- P Paste before the cursor

r<char> - Replace the character under the cursor with <char>

- ciw Change inside a word
- ci" Change inside double quotes
- cw Change the word (delete and enter insert mode)
- cc Change the entire line

Visual Mode:

- v Start visual mode (character-wise selection)
- V Start visual line mode

Ctrl + v - Start visual block mode (column selection)

- y Yank (copy) the selection
- d Delete the selection
- > Indent the selection
- Un-indent the selection

Window Management:

:split - Split window horizontally

:vsplit - Split window vertically

Ctrl + w + h/j/k/l - Move between windows

:resize +<N> - Resize window by N lines

Ctrl + w + = - Equalize window sizes

Buffers and Tabs:

- :bn Go to next buffer
- :bp Go to previous buffer
- :bd Delete (close) buffer
- :ls List open buffers
- :tabnew <file> Open file in a new tab
- :tabn Go to next tab
- :tabp Go to previous tab

Search and Replace:

/pattern - Search for pattern

n - Move to next search result

N - Move to previous search result

:%s/foo/bar/g - Replace all occurrences of "foo" with "bar" in the file

:%s/foo/bar/gc - Replace all with confirmation

Plugin Shortcuts (Example: NvimTree):

:NvimTreeToggle - Toggle file tree

:NvimTreeFindFile- Find current file in file tree

Ctrl + n - Open or close NvimTree (if mapped)