S.P.M College,Udantpuri

Bachelor Of Computer Application (BCA)

Part -1 (Paper-1) **– Hira Kumar**

Web Development





HIRA KUMAR

❖ Background Property

Background property is used to set the background color, background image and so many function perform on an element.

```
<title>hira css</title>
<style>
  div p{
    background-color   : yellow;
  }
  div a{
    color: white; background-color   : green;
  }
</style>
<body>
  <div>
    <p> Hello world !</p>
    <div>
      <div>
        <a> submit </a>
      </div>
</body>
```

http://127.0.0.1:5500/index.html

Hello world !

submit

```
<title>hira css</title>
<style>
  *{
    background-color  : yellow ;
  }

</style>
<body>
  <div>
    <p> Hello world !</p>
    <div>
      <div>
        <a> submit </a>
      </div>
</body>
```

Hello world !

submit

```
<title>hira css</title>
<style>
  *{
    background-image  : url(bihar.jpg) ;
    background-repeat : no-repeat
  }

</style>
<body>
    <p> Hello Bihar !</p>

</body>
```

Hello Bihar !

a. Background Color

- Pro- It sets the background color of an element
- Value- red, blue, green, #ffffff, rgb()
- Example -

```
div{
    background-color: yellow;
}
```

http://127.0.0.1:5500/index.html

Hello hira

web [Administrator]

script.js | index.html | hira.css | "bihar.jpg" | bihar.jpg

index.html > html > head > style > .class

```
1  <!DOCTYPE html>
2  <html>
3  <head>
4  <title>hira css</title>
5  <style>
6  .class{
7  background-color: yellow;
8  }
9      </style>
10     <body>
11 <div class="class">
12 <p> Hello hira </p>
13 </div>
14     </body>
```

b. Background Gradient

- A background gradient is a CSS feature used to create a smooth transition between two or more colors instead of a single solid color.

  (background gradient एक ऐसा CSS feature है जिसमें हम 2 या उससे ज्यादा colors को धीरे-धीरे (smoothly) change करते हैं। यानि color एकदम से change नहीं होता, बल्कि mix होकर transition बनाता है।)

- Syntax – {

  background: linear-gradient(direction, color1, color2, ...);

  }

Example :

➢Left to Right OR Right to left

```
    <style>
        div{
            margin:20px;
            width:80vw;
            height:5vw;
            border:5px solid black;
            background: linear-gradient(to right, red, yellow);
        }
    </style>
</head>
<body>
    <div>
Hello Hira
    </div>
</body>
```

http://127.0.0.1:5500/2nd pro/ok.html 133%

Hello Hira

➢Top to Bottom (default)

```
    <style>
        div{
            margin:20px;
            width:80vw;
            height:5vw;
            border:5px solid black;
            background: linear-gradient( red, yellow);
        }
    </style>
</head>
<body>
    <div>
Hello Hira
    </div>
```

http://127.0.0.1:5500/2nd pro/ok.html 133%

Hello Hira

➢ Angle Gradient

```
    <style>
        div{
            margin:20px;
            width:80vw;
            height:5vw;
            border:5px solid black;
            background: linear-gradient(45deg, red, green);
        }
    </style>
</head>
<body>
    <div>
Hello Hira
    </div>
```

http://127.0.0.1:5500/2nd pro/ok.html 133%

Hello Hira

Background-image:	url(“image.jpg”) → Single image url(“pic1.jpg”),url(“pic2.jpg”),… → multiple image None; → no image Linear-gradient (red,blue); →gradient (image को dark/transparent दिखाना)

c.Background Image

- Pro- It sets an image as the background.

- In background image by default our image is repeated form.
- Value- url("image.jpg")
- Example -

```
div{
    background-image:url("nature.jpg");
    }
```





Adding Multiple background-image

Syntax – {

```
    Background-image:url("image1.jpg"), url("image2");
    }
```

Example –

```
    <style>
        body{

    background-image: url("bihar.jpg"), url("3logo.jpg");
    background-repeat: no-repeat, no-repeat;
    background-position: left top, 900px 100px;
    background-size:auto, 500px 300px;
}


    </style>
</head>
<body>

</body>
```

d. Background Repeat

Pro- It controls how the background image repeats.

Value- repeat (by default), no-repeat, repeat-x, repeat-y

Example -

```
div{
    background-image:url("pattern.png");
    background-repeat:no-repeat;
    }
```



e. Background Size

Pro- It sets the size of the background image.

Value- auto, cover, contain (fit on box),200px(width) 150px(height)

Example -

```
div{
    background-image:url("nature.jpg");
    background-size:cover;
    }
```

Value	Work
Auto	Image अपने original size में दिखेगा
cover	Image पूरे container को cover कर लेता है-खीचना
contain	Image पूरा दिखाई देगा (cut नहीं होगा)
Length values	आप खुद size define कर सकते हो Ex- background-size: 100% 100%; (100widht,100 height) आप px भी use कर सकते है|



f. Background Position

Pro- It defines the starting position of the background image.

Value- left, right, center, top, bottom, 20px 30px

Example - div{

background-image:url("nature.jpg");

background-position:center; OR

background-position: center top; (2 value use)

}



g. Background Position-X

Pro- It sets the **horizontal position** of the background image.

Value- left, center, right, 50px

(use two value → center top, right bottom,….)

Example –

```
div{
    background-image:url("nature.jpg");
    background-position-x:right;
    }
```



h. Background Position-Y

Pro- It sets the **vertical position** of the background image.

Value- top, center, bottom, 40px

Example -

```
div{
    background-image:url("nature.jpg");
    background-position-y:bottom;
    }
```



i. Background Clip

Pro- it defines how far the background extends inside the element.

Value- border-box, padding-box, content-box

Example -

```
div{
        border:5px solid black;
        padding:20px;
        background-color:yellow;
        background-clip:content-box;
        }
```

j. Background Attachment

Pro- It controls whether the background image scrolls with the page or stays fixed.

Value- scroll, fixed, local

Example - body{
background-image:url("nature.jpg");
background-attachment:fixed;
}

k. Background Origin

Pro- It defines where the background image positioning area starts.

Value- border-box, padding-box, content-box

Example - div{
padding:30px;
border:5px solid black;
background-image:url("nature.jpg");
background-origin:padding-box;
}

Value

background-origin:border-box; Background border तक फैलेगा

background-origin:padding-box; padding tk rahega

background-origin:content-box; content area tk rahega*

Difference	
Background-clip	Background-origin
Background कहाँ तक दिखेगा	Background कहाँ से शुरू होगा

l. Background Blend Mode

Pro- It blends the background image with the background color. (background image और background color एक-दूसरे के साथ कैसे mix होंगे)

Value- multiply, overlay, darken, lighten

Example - div{
background-image:url("bihar.jpg");

```
background-color:red;
background-blend-mode:darken;
}
```

Value	work
normal	Default (कोई blend नहीं)
multiply	Image + color dark हो जाते हैं
screen	Image light (bright) हो जाती है
overlay	dark + light दोनों effect mix
darken	सबसे dark color दिखेगा
Lighten	सबसे light color दिखेगा

m. Shorthand

All view write in one line of background. (e.g. → color, image, repeat, attachment, position)

Syntax → background: color image repeat attachment position;

❖ Opacity Property

- Opacity is a CSS property used to control the transparency level of an element. It decides how visible or invisible an element appears on the screen.
- Value range: 0 to 1

  0 → Completely invisible

  1 → fully visible (default)

  0.5 → 50% transparent

  (Note → opacity लगाने पर पूरा element

  (text+image+background) transparent हो जाता हैं |)
- Syntax :

```
Selector {
        Opacity : value;
        }
```

- Example :

```html
<style>
    }
    div{
  width:100vw;
  height:100vh;
  background-color: aliceblue;
  background-image:url(bihar.jpg);
  background-repeat:no-repeat;
  background-size:contain;
  background-position :center;
  background-attachment:fixed;
  opacity:0.5;
    }
  </style>
</head>
<body>
  <h1 style="text-align:center; background-color: cornflowerblue;"> Welcome HIRA College</h1>
<div>
  <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Officiis voluptatum facilis dolorum
  earum unde temporibus quas quae? Debitis quisquam qui laboriosam aperiam maiores at natus
  moleliquid corporis porro rem maxime! Ipsum ab voluptatum debitis? Ad nostrum harum voluptates?
  Sequi inventore facere velit qui voluptatem doloribus atque! </p></div>
</body>
```

HIRA KUMAR