 UNITED TRACTORS Jl. Raya Bekasi Km. 22 Cakung Jakarta Timur	FORM CHECK LIST POMPA POND A,B,C & D	INTEGRASI SISTEM
	No. Dokumen : FORM 015/PROS-MFP-MLK3-014 Revisi : Hal : ... Dari : ...	ISO 9001 : 2008 ; ISO 14001 : 2004 ; OHSAS 18001 : 2007 & SMK3

WEEKLY REPORT CHECK LIST POMPA POND

SECTION : MAINTENANCE

Tanggal :

POMPA POND	LOKASI	STANDARD	KONDISI		
			V	P	X
A	SAMPING IPAL		V		
B	Depan KMSI			V	
C	MASJID		V		
D	POS 1 SEC				V

No	DESCRIPTION	KONDISI	
		V	P
1	Check fungsi Panel	V	
2	Check fungsi Valve		V
2	Check fungsi Valve	V	
3	Check kondisi instalasi kabel		
4	Check Flow meter	V	

No	DESCRIPTION	KON	
		V	
5	Check kondisi pipa-pipa	<p>A PHP Error was encountered</p> <p>Severity: Notice</p> <p>Message: Undefined offset: 5</p> <p>Filename: pdf_template/form_checklist_pompa_pond.php</p> <p>Line Number: 355</p> <p>Backtrace:</p> <p>File: E:\xampp7\htdocs\ut-dev\application\views\pdf_template/form_checklist_pompa_pond.php Line: 355 Function: _error_handler</p> <p>File: E:\xampp7\htdocs\ut-dev\application\models\ContentPdf.php Line: 28 Function: view</p> <p>File: E:\xampp7\htdocs\ut-dev\application\controllers\api\FormICP.php Line: 54 Function: generate</p> <p>File: E:\xampp7\htdocs\ut-dev\vendor\chriskacerguis\codeigniter-restserver\src\RestController.php Line: 583 Function: call_user_func_array</p> <p>File: E:\xampp7\htdocs\ut-dev\index.php Line: 315 Function: require_once</p>	<p>A PHP Error was encountered</p> <p>Severity: Notice</p> <p>Message: Undefined offset: 5</p> <p>Filename: pdf_template/form_ch</p> <p>Line Number: 356</p> <p>Backtrace:</p> <p>File: E:\xampp7\htdocs\ut-dev\application\views\pdf_tem Line: 356 Function: _error_handler</p> <p>File: E:\xampp7\htdocs\ut-dev Line: 28 Function: view</p> <p>File: E:\xampp7\htdocs\ut-dev\application\controllers\api\N Line: 54 Function: generate</p> <p>File: E:\xampp7\htdocs\ut-dev\restserver\src\RestController.p Line: 583 Function: call_user_func_array</p> <p>File: E:\xampp7\htdocs\ut-dev\index.php Line: 315 Function: require_once</p>

RUNNING TEST				
1	- SWITCH harus pada Posisi AUTO	V		
2	- Check POWER SUPPLY		V	
3	a. Atur Switch pada posisi MANUAL	V		
	b. Tekan Tombol ON, max 30 detik			
	c. Kemudian Tekan Tombol OFF			
	d. Selanjutnya atur Switch ke posisi AUTO kembali.			
	e. Angkat satu persatu Pelampung Pompa (Elektroda) max 30 detik			
4	Check Pintu Air Pond, tambahkan 'GREASE' bila perlu.	V		


V : OK

P : Perbaikan

X : Rusak

Catatan :

Tidak ada

Diketahui Oleh :	Disetujui Oleh :
	

PIC Maintenance	Section Head
(picm)	(.....)