


# Konkan House

East–West Roof Variant — Design Package  
Generated 2026-07-08




Floor Plans — All Floors


All Floor Plans



Ground Floor




First Floor




Loft Floor

Elevations — Front · Back · Left · Right


All Elevations




Left Elevation



Front Elevation



Right Elevation




Back Elevation

# Roof — Dimensioned Cross Sections

## Hip Roof — Slope Views & Framing


### ROOF PLAN — Top View (framing layout)

- KEY**
- 2"×4"×2 mm HSS RAFTER @ 36" OC
  - 2"×1"×1.6 mm HSS PURLIN (flat) @ 12" OC
  - 6"×3"×2 mm HSS RIDGE / HIP
  - FINK TRUSS × 3 — 2"×4"×3 mm HSS, 27' span
  - RING BEAM 27'×45' — 4"×2"×3 mm HSS @ wall top
  - HIP-END BEAMS × 6 — 4"×2"×2 mm HSS
  - 6" × 1.2 mm GI PANI PATTI (outer eave band)
  - 1"×1"×3 mm L-CHANNEL (inboard of Pani Patti)
  - (all widths drawn to scale — 1 pixel = 0.72")




### PERSPECTIVE — Structural frame (isometric)

- Fink truss × 3
  - Ring beam (27' × 45')
  - Hip-end beams × 6
- (roof shell dashed for context)



### SECTION A-A : TRANSVERSE (perpendicular to ridge) — TRUSS PROFILE



PITCH: 26.0°  
Fink × 3 — 27' × 7' rise, bottom chord on ring beam  
Ring beam at wall top (110" above eave)

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')

h = 8' 4"

24'-0"

34' 2"

7' 11"

7' 11"

Ring beam (22' × 45')


h = 8' 4"

24'-0"

34' 2"



3D Perspective Renders




Aerial




Eye-level — Front



Eye-level — Back




Front-left corner



Front-right corner



Back-left corner



Back-right corner