Choice Paper Simulation

Bijesh Mishra, Ph.D.

2024-10-14

Table of contents

1 Setting Up **3**
1.1 Housekeeping . . . 3
1.2 Load libraries . . . 3
1.3 Theme for plots . . . 4

2 Import data **5**
2.1 Tomato . . . 5
2.2 Strawberry . . . 8
2.3 Squash . . . 10
2.4 Electricity price . . . 13
2.5 PV system cost . . . 13
2.6 Capex (NREL) . . . 15
2.6.1 Plotting capex . . . 16
2.7 Panel Configuration . . . 18
2.8 Energy output . . . 21
2.8.1 Energy output by solar panels counts . . . 23
2.8.2 Energy output by DC System Size . . . 24

3 Solar Energy Calculation **25**
3.1 Simulation for energy revenue . . . 25
3.2 Simulation 2 for energy revenue . . . 27
3.3 Plotting revenue from energy production . . . 29
3.3.1 Breakdown by number of solar panels . . . 29
3.3.2 Breakdown by proportion of land under solar . . . 35
3.4 Cost and Profit from solar . . . 42
3.4.1 Plot Solar profit . . . 46

4 Profit from crops **53**
4.1 Tomato 53
4.1.1 Plot Tomato Profit 55
4.2 Strawberry 57
4.2.1 Plot Strawberry Profit 60

5 Profit from agrivoltaics **61**
5.1 Profit from tomato agrivoltaic system 62
5.1.1 Saving results locally 65
5.2 Profit from strawberry agrivoltaic system 65
5.2.1 Saving results locally 68

Collocating Specialty Crops and Solar panels in Alabama, Southeastern USA. A paper for Choice Magazine, AAEA.

1 Setting Up

1.1 Housekeeping

```
rm(list = ls()) # Clean the environment.
options(
  warn=0, # Warnings. options(warn=-1) / options(warn=0)
  scipen=999 # No scientific notations.
  )
```

1.2 Load libraries

```
library(tidyverse, warn.conflicts = FALSE, quietly = TRUE)
```

```
-- Attaching core tidyverse packages ------------------------ tidyverse 2.0.0 --
v dplyr     1.1.4     v readr     2.1.5
v forcats   1.0.0     v stringr   1.5.1
v ggplot2   3.5.1     v tibble    3.2.1
v lubridate 1.9.3     v tidyr     1.3.1
v purrr     1.0.2
-- Conflicts ------------------------------------------ tidyverse_conflicts() --
x dplyr::filter() masks stats::filter()
x dplyr::lag()    masks stats::lag()
i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to beco
```

```
library(psych, warn.conflicts = FALSE, quietly = TRUE)
library(likert,  warn.conflicts = FALSE, quietly = TRUE) # Likert Items
library(mice,  warn.conflicts = FALSE, quietly = TRUE)
library(openxlsx2, warn.conflicts = FALSE, quietly = TRUE)
library(ggpubr, warn.conflicts = FALSE, quietly = TRUE) # Scatter plot
library(gmodels,  warn.conflicts = FALSE, quietly = TRUE) # Crosstab
library(reshape2, warn.conflicts = FALSE, quietly = TRUE) # Reshape data
library(pacman,  warn.conflicts = FALSE, quietly = TRUE) # Package Management
library(progress, warn.conflicts = FALSE, quietly = TRUE) #progress bar
library(arrow, warn.conflicts = FALSE, quietly = TRUE) #progress bar
```

1.3 Theme for plots

Setting theme for plots:

```
####### Plotting Data: #####
# Map Theme:
plottheme <- ggplot() +
  theme_void() +
  # Mapping theme:
  theme(axis.title = element_blank(),
        axis.ticks = element_blank(),
        axis.text = element_blank(),
        panel.border = element_blank(),
        plot.margin = margin(t = 0,
                             r = 0,
                             b = 0,
                             l = 0,
                             unit = "cm"),
        plot.title = element_text(hjust = 0.5),
        plot.background = element_rect(fill = "white",
                                       color = "black",
                                       linewidth = 0),
        panel.background = element_rect(fill = "white",
                                        color = "black",
                                        linewidth = 0),
        panel.grid.major.x = element_line(color = "lightgrey",
                                          linetype = 2,
                                          linewidth = 0),
        panel.grid.minor.x = element_line(color = "lightgrey",
                                          linetype = 2,
                                          linewidth = 0),
        panel.grid.major.y = element_line(color = "grey",
                                          linetype = 2,
                                          linewidth = 0),
        panel.grid.minor.y = element_line(color = "grey",
                                          linetype = 2,
                                          linewidth = 0),
        axis.line.x.top = element_line(color = "white",
                                       linetype = 2,
                                       linewidth = 0),
        axis.line.y.right = element_line(color = "white",
                                         linetype = 2,
                                         linewidth = 0),
```

```
        axis.line.x.bottom = element_line(color = "black",
                                          linetype = 1,
                                          linewidth = 0),
        axis.line.y.left = element_line(color = "black",
                                        linetype = 1,
                                        linewidth = 0),
        # Text formatting:
        text = element_text(family = "serif", # font
                            size = 12, # font size
                            colour = "black"# font color
        ),
        legend.key = element_rect(color = "black",
                                  fill = NA,
                                  linewidth = 0.05,
                                  linetype = 1),
        legend.justification = "right",
        legend.direction = "horizontal")
```

2 Import data

Import necessary data.

2.1 Tomato

- Yield = Total tomato production (total bucket of 25 lb) from 1 acres of land which varies from 10% to 200% of total production (100%). The range was simulated by multiplying 100% yield by yldvar.
- yldvar = Yield variation parameter ranges from 10% to 200%.
- Rev17 to Rev23 = Revenue for price ranges of $17 to $23 per bucket of tomato.
- Total cost = Total cost of production for the given yield.
- rolac17 to rolac23= Return to operator, labor and capital for price range of $17 to $23.
- operator Cost = Operator labor cost at $15/hour for given yield. For 100% yield, total hours = 90.
- rlc17 to 23 = Return to land and capital after subtracting operator cost from total revenue.

```r
tomato <- read_xlsx("Data/Parameters.xlsx",
                    sheet = "Tomato",
                    start_row = 2,
                    start_col = 9,
                    skip_empty_rows = TRUE,
                    skip_empty_cols = TRUE,
                    col_names = TRUE) %>%
  rename(yield = Yield,
         yldvar = `Yield Variation (%)`)
str(tomato)
```

```
'data.frame':   21 obs. of  25 variables:
 $ yldvar       : num  2 1.9 1.8 1.7 1.6 1.5 1.4 1.3 1.2 1.1 ...
 $ yield        : num  2720 2584 2448 2312 2176 ...
 $ Rev17        : num  46240 43928 41616 39304 36992 ...
 $ Rev18        : num  48960 46512 44064 41616 39168 ...
 $ Rev19        : num  51680 49096 46512 43928 41344 ...
 $ Rev20        : num  54400 51680 48960 46240 43520 ...
 $ Rev21        : num  57120 54264 51408 48552 45696 ...
 $ Rev22        : num  59840 56848 53856 50864 47872 ...
 $ Rev23        : num  62560 59432 56304 53176 50048 ...
 $ Total Cost   : num  24561 23863 23165 22467 21769 ...
 $ rolac17      : num  21679 20065 18451 16837 15223 ...
 $ rolac18      : num  24399 22649 20899 19149 17399 ...
 $ rolac19      : num  27119 25233 23347 21461 19575 ...
 $ rolac20      : num  29839 27817 25795 23773 21751 ...
 $ rolac21      : num  32559 30401 28243 26085 23927 ...
 $ rolac22      : num  35279 32985 30691 28397 26103 ...
 $ rolac23      : num  37999 35569 33139 30709 28279 ...
 $ Operator Cost: num  2700 2565 2430 2295 2160 ...
 $ rlc17        : num  18979 17500 16021 14542 13063 ...
 $ rlc18        : num  21699 20084 18469 16854 15239 ...
 $ rlc19        : num  24419 22668 20917 19166 17415 ...
 $ rlc20        : num  27139 25252 23365 21478 19591 ...
 $ rlc21        : num  29859 27836 25813 23790 21767 ...
 $ rlc22        : num  32579 30420 28261 26102 23943 ...
 $ rlc223       : num  35299 33004 30709 28414 26119 ...
```

```r
head(tomato); tail(tomato)
```

```
  yldvar yield Rev17 Rev18 Rev19 Rev20 Rev21 Rev22 Rev23 Total Cost  rolac17
```

```
3    2.0  2720 46240 48960 51680 54400 57120 59840 62560   24560.62 21679.38
4    1.9  2584 43928 46512 49096 51680 54264 56848 59432   23862.62 20065.38
5    1.8  2448 41616 44064 46512 48960 51408 53856 56304   23164.62 18451.38
6    1.7  2312 39304 41616 43928 46240 48552 50864 53176   22466.62 16837.38
7    1.6  2176 36992 39168 41344 43520 45696 47872 50048   21768.62 15223.38
8    1.5  2040 34680 36720 38760 40800 42840 44880 46920   21070.62 13609.38
   rolac18  rolac19  rolac20  rolac21  rolac22  rolac23 Operator Cost    rlc17
3 24399.38 27119.38 29839.38 32559.38 35279.38 37999.38          2700 18979.38
4 22649.38 25233.38 27817.38 30401.38 32985.38 35569.38          2565 17500.38
5 20899.38 23347.38 25795.38 28243.38 30691.38 33139.38          2430 16021.38
6 19149.38 21461.38 23773.38 26085.38 28397.38 30709.38          2295 14542.38
7 17399.38 19575.38 21751.38 23927.38 26103.38 28279.38          2160 13063.38
8 15649.38 17689.38 19729.38 21769.38 23809.38 25849.38          2025 11584.38
     rlc18    rlc19    rlc20    rlc21    rlc22   rlc223
3 21699.38 24419.38 27139.38 29859.38 32579.38 35299.38
4 20084.38 22668.38 25252.38 27836.38 30420.38 33004.38
5 18469.38 20917.38 23365.38 25813.38 28261.38 30709.38
6 16854.38 19166.38 21478.38 23790.38 26102.38 28414.38
7 15239.38 17415.38 19591.38 21767.38 23943.38 26119.38
8 13624.38 15664.38 17704.38 19744.38 21784.38 23824.38

   yldvar yield Rev17 Rev18 Rev19 Rev20 Rev21 Rev22 Rev23 Total Cost    rolac17
18    0.5   680 11560 12240 12920 13600 14280 14960 15640   14090.62  -2530.617
19    0.4   544  9248  9792 10336 10880 11424 11968 12512   13392.62  -4144.617
20    0.3   408  6936  7344  7752  8160  8568  8976  9384   12694.62  -5758.617
21    0.2   272  4624  4896  5168  5440  5712  5984  6256   11996.62  -7372.617
22    0.1   136  2312  2448  2584  2720  2856  2992  3128   11298.62  -8986.617
23    0.0     0     0     0     0     0     0     0     0   10600.62 -10600.617
     rolac18    rolac19     rolac20     rolac21     rolac22     rolac23
18  -1850.617  -1170.617   -490.6174    189.3826    869.3826   1549.3826
19  -3600.617  -3056.617  -2512.6174  -1968.6174  -1424.6174   -880.6174
20  -5350.617  -4942.617  -4534.6174  -4126.6174  -3718.6174  -3310.6174
21  -7100.617  -6828.617  -6556.6174  -6284.6174  -6012.6174  -5740.6174
22  -8850.617  -8714.617  -8578.6174  -8442.6174  -8306.6174  -8170.6174
23 -10600.617 -10600.617 -10600.6174 -10600.6174 -10600.6174 -10600.6174
   Operator Cost      rlc17      rlc18      rlc19      rlc20       rlc21
18          675  -3205.617  -2525.617  -1845.617  -1165.617   -485.6174
19          540  -4684.617  -4140.617  -3596.617  -3052.617  -2508.6174
20          405  -6163.617  -5755.617  -5347.617  -4939.617  -4531.6174
21          270  -7642.617  -7370.617  -7098.617  -6826.617  -6554.6174
22          135  -9121.617  -8985.617  -8849.617  -8713.617  -8577.6174
23            0 -10600.617 -10600.617 -10600.617 -10600.617 -10600.6174
```

```
         rlc22      rlc223
18    194.3826    874.3826
19  -1964.6174  -1420.6174
20  -4123.6174  -3715.6174
21  -6282.6174  -6010.6174
22  -8441.6174  -8305.6174
23 -10600.6174 -10600.6174
```

2.2 Strawberry

- Everything same as tomato.
- Numbers 3 to 9 in names are price ranges for strawberry.

```
strawberry <- read_xlsx("Data/Parameters.xlsx",
                        sheet = "Strawberry",
                        start_row = 2,
                        start_col = 7,
                        skip_empty_rows = TRUE,
                        skip_empty_cols = TRUE,
                        col_names = TRUE) %>%
  rename(yield = Yield,
         yldvar = `Yield Variation (%)`)
str(strawberry)
```

```
'data.frame':   21 obs. of  25 variables:
 $ yldvar       : num  2 1.9 1.8 1.7 1.6 1.5 1.4 1.3 1.2 1.1 ...
 $ yield        : num  6150 5842 5535 5228 4920 ...
 $ Rev3         : num  18450 17528 16605 15682 14760 ...
 $ Rev4         : num  24600 23370 22140 20910 19680 ...
 $ Rev5         : num  30750 29213 27675 26138 24600 ...
 $ Rev6         : num  36900 35055 33210 31365 29520 ...
 $ Rev7         : num  43050 40898 38745 36593 34440 ...
 $ Rev8         : num  49200 46740 44280 41820 39360 ...
 $ Rev9         : num  55350 52583 49815 47048 44280 ...
 $ Total Cost   : num  20190 19845 19499 19154 18808 ...
 $ rolac3       : num  -1740 -2317 -2894 -3471 -4048 ...
 $ rolac4       : num  4410 3525 2641 1756 872 ...
 $ rolac5       : num  10560 9368 8176 6984 5792 ...
 $ rolac6       : num  16710 15210 13711 12211 10712 ...
 $ rolac7       : num  22860 21053 19246 17439 15632 ...
 $ rolac8       : num  29010 26895 24781 22666 20552 ...
```

```
 $ rolac9       : num  35160 32738 30316 27894 25472 ...
 $ Operator Cost: num  2700 2565 2430 2295 2160 ...
 $ rlc3         : num  -4440 -4882 -5324 -5766 -6208 ...
 $ rlc4         : num  1710 960 211 -539 -1288 ...
 $ rlc5         : num  7860 6803 5746 4689 3632 ...
 $ rlc6         : num  14010 12645 11281 9916 8552 ...
 $ rlc7         : num  20160 18488 16816 15144 13472 ...
 $ rlc8         : num  26310 24330 22351 20371 18392 ...
 $ rlc9         : num  32460 30173 27886 25599 23312 ...
```

```
head(strawberry); tail(strawberry)
```

```
  yldvar  yield    Rev3  Rev4    Rev5  Rev6    Rev7  Rev8    Rev9 Total Cost
3    2.0 6150.0 18450.0 24600 30750.0 36900 43050.0 49200 55350.0   20190.49
4    1.9 5842.5 17527.5 23370 29212.5 35055 40897.5 46740 52582.5   19844.85
5    1.8 5535.0 16605.0 22140 27675.0 33210 38745.0 44280 49815.0   19499.20
6    1.7 5227.5 15682.5 20910 26137.5 31365 36592.5 41820 47047.5   19153.56
7    1.6 4920.0 14760.0 19680 24600.0 29520 34440.0 39360 44280.0   18807.91
8    1.5 4612.5 13837.5 18450 23062.5 27675 32287.5 36900 41512.5   18462.27
     rolac3     rolac4    rolac5   rolac6   rolac7   rolac8   rolac9
3 -1740.495 4409.50503 10559.505 16709.51 22859.51 29009.51 35159.51
4 -2317.350 3525.15003  9367.650 15210.15 21052.65 26895.15 32737.65
5 -2894.205 2640.79503  8175.795 13710.80 19245.80 24780.80 30315.80
6 -3471.060 1756.44003  6983.940 12211.44 17438.94 22666.44 27893.94
7 -4047.915  872.08503  5792.085 10712.09 15632.09 20552.09 25472.09
8 -4624.770  -12.26997  4600.230  9212.73 13825.23 18437.73 23050.23
  Operator Cost      rlc3      rlc4     rlc5      rlc6     rlc7     rlc8
3          2700 -4440.495  1709.505 7859.505 14009.505 20159.51 26309.51
4          2565 -4882.350   960.150 6802.650 12645.150 18487.65 24330.15
5          2430 -5324.205   210.795 5745.795 11280.795 16815.80 22350.80
6          2295 -5766.060  -538.560 4688.940  9916.440 15143.94 20371.44
7          2160 -6207.915 -1287.915 3632.085  8552.085 13472.09 18392.09
8          2025 -6649.770 -2037.270 2575.230  7187.730 11800.23 16412.73
      rlc9
3 32459.51
4 30172.65
5 27885.80
6 25598.94
7 23312.09
8 21025.23
```

```
   yldvar  yield   Rev3 Rev4   Rev5 Rev6    Rev7  Rev8    Rev9 Total Cost
```

```
18    0.5 1537.5 4612.5 6150 7687.5 9225 10762.5 12300 13837.5   15005.82
19    0.4 1230.0 3690.0 4920 6150.0 7380  8610.0  9840 11070.0   14660.17
20    0.3  922.5 2767.5 3690 4612.5 5535  6457.5  7380  8302.5   14314.53
21    0.2  615.0 1845.0 2460 3075.0 3690  4305.0  4920  5535.0   13968.88
22    0.1  307.5  922.5 1230 1537.5 1845  2152.5  2460  2767.5   13623.24
23    0.0    0.0    0.0    0    0.0    0     0.0     0     0.0   13277.59
      rolac3     rolac4     rolac5     rolac6     rolac7     rolac8     rolac9
18 -10393.32  -8855.820  -7318.320  -5780.820  -4243.320  -2705.820  -1168.320
19 -10970.17  -9740.175  -8510.175  -7280.175  -6050.175  -4820.175  -3590.175
20 -11547.03 -10624.530  -9702.030  -8779.530  -7857.030  -6934.530  -6012.030
21 -12123.88 -11508.885 -10893.885 -10278.885  -9663.885  -9048.885  -8433.885
22 -12700.74 -12393.240 -12085.740 -11778.240 -11470.740 -11163.240 -10855.740
23 -13277.59 -13277.595 -13277.595 -13277.595 -13277.595 -13277.595 -13277.595
   Operator Cost      rlc3      rlc4       rlc5       rlc6       rlc7
18          675 -11068.32  -9530.82  -7993.320  -6455.820  -4918.320
19          540 -11510.17 -10280.17  -9050.175  -7820.175  -6590.175
20          405 -11952.03 -11029.53 -10107.030  -9184.530  -8262.030
21          270 -12393.88 -11778.88 -11163.885 -10548.885  -9933.885
22          135 -12835.74 -12528.24 -12220.740 -11913.240 -11605.740
23            0 -13277.59 -13277.59 -13277.595 -13277.595 -13277.595
        rlc8       rlc9
18  -3380.820  -1843.320
19  -5360.175  -4130.175
20  -7339.530  -6417.030
21  -9318.885  -8703.885
22 -11298.240 -10990.740
23 -13277.595 -13277.595
```

2.3 Squash

- Everything same as tomato and strawberry.
- Numbers 11 to 17 in names are price ranges for squash.

```
squash <- read_xlsx("Data/Parameters.xlsx",
                    sheet = "Squash",
                    start_row = 2,
                    start_col = 8,
                    skip_empty_rows = TRUE,
                    skip_empty_cols = TRUE,
                    col_names = TRUE) %>%
  rename(yield = Yield,
```

```
         yldvar = `Yield Variation (%)`)
str(squash)
```

```
'data.frame':   21 obs. of  25 variables:
 $ yldvar       : num  2 1.9 1.8 1.7 1.6 1.5 1.4 1.3 1.2 1.1 ...
 $ yield        : num  2180 2071 1962 1853 1744 ...
 $ Rev11        : num  23980 22781 21582 20383 19184 ...
 $ Rev12        : num  26160 24852 23544 22236 20928 ...
 $ Rev13        : num  28340 26923 25506 24089 22672 ...
 $ Rev14        : num  30520 28994 27468 25942 24416 ...
 $ Rev15        : num  32700 31065 29430 27795 26160 ...
 $ Rev16        : num  34880 33136 31392 29648 27904 ...
 $ Rev17        : num  37060 35207 33354 31501 29648 ...
 $ Total Cost   : num  13671 13174 12676 12179 11682 ...
 $ rolac11      : num  10309 9607 8906 8204 7502 ...
 $ rolac12      : num  12489 11678 10868 10057 9246 ...
 $ rolac13      : num  14669 13749 12830 11910 10990 ...
 $ rolac14      : num  16849 15820 14792 13763 12734 ...
 $ rolac15      : num  19029 17891 16754 15616 14478 ...
 $ rolac16      : num  21209 19962 18716 17469 16222 ...
 $ rolac17      : num  23389 22033 20678 19322 17966 ...
 $ Operator Cost: num  2700 2565 2430 2295 2160 ...
 $ rlc11        : num  7609 7042 6476 5909 5342 ...
 $ rlc12        : num  9789 9113 8438 7762 7086 ...
 $ rlc13        : num  11969 11184 10400 9615 8830 ...
 $ rlc14        : num  14149 13255 12362 11468 10574 ...
 $ rlc15        : num  16329 15326 14324 13321 12318 ...
 $ rlc16        : num  18509 17397 16286 15174 14062 ...
 $ rlc17        : num  20689 19468 18248 17027 15806 ...
```

```
head(squash); tail(squash)
```

```
  yldvar yield Rev11 Rev12 Rev13 Rev14 Rev15 Rev16 Rev17 Total Cost   rolac11
3    2.0  2180 23980 26160 28340 30520 32700 34880 37060   13670.88 10309.117
4    1.9  2071 22781 24852 26923 28994 31065 33136 35207   13173.63  9607.367
5    1.8  1962 21582 23544 25506 27468 29430 31392 33354   12676.38  8905.617
6    1.7  1853 20383 22236 24089 25942 27795 29648 31501   12179.13  8203.867
7    1.6  1744 19184 20928 22672 24416 26160 27904 29648   11681.88  7502.117
8    1.5  1635 17985 19620 21255 22890 24525 26160 27795   11184.63  6800.367
    rolac12  rolac13  rolac14  rolac15  rolac16  rolac17 Operator Cost    rlc11
3 12489.117 14669.12 16849.12 19029.12 21209.12 23389.12          2700 7609.117
```

```
4 11678.367 13749.37 15820.37 17891.37 19962.37 22033.37          2565 7042.367
5 10867.617 12829.62 14791.62 16753.62 18715.62 20677.62          2430 6475.617
6 10056.867 11909.87 13762.87 15615.87 17468.87 19321.87          2295 5908.867
7  9246.117 10990.12 12734.12 14478.12 16222.12 17966.12          2160 5342.117
8  8435.367 10070.37 11705.37 13340.37 14975.37 16610.37          2025 4775.367
     rlc12     rlc13     rlc14    rlc15    rlc16    rlc17
3 9789.117 11969.117 14149.117 16329.12 18509.12 20689.12
4 9113.367 11184.367 13255.367 15326.37 17397.37 19468.37
5 8437.617 10399.617 12361.617 14323.62 16285.62 18247.62
6 7761.867  9614.867 11467.867 13320.87 15173.87 17026.87
7 7086.117  8830.117 10574.117 12318.12 14062.12 15806.12
8 6410.367  8045.367  9680.367 11315.37 12950.37 14585.37
```

	yldvar	yield	Rev11	Rev12	Rev13	Rev14	Rev15	Rev16	Rev17	Total Cost	rolac11
18	0.5	545	5995	6540	7085	7630	8175	8720	9265	6212.133	-217.133
19	0.4	436	4796	5232	5668	6104	6540	6976	7412	5714.883	-918.883
20	0.3	327	3597	3924	4251	4578	4905	5232	5559	5217.633	-1620.633
21	0.2	218	2398	2616	2834	3052	3270	3488	3706	4720.383	-2322.383
22	0.1	109	1199	1308	1417	1526	1635	1744	1853	4223.133	-3024.133
23	0.0	0	0	0	0	0	0	0	0	3725.883	-3725.883

	rolac12	rolac13	rolac14	rolac15	rolac16	rolac17
18	327.867	872.86702	1417.867	1962.867	2507.86702	3052.867
19	-482.883	-46.88298	389.117	825.117	1261.11702	1697.117
20	-1293.633	-966.63298	-639.633	-312.633	14.36702	341.367
21	-2104.383	-1886.38298	-1668.383	-1450.383	-1232.38298	-1014.383
22	-2915.133	-2806.13298	-2697.133	-2588.133	-2479.13298	-2370.133
23	-3725.883	-3725.88298	-3725.883	-3725.883	-3725.88298	-3725.883

	Operator Cost	rlc11	rlc12	rlc13	rlc14	rlc15	rlc16
18	675	-892.133	-347.133	197.867	742.867	1287.867	1832.867
19	540	-1458.883	-1022.883	-586.883	-150.883	285.117	721.117
20	405	-2025.633	-1698.633	-1371.633	-1044.633	-717.633	-390.633
21	270	-2592.383	-2374.383	-2156.383	-1938.383	-1720.383	-1502.383
22	135	-3159.133	-3050.133	-2941.133	-2832.133	-2723.133	-2614.133
23	0	-3725.883	-3725.883	-3725.883	-3725.883	-3725.883	-3725.883

	rlc17
18	2377.86702
19	1157.11702
20	-63.63298
21	-1284.38298
22	-2505.13298
23	-3725.88298

2.4 Electricity price

Electricity price ranges from 1 cents to 6 cents in 0.5 cent increment. Previously, I used AL retail electricity price as described below. It's no longer in use but I put description below for the record.

Electricity price ($/kWh) was retail electricity price range for Alabama based on retail electricity price in April 2023 and April 2024 taken from DOE Database. Retail electricity price range in Alabama was from 6.44 to 15.85 cents/kWh in April 2023 and April 2024 which represents industry, commercial, and residential prices.

```
elec_price <- read_xlsx("Data/Parameters.xlsx",
                                sheet = "Electricity Price") %>%
  rename(epr_kwh = `Electricity Price ($/kWh)`)
str(elec_price)
```

```
'data.frame':   11 obs. of  1 variable:
 $ epr_kwh: num  0.01 0.015 0.02 0.025 0.03 0.035 0.04 0.045 0.05 0.055 ...
```

```
elec_price
```

```
   epr_kwh
2    0.010
3    0.015
4    0.020
5    0.025
6    0.030
7    0.035
8    0.040
9    0.045
10   0.050
11   0.055
12   0.060
```

2.5 PV system cost

- Data taken from "Capital Costs for Dual-Use Photovoltaic Installations: 2020 Benchmark" Table 1 and Figure 3.
- This data was used to estimate CAPEX.
- avtyps = agrivoltaic types.
- item = itemized component of system.

- cost = cost of each item.
- height = ground to panel clearance height (ft.)
- tcost = Total cost is the sum of all itemized cost for AV system. See figure 3 and table 1 in above document for more detail.

```
pvsc <- wb_read(file = "Data/Parameters.xlsx",
                sheet = "PV system Cost (NREL)",
                rows = c(1:109),
                cols = c(1:5),
                col_names = TRUE) %>%
  rename(avtyps = `AV Types`,
         item = Item,
         cost = `Cost ($/W)`,
         height = `Panel Height (ft.)`,
         tcost = `Total Cost ($/W)`
         )
str(pvsc)
```

```
'data.frame':   108 obs. of  5 variables:
 $ avtyps: chr  "Typical Fixed PV" "Typical Fixed PV" "Typical Fixed PV" "Typical Fixed PV"
 $ item  : chr  "EPC/Developer Net Profit" "Developer Overhead" "Contingency(3%)" "Interconne
 $ cost  : num  0.11 0.15 0.05 0.03 0.02 0.05 0.12 0.18 0.24 0.11 ...
 $ height: num  4.6 4.6 4.6 4.6 4.6 4.6 4.6 4.6 4.6 4.6 ...
 $ tcost : num  1.53 1.53 1.53 1.53 1.53 1.53 1.53 1.53 1.53 1.53 ...
```

```
head(pvsc); tail(pvsc)
```

```
            avtyps                      item cost height tcost
2 Typical Fixed PV EPC/Developer Net Profit 0.11    4.6  1.53
3 Typical Fixed PV       Developer Overhead 0.15    4.6  1.53
4 Typical Fixed PV          Contingency(3%) 0.05    4.6  1.53
5 Typical Fixed PV      Interconnection Fee 0.03    4.6  1.53
6 Typical Fixed PV  Permitting Fee (if any) 0.02    4.6  1.53
7 Typical Fixed PV        Sale Tax (if any) 0.05    4.6  1.53
```

```
                                  avtyps                       item cost
104 PV + Crops (Reinforced Regular Mount)                EPC Overhead 0.25
105 PV + Crops (Reinforced Regular Mount) Installation and Labor Cost 0.32
106 PV + Crops (Reinforced Regular Mount)               Electrical BOS 0.38
107 PV + Crops (Reinforced Regular Mount)               Structural BOS 0.32
108 PV + Crops (Reinforced Regular Mount)                Inverter Only 0.08
```

```
109 PV + Crops (Reinforced Regular Mount)                    Module 0.40
    height tcost
104    8.2  2.33
105    8.2  2.33
106    8.2  2.33
107    8.2  2.33
108    8.2  2.33
109    8.2  2.33
```

2.6 Capex (NREL)

Variable Descriptions:

- Capex: Capital investment cost ($/W) to develop solar energy system. Capex includes cost of physical structure, developer's overhead and EPC/Developer's net profit.
- capex estimated as f(height, tracker) using OLS for 6.4 ft Tracking system.
- Height = ground to panel clearance in ft.
- array: Solar array. Tracker = Single axis sun tracking panels; Fixed = Non-tracking panels.
- Source: Horowitz, 2020. CAPEX AV.

```
capex <- read.table(file = "Data/CAPEX.txt",
                    header = TRUE,
                   sep = "\t") %>%
  rename(capex = cost,
         height = pheight,
         array = tracker)
str(capex)
```

```
'data.frame':   6 obs. of  3 variables:
 $ height: num  4.6 4.6 6.4 8.2 8.2 6.4
 $ capex : num  1.59 1.73 1.85 2.33 2.11 ...
 $ array : chr  "Fixed" "Tracking" "Fixed" "Fixed" ...
```

```
capex
```

```
  height    capex    array
1    4.6 1.593333    Fixed
2    4.6 1.733333 Tracking
3    6.4 1.850000    Fixed
4    8.2 2.330000    Fixed
5    8.2 2.110000 Tracking
6    6.4 1.921667 Tracking
```

2.6.1 Plotting capex

```
capex %>%
  ggplot(aes(
    x = height,
    y = capex,
    color = array,
    group = array
  )) +
  geom_point() +
  geom_line() +
  # Display the rounded capex values
  geom_text(aes(label = sprintf("%.2f", capex)),
            vjust = -0.8,
            hjust = 0.8,
            size = 2,
            check_overlap = TRUE,
            show.legend = FALSE
            ) +
  labs(
    #title = "CAPEX Cost by Solar Panel Height",
    x = "Solar Panel Clearance Height (ft.)",
    y = "CAPEX Cost ($/W)",
    color = "Array Types:"
    ) +
  scale_x_continuous(limits = c(4.5, 8.5)) +
  scale_y_continuous(limits = c(1.5, 2.5)) +
  guides(color = guide_legend(reverse = TRUE)) +
  theme(
    plot.background = element_rect(
      fill = "grey",
      color = "black"
      ),
```

```
    legend.position = "inside",
    legend.position.inside = c(0.2, 0.8),
    legend.background = element_rect(
      fill = "white",
      color = "black"
      ),
    plot.margin = margin(10, 10, 10, 10)
  ) +
  scale_color_manual(
    values = c("Fixed" = "blue",
               "Tracking" = "red"),
    labels = c("Fixed Open Rack",
               "Single Axis Rotation")
  )
```




```
# Save the plot
ggsave(
  filename = "Plots/CAPEX Solar Panels.png",
  width = 8,
  height = 6,
  units = "in"
  )
```

2.7 Panel Configuration

- Panel configuration and DV system output (W).

```
panconf <- wb_read(file = "Data/Parameters.xlsx",
                   sheet = "Panel Spacing",
                   start_row = 2,
                   start_col = 1,
                   skip_empty_rows = TRUE,
                   skip_empty_cols = TRUE,
                   col_names = TRUE)
str(panconf)
```

```
'data.frame':   21 obs. of  21 variables:
 $ Total Area (Acre)              : num  1 1 1 1 1 1 1 1 1 1 ...
 $ Total Area (Sq. Ft.)           : num  43560 43560 43560 43560 43560 ...
 $ Solar Proportion               : num  1 0.95 0.9 0.85 0.8 0.75 0.7 0.65 0.6 0.55 ...
 $ Solar Proportion Area (Sq. Ft.): num  43560 41382 39204 37026 34848 ...
 $ Solar Proportion Area (Sq.M.)  : num  4047 3845 3642 3440 3237 ...
 $ Side Length (ft.)              : num  209 209 209 209 209 ...
 $ YSide Length (ft.)             : num  209 209 209 209 209 ...
 $ XSide length (ft.)             : num  209 198 188 177 167 ...
 $ Panel Length (ft.)             : num  7.75 7.75 7.75 7.75 7.75 7.75 7.75 7.75 7.75 7.75 .
 $ Row Seperator (ft.)            : num  6 6 6 6 6 6 6 6 6 6 ...
 $ Panel Width(ft.)               : num  3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 ...
 $ Panel Area (Sq. ft.)           : num  27.1 27.1 27.1 27.1 27.1 ...
 $ Panels/Row                     : num  59 59 59 59 59 59 59 59 59 59 ...
 $ Total Rows                     : num  15 14 13 12 12 11 10 9 9 8 ...
 $ Total Panels                   : num  885 826 767 708 708 649 590 531 531 472 ...
 $ Array Area (Sq. Ft.)           : num  24006 22405 20805 19205 19205 ...
 $ Array Area (Sq. M.)            : num  2230 2082 1933 1784 1784 ...
 $ XSide Open Length (ft)         : num  92 100 107 115 115 123 131 138 138 146 ...
 $ Inter Panel Spacing (ft)       : num  6 7 8 10 10 12 14 17 17 20 ...
 $ Panel Efficienfy               : num  0.19 0.19 0.19 0.19 0.19 0.19 0.19 0.19 0.19 0.19 .
 $ DC System Size (kW)            : num  424 395 367 339 339 ...
```

```
head(panconf); tail(panconf)
```

```
  Total Area (Acre) Total Area (Sq. Ft.) Solar Proportion
3                 1                43560             1.00
4                 1                43560             0.95
```

5	1	43560	0.90
6	1	43560	0.85
7	1	43560	0.80
8	1	43560	0.75

	Solar Proportion Area (Sq. Ft.)	Solar Proportion Area (Sq.M.)
3	43560	4046.856
4	41382	3844.513
5	39204	3642.170
6	37026	3439.828
7	34848	3237.485
8	32670	3035.142

	Side Length (ft.)	YSide Length (ft.)	XSide length (ft.)	Panel Length (ft.)
3	208.7103	208.7103	208.7103	7.75
4	208.7103	208.7103	198.2748	7.75
5	208.7103	208.7103	187.8393	7.75
6	208.7103	208.7103	177.4038	7.75
7	208.7103	208.7103	166.9683	7.75
8	208.7103	208.7103	156.5327	7.75

	Row Seperator (ft.)	Panel Width(ft.)	Panel Area (Sq. ft.)	Panels/Row
3	6	3.5	27.125	59
4	6	3.5	27.125	59
5	6	3.5	27.125	59
6	6	3.5	27.125	59
7	6	3.5	27.125	59
8	6	3.5	27.125	59

	Total Rows	Total Panels	Array Area (Sq. Ft.)	Array Area (Sq. M.)
3	15	885	24005.62	2230.195
4	14	826	22405.25	2081.516
5	13	767	20804.88	1932.836
6	12	708	19204.50	1784.156
7	12	708	19204.50	1784.156
8	11	649	17604.12	1635.477

	XSide Open Length (ft)	Inter Panel Spacing (ft)	Panel Efficienfy
3	92	6	0.19
4	100	7	0.19
5	107	8	0.19
6	115	10	0.19
7	115	10	0.19
8	123	12	0.19

	DC System Size (kW)
3	423.7371
4	395.4880
5	367.2388

6	338.9897
7	338.9897
8	310.7405

	Total Area (Acre)	Total Area (Sq. Ft.)	Solar Proportion
18	1	43560	0.25
19	1	43560	0.20
20	1	43560	0.15
21	1	43560	0.10
22	1	43560	0.05
23	1	43560	0.00

	Solar Proportion Area (Sq. Ft.)	Solar Proportion Area (Sq.M.)
18	10890	1011.7140
19	8712	809.3712
20	6534	607.0284
21	4356	404.6856
22	2178	202.3428
23	0	0.0000

	Side Length (ft.)	YSide Length (ft.)	XSide length (ft.)	Panel Length (ft.)
18	208.7103	208.7103	52.17758	7.75
19	208.7103	208.7103	41.74207	7.75
20	208.7103	208.7103	31.30655	7.75
21	208.7103	208.7103	20.87103	7.75
22	208.7103	208.7103	10.43552	7.75
23	208.7103	208.7103	0.00000	7.75

	Row Seperator (ft.)	Panel Width(ft.)	Panel Area (Sq. ft.)	Panels/Row
18	6	3.5	27.125	59
19	6	3.5	27.125	59
20	6	3.5	27.125	59
21	6	3.5	27.125	59
22	6	3.5	27.125	59
23	6	3.5	27.125	59

	Total Rows	Total Panels	Array Area (Sq. Ft.)	Array Area (Sq. M.)
18	3	177	4801.125	446.0391
19	3	177	4801.125	446.0391
20	2	118	3200.750	297.3594
21	1	59	1600.375	148.6797
22	0	0	0.000	0.0000
23	0	0	0.000	0.0000

	XSide Open Length (ft)	Inter Panel Spacing (ft)	Panel Efficienfy
18	185	92	0.19
19	185	92	0.19

```
20                    193                    193            0.19
21                    200                     NA            0.19
22                    208                     NA            0.19
23                    208                     NA            0.19
   DC System Size (kW)
18            84.74742
19            84.74742
20            56.49828
21            28.24914
22             0.00000
23             0.00000
```

2.8 Energy output

Energy output was simulated using NREL PV Watts Calculator.

- sprop = land proportion covered by solar in 1 acres. Value ranges from 0 to 1.
- Panels = Total number of panels in 1 acres of land.
- datalot: 1 = first simulation done for four regions of AL; 2 = second simulation done for four regions of AL. Two simulations have two unique zipcodes for each simulated region.
- al_regs = regions of Alabama
- zips = zipcodes selected from each region of AL for simulation.
- array = Fixed (open rack); 1AxisRot = 1 Axis Tracking. See above NREL tool for more detail.
- dc_kw = DC system size, calculated for each solar panel heights considering solar panels efficiency and area covered by solar panels.
- energy = total energy output (kWh/Year) considering system parameters. Total hours considered by the model is 8,760 (See PV Watts Calculator Results > help (below the result) > results > download monthly or hourly results).

```
energy_output <- read_xlsx("Data/Parameters.xlsx",
                           sheet = "Energy Output",
                           start_row = 1,
                           start_col = 1,
                           skip_empty_rows = TRUE,
                           skip_empty_cols = TRUE,
                           col_names = TRUE) %>%
  rename(sprop = `Solar Proportion`,
```

```
         panels = `Total Panels`,
         datalot = DataLot,
         al_regs = `Region of AL`,
         zips = ZIPCODE,
         array = `Array Type`,
         dc_kw = `DC System Size (kW)`,
         energy = `Energy (kWh/Year)`) %>%
  mutate(
    dc_kw = round(dc_kw,2),
    array = case_when(
      array == "1AxisRot" ~ "Tracking",
      array == "FixedOpen" ~ "Fixed",
      TRUE ~ array)
    )
str(energy_output)
```

```
'data.frame':   336 obs. of  8 variables:
 $ sprop  : num  1 1 1 1 1 1 1 1 0.95 0.95 ...
 $ panels : num  885 885 885 885 885 885 885 885 826 826 ...
 $ datalot: num  1 1 1 1 1 1 1 1 1 1 ...
 $ al_regs: chr  "Northern" "Northern" "Central" "Central" ...
 $ zips   : num  35801 35801 35223 35223 36117 ...
 $ array  : chr  "Tracking" "Fixed" "Tracking" "Fixed" ...
 $ dc_kw  : num  424 424 424 424 424 ...
 $ energy : num  672887 585225 668895 579758 728181 ...
```

```
head(energy_output); tail(energy_output)
```

```
  sprop panels datalot    al_regs  zips    array  dc_kw energy
2     1    885       1   Northern 35801 Tracking 423.74 672887
3     1    885       1   Northern 35801    Fixed 423.74 585225
4     1    885       1    Central 35223 Tracking 423.74 668895
5     1    885       1    Central 35223    Fixed 423.74 579758
6     1    885       1 Black Belt 36117 Tracking 423.74 728181
7     1    885       1 Black Belt 36117    Fixed 423.74 629523
```

```
    sprop panels datalot    al_regs  zips    array dc_kw energy
332     0      0       2    Central 35136 Tracking     0      0
333     0      0       2    Central 35136    Fixed     0      0
334     0      0       2 Black Belt 36040 Tracking     0      0
```

```
335     0       0       2 Black Belt 36040    Fixed     0       0
336     0       0       2   Southern 36507 Tracking     0       0
337     0       0       2   Southern 36507    Fixed     0       0
```

2.8.1 Energy output by solar panels counts

Plotting Energy output by number of solar panels in one acres of AV system from fixed and single axis rotation system for two zipcodes (1, 2) within each of the four regions of AL.

```
lox <- c("Northern", "Central", "Black Belt", "Southern")
array_levs = c("Single Axis Rotation", "Fixed Open Rack")
datalot_levs = c("Location 1", "Location 2")
ggplot(data = energy_output,
         mapping = aes(x = al_regs,
                       y = energy,
                       #fill = energy,
                       color = factor(panels),
                       group = factor(panels))) +
  geom_line()+
  geom_point() +
  facet_grid(datalot~array) +
  scale_x_discrete(limits = lox,
                   labels = c("North", "Center", "B Belt", "South")) +
  guides(color = guide_legend(ncol = 2, reverse = TRUE))
```



2.8.2 Energy output by DC System Size

Plotting Energy output by DC System Size from fixed and single axis rotation system for two zipcodes (1, 2) within each of the four regions of AL.

```
lox <- c("Northern", "Central", "Black Belt", "Southern")
ggplot(data = energy_output,
         mapping = aes(x = al_regs,
                       y = energy,
                       #fill = energy,
                       color = factor(dc_kw),
                       group = factor(dc_kw))) +
  geom_line()+
  geom_point() +
  facet_grid(datalot~array) +
  scale_x_discrete(limits = lox,
                   labels = c("North", "Center", "B Belt", "South")) +
  guides(color = guide_legend(ncol = 2, reverse = TRUE))
```



3 Solar Energy Calculation

3.1 Simulation for energy revenue

- elcprc = electricity price. See Electricity price data for more detail.
- elcrev = Revenue from electricity for given electricity prices. See "energy output" and "electricity price" dataset for more details.
- I filtered datalot 2–I did not take average of "energy" from datalot 1 and datalot 2–to minimize computation time.

```
# Convert to data frames if they are not already
matrix1 <- energy_output  %>%
  group_by(sprop, al_regs, array, dc_kw, panels) %>%
  dplyr::filter(datalot == 2) %>%
  # Compute mean of datalot 1 and datalot 2:
  summarise(
    energy = mean(energy),
    .groups = 'drop'
    ) # dimension of matrix is 168*6
matrix2 <- elec_price # dimension of matrix is 11*1
```

```r
# Initialize the result data frame
# energy_revenue <- data.frame(matrix(nrow = 1848, ncol = 9))
energy_revenue <- data.frame(
  matrix(nrow = nrow(matrix2)*nrow(matrix1),
         ncol = ncol(matrix2)+ncol(matrix1)+1))

# Variable to keep track of the row index in the result matrix
row_index <- 1

# Loop through each value of the second matrix
for (i in 1:nrow(matrix2)) {
  # Loop through each value of the second matrix
  for (j in 1:nrow(matrix1)) {
    # First matrix, second matrix, combined two matrices.
    new_row <- c(matrix1[j, ],
                 matrix2[i, ],
                 matrix1$energy[j] * matrix2$epr_kwh[i])
    # Assign the new row to the result matrix
    energy_revenue[row_index, ] <- new_row
    # Increment the row index
    row_index <- row_index + 1
  }
}
# Name the columns
colnames(energy_revenue) <- c(colnames(matrix1), "elcprc", "elcrev")
# Check for any NAs in the result
if(any(is.na(energy_revenue))) {
  na_indices <- which(is.na(energy_revenue), arr.ind = TRUE)
  print(paste("NAs found at rows:", unique(na_indices[, 1])))
} else {
  print("No NAs found in the result data frame.")
}
```

```
[1] "No NAs found in the result data frame."
```

```r
str(energy_revenue)
```

```
'data.frame':   1848 obs. of  8 variables:
 $ sprop  : num  0 0 0 0 0 0 0 0 0.05 0.05 ...
 $ al_regs: chr  "Black Belt" "Black Belt" "Central" "Central" ...
```

```
 $ array  : chr  "Fixed" "Tracking" "Fixed" "Tracking" ...
 $ dc_kw  : num  0 0 0 0 0 0 0 0 0 0 ...
 $ panels : num  0 0 0 0 0 0 0 0 0 0 ...
 $ energy : num  0 0 0 0 0 0 0 0 0 0 ...
 $ elcprc : num  0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 ...
 $ elcrev : num  0 0 0 0 0 0 0 0 0 0 ...
```

```
head(energy_revenue); tail(energy_revenue)
```

```
  sprop    al_regs    array dc_kw panels energy elcprc elcrev
1     0 Black Belt    Fixed     0      0      0   0.01      0
2     0 Black Belt Tracking     0      0      0   0.01      0
3     0    Central    Fixed     0      0      0   0.01      0
4     0    Central Tracking     0      0      0   0.01      0
5     0   Northern    Fixed     0      0      0   0.01      0
6     0   Northern Tracking     0      0      0   0.01      0
```

```
     sprop  al_regs    array  dc_kw panels energy elcprc   elcrev
1843     1  Central    Fixed 423.74    885 594824   0.06 35689.44
1844     1  Central Tracking 423.74    885 688037   0.06 41282.22
1845     1 Northern    Fixed 423.74    885 574020   0.06 34441.20
1846     1 Northern Tracking 423.74    885 656889   0.06 39413.34
1847     1 Southern    Fixed 423.74    885 613342   0.06 36800.52
1848     1 Southern Tracking 423.74    885 712873   0.06 42772.38
```

3.2 Simulation 2 for energy revenue

This simulation has same result as above (Cross checking above code and output). Results are suppressed but errors and warnings are not. No error and no warnings means code is working as it should.

```
## | results='hide'
# Sample data
set.seed(123)
matrix1 <- energy_output # dimension of matrix is 176*7
matrix2 <- elec_price # dimension of matrix is 11*1

# Initializing the result matrix
result_matrix <- data.frame(matrix(ncol = nrow(matrix2),
                                   nrow = 0))
colnames(result_matrix) <- c(colnames(matrix1),  "elcrev", "elcprc")
```

```r
# Loop to multiply first and second matrices
for (i in 1:nrow(matrix2)) {
  temp_matrix <- matrix1
  temp_matrix$E_Prc <- matrix2[i, ]
  temp_matrix$E_Rev <- matrix1$energy[j] * matrix2$epr_kwh[i]
  result_matrix <- rbind(result_matrix, temp_matrix)
}
str(result_matrix)
```

```
'data.frame':   3696 obs. of  10 variables:
 $ sprop  : num  1 1 1 1 1 1 1 1 0.95 0.95 ...
 $ panels : num  885 885 885 885 885 885 885 885 826 826 ...
 $ datalot: num  1 1 1 1 1 1 1 1 1 1 ...
 $ al_regs: chr  "Northern" "Northern" "Central" "Central" ...
 $ zips   : num  35801 35801 35223 35223 36117 ...
 $ array  : chr  "Tracking" "Fixed" "Tracking" "Fixed" ...
 $ dc_kw  : num  424 424 424 424 424 ...
 $ energy : num  672887 585225 668895 579758 728181 ...
 $ E_Prc  : num  0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 ...
 $ E_Rev  : num  0 0 0 0 0 0 0 0 0 0 ...
```

```r
head(result_matrix); tail(result_matrix)
```

```
  sprop panels datalot    al_regs  zips    array  dc_kw energy E_Prc E_Rev
2     1    885       1   Northern 35801 Tracking 423.74 672887  0.01     0
3     1    885       1   Northern 35801    Fixed 423.74 585225  0.01     0
4     1    885       1    Central 35223 Tracking 423.74 668895  0.01     0
5     1    885       1    Central 35223    Fixed 423.74 579758  0.01     0
6     1    885       1 Black Belt 36117 Tracking 423.74 728181  0.01     0
7     1    885       1 Black Belt 36117    Fixed 423.74 629523  0.01     0
```

```
      sprop panels datalot    al_regs  zips    array dc_kw energy E_Prc E_Rev
33211     0      0       2    Central 35136 Tracking     0      0  0.06     0
33310     0      0       2    Central 35136    Fixed     0      0  0.06     0
33410     0      0       2 Black Belt 36040 Tracking     0      0  0.06     0
33510     0      0       2 Black Belt 36040    Fixed     0      0  0.06     0
33610     0      0       2   Southern 36507 Tracking     0      0  0.06     0
33710     0      0       2   Southern 36507    Fixed     0      0  0.06     0
```

3.3 Plotting revenue from energy production

3.3.1 Breakdown by number of solar panels

I am using data from simulation 1 for this visualization. This code plots one chart per electricity cost. There are 11 electricity cost resulting into 11 charts. Electricity revenue is average revenue of first and second lots of simulation.

```
lox <- c("Northern", "Central", "Black Belt", "Southern")
array_levs = c("Single Axis Rotation", "Fixed Open Rack")
datalot_levs = c("Location 1", "Location 2")
for (i in unique(energy_revenue$elcprc)) {
 a = ggplot(data = (energy_revenue %>%
  dplyr::filter(elcprc == i)),
         mapping = aes(x =al_regs,
                       y = elcrev,
                       #fill = energy,
                       color = factor(panels),
                       group = factor(panels)))+
  geom_line()+
  geom_point()+
  facet_grid(.~array) +
  scale_x_discrete(limits = lox,
                   labels = c("North", "Center", "B Belt", "South")) +
   guides(color = guide_legend(ncol = 2, reverse = TRUE))
 cat("Electricity Price = ", i)
 print(a)
}
```

```
Electricity Price =  0.01
```




```
Electricity Price =  0.015
```




```
Electricity Price =  0.02
```




```
Electricity Price =  0.025
```




```
Electricity Price =  0.03
```




```
Electricity Price =  0.035
```




```
Electricity Price =  0.04
```




```
Electricity Price =  0.045
```




```
Electricity Price =  0.05
```




```
Electricity Price =  0.055
```




```
Electricity Price =  0.06
```



3.3.2 Breakdown by proportion of land under solar

- Two proportions may have same number of solar panels (Eg. 0.80 and 0.85, 0.20 and 0.25). So, total lines in the chart may not match with total number of legend levels. Some proportions are overlapping in the chart. See panel configuration for more detail.

```
lox <- c("Northern", "Central", "Black Belt", "Southern")
array_levs = c("Single Axis Rotation", "Fixed Open Rack")
datalot_levs = c("Location 1", "Location 2")
for (i in unique(energy_revenue$elcprc)) {
 a = ggplot(data = (energy_revenue %>%
  dplyr::filter(elcprc == i)),
         mapping = aes(x =al_regs,
                       y = elcrev,
                       #fill = energy,
                       color = factor(sprop),
                       group = factor(sprop)))+
  geom_line()+
  geom_point()+
  facet_grid(.~array) +
  scale_x_discrete(limits = lox,
                   labels = c("North", "Center", "B Belt", "South")) +
```

```
   guides(color = guide_legend(ncol = 2, reverse = TRUE))
 cat("Electricity Price = ", i)
 print(a)
}
```

```
Electricity Price =  0.01
```




```
Electricity Price =  0.015
```




```
Electricity Price =  0.02
```




```
Electricity Price =  0.025
```




```
Electricity Price =  0.03
```




```
Electricity Price =  0.035
```




```
Electricity Price =  0.04
```




```
Electricity Price =  0.045
```




```
Electricity Price =  0.05
```




```
Electricity Price =  0.055
```




```
Electricity Price =  0.06
```



3.4 Cost and Profit from solar

- Cost of solar energy system in agrivoltaic setting.
- I used energy output per 7.75 ft.*3.5 ft. panel (545 w), capex ($/w), and total number of panels to get total cost for each height and panel tracking system.
- height = height of solar panels; see capex dataset for details.
- capex = capex from capex table; see capex dataset for details.
- opex = Operational cost ($15/kW/Year) Source: Ramasamy, 2022. PV Cost Benchmark (This is revised to 3% of annual capex based on Dennis Brother's suggestion).
- ttlcost = Total cost for given DC system size.
- anncost = Annual payment to repay loan (P_{ann}) = $\frac{P_o(i(1+i)^t)}{(1+i)^t-1)}$, where P_o = CAPEX loan burrowed to repay in t years; $t = 25$, and i = annual interest rate at 5%.
- moncost = Monthly payment to repay loan (P_{mon}) = $\frac{P_o((i/12)(1+(i/12))^{t*12})}{(1+(i/12))^{t*12}-1)}$, where P_o = CAPEX loan burrowed to repay in t years; $t = 25$, and i = annual interest rate at 5%.
- inscst = insurance cost. $5 per $1000 capex.
- eprofit = profit from electricity after subtracting total cost (ttlcost) from total revenue (elcrev).
- eannprof = annual profit from solar after subtracting annual loan repayment distributed over 25 years.
- emonprof = monthly profit from solar after subtracting monthly loan repayment distributed over 25 years.
- eannprofworeap = annual profit without REAP benefit.
- eannprofwoincentives = Annual profit without incentives.

Policy Components:

- taxcr = 30% tax credit of annual cost covered through federal tax exemption (Investment tax credit).
- reap = Rural Energy for America Program reimburses 50% of capex (ttlcost) upfront. The waiting time for reimbursement is about 6 months. So, 50% of ttlcost acquire simple interest for six months. This is changed to 25% and 50%.
- recredit = renewable energy credit ($6.60/MWh).

```
i = 0.07 # Discount/interest Rate
n = 25 # Life Span of solar panels (Years)
reapprop = 50/100  # Percentage of CAPEX covered by REAP program.

expanded_data <- energy_revenue %>%
  slice(rep(1:n(),
            each = 3))
capex_height <- rep(unique(capex$height),
                    length.out = nrow(energy_revenue))

energy_cost = cbind(expanded_data, capex_height) %>%
  rename(height = capex_height)

energy_cost <- left_join(energy_cost,
                         capex,
                         by = c("array", "height")) %>%
  mutate(
    # 7.75*3.5 sq.ft. panel energy output = 545 W.
    # Operational cost (OPEX) = $15/kW-yr; 1 kW = 1,000W.
    # Opex = 545*15/1000*panels,

    # Land lease cost Per acre.
    landlease = 1000,

    # Total Capex
    ttlcost = capex*545*panels,

    # Cost of Insurance = $5/$1000/Yr Total capex
    inscst = ttlcost*5/1000, #Cost

    # Renewable energy credit 6.60 $/MWh
    recredit = 6.60/1000*energy, #Return

    # REAP Program = 50% of Capex - Simple interest rmbrst delay
    reap = reapprop*ttlcost - (reapprop*ttlcost)*i*0.5/100, #Return

    # Annualized cost - reap:
    annlzcost = (ttlcost - reap + inscst)*(i*(1+i)^n)/((1+i)^n-1),

    # Annualized Cost of total cost:
    annoftotcost = ttlcost*(i*(1+i)^n)/((1+i)^n-1),
```

```
    # Monthalized using monthly discount rate:
    monthlycost = ttlcost*
      ((i/12)*(1+(i/n))^(n*12))/((1+(i/12))^(n*12)-1),

    # Operational cost = 3% of annualized total capex
    opex = 3*annoftotcost/100, #Cost

    # Tax credit = 30% of annualized capex
    taxcr = 30*annoftotcost/100, #Return

    # Annualized using annual discount rate:
    anncost = annlzcost + opex
    )

solar_profit <- energy_cost %>%
  mutate(
    # Annualized Profit
    eannprof = elcrev + recredit + taxcr - anncost,

    eannprofworeap = elcrev + recredit + taxcr - annoftotcost,
    eannprofwoincentives = elcrev - annoftotcost
    )

write_xlsx(file = "Results/Solar Profit.xlsx",
           x = solar_profit,
           overwrite = TRUE,
           as_table = TRUE)
str(solar_profit)
```

```
'data.frame':   5544 obs. of  24 variables:
 $ sprop               : num  0 0 0 0 0 0 0 0 0 0 ...
 $ al_regs             : chr  "Black Belt" "Black Belt" "Black Belt" "Black Belt" ...
 $ array               : chr  "Fixed" "Fixed" "Fixed" "Tracking" ...
 $ dc_kw               : num  0 0 0 0 0 0 0 0 0 0 ...
 $ panels              : num  0 0 0 0 0 0 0 0 0 0 ...
 $ energy              : num  0 0 0 0 0 0 0 0 0 0 ...
 $ elcprc              : num  0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 ...
 $ elcrev              : num  0 0 0 0 0 0 0 0 0 0 ...
 $ height              : num  4.6 6.4 8.2 4.6 6.4 8.2 4.6 6.4 8.2 4.6 ...
 $ capex               : num  1.59 1.85 2.33 1.73 1.92 ...
 $ landlease           : num  1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 ...
 $ ttlcost             : num  0 0 0 0 0 0 0 0 0 0 ...
```

```
 $ inscst              : num  0 0 0 0 0 0 0 0 0 0 ...
 $ recredit            : num  0 0 0 0 0 0 0 0 0 0 ...
 $ reap                : num  0 0 0 0 0 0 0 0 0 0 ...
 $ annlzcost           : num  0 0 0 0 0 0 0 0 0 0 ...
 $ annoftotcost        : num  0 0 0 0 0 0 0 0 0 0 ...
 $ monthlycost         : num  0 0 0 0 0 0 0 0 0 0 ...
 $ opex                : num  0 0 0 0 0 0 0 0 0 0 ...
 $ taxcr               : num  0 0 0 0 0 0 0 0 0 0 ...
 $ anncost             : num  0 0 0 0 0 0 0 0 0 0 ...
 $ eannprof            : num  0 0 0 0 0 0 0 0 0 0 ...
 $ eannprofworeap      : num  0 0 0 0 0 0 0 0 0 0 ...
 $ eannprofwoincentives: num  0 0 0 0 0 0 0 0 0 0 ...
```

```
head(solar_profit); tail(solar_profit)
```

```
  sprop    al_regs    array dc_kw panels energy elcprc elcrev height    capex
1     0 Black Belt    Fixed     0      0      0   0.01      0    4.6 1.593333
2     0 Black Belt    Fixed     0      0      0   0.01      0    6.4 1.850000
3     0 Black Belt    Fixed     0      0      0   0.01      0    8.2 2.330000
4     0 Black Belt Tracking     0      0      0   0.01      0    4.6 1.733333
5     0 Black Belt Tracking     0      0      0   0.01      0    6.4 1.921667
6     0 Black Belt Tracking     0      0      0   0.01      0    8.2 2.110000
  landlease ttlcost inscst recredit reap annlzcost annoftotcost monthlycost
1      1000       0      0        0    0         0            0           0
2      1000       0      0        0    0         0            0           0
3      1000       0      0        0    0         0            0           0
4      1000       0      0        0    0         0            0           0
5      1000       0      0        0    0         0            0           0
6      1000       0      0        0    0         0            0           0
  opex taxcr anncost eannprof eannprofworeap eannprofwoincentives
1    0     0       0        0              0                    0
2    0     0       0        0              0                    0
3    0     0       0        0              0                    0
4    0     0       0        0              0                    0
5    0     0       0        0              0                    0
6    0     0       0        0              0                    0

     sprop  al_regs    array  dc_kw panels energy elcprc   elcrev height
5539     1 Southern    Fixed 423.74    885 613342   0.06 36800.52    4.6
5540     1 Southern    Fixed 423.74    885 613342   0.06 36800.52    6.4
5541     1 Southern    Fixed 423.74    885 613342   0.06 36800.52    8.2
5542     1 Southern Tracking 423.74    885 712873   0.06 42772.38    4.6
```

```
5543     1 Southern Tracking 423.74    885 712873   0.06 42772.38    6.4
5544     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
        capex landlease   ttlcost   inscst recredit     reap annlzcost
5539 1.593333      1000  768504.5 3842.523 4048.057 384117.8  33314.15
5540 1.850000      1000  892301.2 4461.506 4048.057 445994.5  38680.66
5541 2.330000      1000 1123817.3 5619.086 4048.057 561712.0  48716.72
5542 1.733333      1000  836030.0 4180.150 4704.962 417868.7  36241.34
5543 1.921667      1000  926867.9 4634.339 4704.962 463271.7  40179.10
5544 2.110000      1000 1017705.8 5088.529 4704.962 508674.8  44116.86
     annoftotcost monthlycost     opex    taxcr  anncost eannprof
5539     65945.77    2194.929 1978.373 19783.73 35292.53 25339.78
5540     76568.83    2548.506 2297.065 22970.65 40977.72 22841.50
5541     96435.34    3209.740 2893.060 28930.60 51609.78 18169.40
5542     71740.17    2387.789 2152.205 21522.05 38393.54 30605.85
5543     79535.01    2647.232 2386.050 23860.50 42565.15 28772.70
5544     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
     eannprofworeap eannprofwoincentives
5539      -5313.461            -29145.25
5540     -12749.605            -39768.31
5541     -26656.160            -59634.82
5542      -2740.775            -28967.79
5543      -8197.166            -36762.63
5544     -13653.558            -44557.48
```

3.4.1 Plot Solar profit

Solar annual profit by number of solar panels

```
lox <- c("Northern", "Central", "Black Belt", "Southern")
array_levs = c("Single Axis Rotation", "Fixed Open Rack")
datalot_levs = c("Location 1", "Location 2")
  for (i in unique(solar_profit$elcprc)) {
    b = ggplot(
      data = (solar_profit %>%
                dplyr::filter(elcprc == i)),
      mapping = aes(
        x = al_regs,
        y = eannprof, #Annual Profit
        #fill = energy,
        color = factor(panels),
        group = factor(panels)
      )
```

```
    ) +
      geom_line() +
      geom_point() +
      facet_grid(height ~ array) +
      scale_x_discrete(limits = lox,
                       labels = c("North", "Center",
                                  "B Belt", "South")) +
      guides(color = guide_legend(ncol = 2,
                                  reverse = TRUE))
    cat("Electricity Price = ", i)
    print(b)
  }
```

```
Electricity Price =  0.01
```




```
Electricity Price =  0.015
```




```
Electricity Price =  0.02
```




```
Electricity Price =  0.025
```




```
Electricity Price =  0.03
```




```
Electricity Price =  0.035
```




```
Electricity Price =  0.04
```




```
Electricity Price =  0.045
```




```
Electricity Price =  0.05
```




```
Electricity Price =  0.055
```




```
Electricity Price =  0.06
```



4 Profit from crops

4.1 Tomato

Filter return to operator, land and capital profit from Tomato:

```
tomato_profit = tomato %>%
  select(yldvar, yield,
         rolac17, rolac18, rolac19, rolac20,
         rolac21, rolac22, rolac23)
dim(tomato_profit)
```

```
[1] 21  9
```

```
tomato_profit
```

```
   yldvar yield     rolac17     rolac18     rolac19     rolac20     rolac21
3     2.0  2720  21679.3826  24399.3826  27119.3826  29839.3826  32559.3826
4     1.9  2584  20065.3826  22649.3826  25233.3826  27817.3826  30401.3826
5     1.8  2448  18451.3826  20899.3826  23347.3826  25795.3826  28243.3826
6     1.7  2312  16837.3826  19149.3826  21461.3826  23773.3826  26085.3826
7     1.6  2176  15223.3826  17399.3826  19575.3826  21751.3826  23927.3826
8     1.5  2040  13609.3826  15649.3826  17689.3826  19729.3826  21769.3826
9     1.4  1904  11995.3826  13899.3826  15803.3826  17707.3826  19611.3826
10    1.3  1768  10381.3826  12149.3826  13917.3826  15685.3826  17453.3826
11    1.2  1632   8767.3826  10399.3826  12031.3826  13663.3826  15295.3826
12    1.1  1496   7153.3826   8649.3826  10145.3826  11641.3826  13137.3826
13    1.0  1360   5539.3826   6899.3826   8259.3826   9619.3826  10979.3826
14    0.9  1224   3925.3826   5149.3826   6373.3826   7597.3826   8821.3826
15    0.8  1088   2311.3826   3399.3826   4487.3826   5575.3826   6663.3826
16    0.7   952    697.3826   1649.3826   2601.3826   3553.3826   4505.3826
17    0.6   816   -916.6174   -100.6174    715.3826   1531.3826   2347.3826
18    0.5   680  -2530.6174  -1850.6174  -1170.6174   -490.6174    189.3826
19    0.4   544  -4144.6174  -3600.6174  -3056.6174  -2512.6174  -1968.6174
20    0.3   408  -5758.6174  -5350.6174  -4942.6174  -4534.6174  -4126.6174
21    0.2   272  -7372.6174  -7100.6174  -6828.6174  -6556.6174  -6284.6174
22    0.1   136  -8986.6174  -8850.6174  -8714.6174  -8578.6174  -8442.6174
23    0.0     0 -10600.6174 -10600.6174 -10600.6174 -10600.6174 -10600.6174
       rolac22     rolac23
3   35279.3826  37999.3826
4   32985.3826  35569.3826
```

```
5   30691.3826  33139.3826
6   28397.3826  30709.3826
7   26103.3826  28279.3826
8   23809.3826  25849.3826
9   21515.3826  23419.3826
10  19221.3826  20989.3826
11  16927.3826  18559.3826
12  14633.3826  16129.3826
13  12339.3826  13699.3826
14  10045.3826  11269.3826
15   7751.3826   8839.3826
16   5457.3826   6409.3826
17   3163.3826   3979.3826
18    869.3826   1549.3826
19  -1424.6174   -880.6174
20  -3718.6174  -3310.6174
21  -6012.6174  -5740.6174
22  -8306.6174  -8170.6174
23 -10600.6174 -10600.6174
```

Convert data to long format:

```
# Assign column names for clarity
colnames(tomato_profit) <- c("yldvar", "yield",
                  "rolac17", "rolac18", "rolac19",
                  "rolac20", "rolac21", "rolac22",
                  "rolac23")

# Reshape the data frame from wide to long format
tomato_long <- melt(tomato_profit,
                id.vars = c("yldvar", "yield"),
                measure.vars = c("rolac17", "rolac18", "rolac19",
                                 "rolac20", "rolac21", "rolac22",
                                 "rolac23"),
                variable.name = "price",
                value.name = "profit")

# Convert the 'Price' column to numeric by extracting the number
tomato_long$price <- as.numeric(gsub("rolac", "", tomato_long$price))
str(tomato_long)
```

```
'data.frame':   147 obs. of  4 variables:
```

```
 $ yldvar: num  2 1.9 1.8 1.7 1.6 1.5 1.4 1.3 1.2 1.1 ...
 $ yield : num  2720 2584 2448 2312 2176 ...
 $ price : num  17 17 17 17 17 17 17 17 17 17 ...
 $ profit: num  21679 20065 18451 16837 15223 ...
```

```
head(tomato_long); tail(tomato_long)
```

```
  yldvar yield price   profit
1    2.0  2720    17 21679.38
2    1.9  2584    17 20065.38
3    1.8  2448    17 18451.38
4    1.7  2312    17 16837.38
5    1.6  2176    17 15223.38
6    1.5  2040    17 13609.38
```

```
    yldvar yield price      profit
142    0.5   680    23   1549.3826
143    0.4   544    23   -880.6174
144    0.3   408    23  -3310.6174
145    0.2   272    23  -5740.6174
146    0.1   136    23  -8170.6174
147    0.0     0    23 -10600.6174
```

4.1.1 Plot Tomato Profit

```
ggplot(data = tomato_long,
       mapping = aes(x = price,
                     y = profit,
                     color = factor(yldvar),
                     group = factor(yield))) +
  geom_line() +
  geom_point() +
  geom_hline(yintercept = 0,
             linetype = "dashed",
             color = "black") +
  guides(color = guide_legend(ncol = 2,
                              reverse = TRUE))
```




```
ggplot(data = tomato_long,
       mapping = aes(x = yield,
                     y = profit,
                     #fill = yield,
                     color = factor(price),
                     group = factor(price))) +
  geom_line() +
  geom_point() +
  geom_hline(yintercept = 0,
             linetype = "dashed",
             color = "black") +
  # Vertical dashed line is 100% yield
  geom_vline(xintercept = tomato_long$yield[11],
             linetype = "dashed",
             color = "black") +
guides(color = guide_legend(reverse = TRUE))
```



4.2 Strawberry

Filter return to operator, land and capital profit from strawberry

```
strawberry_profit = strawberry %>%
  select(yldvar, yield,
         rolac3, rolac4, rolac5, rolac6,
         rolac7, rolac8, rolac9)
str(strawberry_profit)
```

```
'data.frame':   21 obs. of  9 variables:
 $ yldvar: num  2 1.9 1.8 1.7 1.6 1.5 1.4 1.3 1.2 1.1 ...
 $ yield : num  6150 5842 5535 5228 4920 ...
 $ rolac3: num  -1740 -2317 -2894 -3471 -4048 ...
 $ rolac4: num  4410 3525 2641 1756 872 ...
 $ rolac5: num  10560 9368 8176 6984 5792 ...
 $ rolac6: num  16710 15210 13711 12211 10712 ...
 $ rolac7: num  22860 21053 19246 17439 15632 ...
 $ rolac8: num  29010 26895 24781 22666 20552 ...
 $ rolac9: num  35160 32738 30316 27894 25472 ...
```

```
strawberry_profit
```

```
   yldvar  yield     rolac3       rolac4     rolac5     rolac6     rolac7
3     2.0 6150.0  -1740.495   4409.50503  10559.505  16709.505  22859.505
4     1.9 5842.5  -2317.350   3525.15003   9367.650  15210.150  21052.650
5     1.8 5535.0  -2894.205   2640.79503   8175.795  13710.795  19245.795
6     1.7 5227.5  -3471.060   1756.44003   6983.940  12211.440  17438.940
7     1.6 4920.0  -4047.915    872.08503   5792.085  10712.085  15632.085
8     1.5 4612.5  -4624.770    -12.26997   4600.230   9212.730  13825.230
9     1.4 4305.0  -5201.625   -896.62497   3408.375   7713.375  12018.375
10    1.3 3997.5  -5778.480  -1780.97997   2216.520   6214.020  10211.520
11    1.2 3690.0  -6355.335  -2665.33497   1024.665   4714.665   8404.665
12    1.1 3382.5  -6932.190  -3549.68997   -167.190   3215.310   6597.810
13    1.0 3075.0  -7509.045  -4434.04497  -1359.045   1715.955   4790.955
14    0.9 2767.5  -8085.900  -5318.39997  -2550.900    216.600   2984.100
15    0.8 2460.0  -8662.755  -6202.75497  -3742.755  -1282.755   1177.245
16    0.7 2152.5  -9239.610  -7087.10997  -4934.610  -2782.110   -629.610
17    0.6 1845.0  -9816.465  -7971.46497  -6126.465  -4281.465  -2436.465
18    0.5 1537.5 -10393.320  -8855.81997  -7318.320  -5780.820  -4243.320
19    0.4 1230.0 -10970.175  -9740.17497  -8510.175  -7280.175  -6050.175
20    0.3  922.5 -11547.030 -10624.52997  -9702.030  -8779.530  -7857.030
21    0.2  615.0 -12123.885 -11508.88497 -10893.885 -10278.885  -9663.885
22    0.1  307.5 -12700.740 -12393.23997 -12085.740 -11778.240 -11470.740
23    0.0    0.0 -13277.595 -13277.59497 -13277.595 -13277.595 -13277.595
       rolac8     rolac9
3   29009.505  35159.505
4   26895.150  32737.650
5   24780.795  30315.795
6   22666.440  27893.940
7   20552.085  25472.085
8   18437.730  23050.230
9   16323.375  20628.375
10  14209.020  18206.520
11  12094.665  15784.665
12   9980.310  13362.810
13   7865.955  10940.955
14   5751.600   8519.100
15   3637.245   6097.245
16   1522.890   3675.390
17   -591.465   1253.535
18  -2705.820  -1168.320
19  -4820.175  -3590.175
```

```
20  -6934.530  -6012.030
21  -9048.885  -8433.885
22 -11163.240 -10855.740
23 -13277.595 -13277.595
```

Convert data to long format:

```
# Assign column names for clarity
colnames(strawberry_profit) <- c("yldvar", "yield",
                  "rolac3", "rolac4", "rolac5",
                  "rolac6", "rolac7", "rolac8",
                  "rolac9")
# Reshape the data frame from wide to long format
stberry_long <- melt(strawberry_profit,
                id.vars = c("yldvar", "yield"),
                measure.vars = c("rolac3", "rolac4", "rolac5",
                                 "rolac6", "rolac7", "rolac8",
                                 "rolac9"),
                variable.name = "price",
                value.name = "profit")

# Convert the 'Price' column to numeric by extracting the number
stberry_long$price <- as.numeric(gsub("rolac", "", stberry_long$price))
str(stberry_long)
```

```
'data.frame':   147 obs. of  4 variables:
 $ yldvar: num  2 1.9 1.8 1.7 1.6 1.5 1.4 1.3 1.2 1.1 ...
 $ yield : num  6150 5842 5535 5228 4920 ...
 $ price : num  3 3 3 3 3 3 3 3 3 3 ...
 $ profit: num  -1740 -2317 -2894 -3471 -4048 ...
```

```
head(stberry_long); tail(stberry_long)
```

```
  yldvar  yield price    profit
1    2.0 6150.0     3 -1740.495
2    1.9 5842.5     3 -2317.350
3    1.8 5535.0     3 -2894.205
4    1.7 5227.5     3 -3471.060
5    1.6 4920.0     3 -4047.915
6    1.5 4612.5     3 -4624.770
```

```
    yldvar  yield price     profit
142    0.5 1537.5     9  -1168.320
143    0.4 1230.0     9  -3590.175
144    0.3  922.5     9  -6012.030
145    0.2  615.0     9  -8433.885
146    0.1  307.5     9 -10855.740
147    0.0    0.0     9 -13277.595
```

4.2.1 Plot Strawberry Profit

```
ggplot(data = stberry_long,
       mapping = aes(x = price,
                     y = profit,
                     color = factor(yldvar),
                     group = factor(yield))) +
  geom_line() +
  geom_point() +
  geom_hline(yintercept = 0,
             linetype = "dashed",
             color = "black") +
  guides(color = guide_legend(ncol = 2,
                              reverse = TRUE))
```



```r
ggplot(data = stberry_long,
       mapping = aes(x = yield,
                     y = profit,
                     color = factor(price),
                     group = factor(price))) +
  geom_line() +
  geom_point() +
  geom_hline(yintercept = 0,
             linetype = "dashed",
             color = "black") +
  #Vertical dashed line is 100% yield
  geom_vline(xintercept = stberry_long$yield[11],
             linetype = "dashed",
             color = "black") +
  guides(color = guide_legend(reverse = TRUE))
```



5 Profit from agrivoltaics

Total profit from solar and crops for all combinations of AVs simulated.

5.1 Profit from tomato agrivoltaic system

- Joint profit from tomato (tomato_long) and solar energy production (solar_profit) from 1 acre of land.
- The last variable (tav_profit) is the final profit from tomato agrivoltaic system which is the result of our interest.

```
# Calculate all combinations of rows from both matrices in a vectorized way
solar_expanded <- solar_profit[rep(1:nrow(solar_profit),
                                   each = nrow(tomato_long)), ]
tomato_expanded <- tomato_long[rep(1:nrow(tomato_long),
                                   times = nrow(solar_profit)), ]

# Calculate the new column for tav_profit directly
tav_profit_values <- solar_expanded$eannprof + tomato_expanded$profit

# Combine the matrices and the calculated tav_profit column
tav_profit <- cbind(solar_expanded,
                    tomato_expanded,
                    tav_profit = tav_profit_values)

# Convert to a data frame and ensure the correct format
tav_profit <- as.data.frame(tav_profit)
tav_profit <- data.frame(lapply(tav_profit, unlist))
str(tav_profit)
```

```
'data.frame':   814968 obs. of  29 variables:
 $ sprop               : num  0 0 0 0 0 0 0 0 0 0 ...
 $ al_regs             : chr  "Black Belt" "Black Belt" "Black Belt" "Black Belt" ...
 $ array               : chr  "Fixed" "Fixed" "Fixed" "Fixed" ...
 $ dc_kw               : num  0 0 0 0 0 0 0 0 0 0 ...
 $ panels              : num  0 0 0 0 0 0 0 0 0 0 ...
 $ energy              : num  0 0 0 0 0 0 0 0 0 0 ...
 $ elcprc              : num  0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 ...
 $ elcrev              : num  0 0 0 0 0 0 0 0 0 0 ...
 $ height              : num  4.6 4.6 4.6 4.6 4.6 4.6 4.6 4.6 4.6 4.6 ...
 $ capex               : num  1.59 1.59 1.59 1.59 1.59 ...
 $ landlease           : num  1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 ...
 $ ttlcost             : num  0 0 0 0 0 0 0 0 0 0 ...
 $ inscst              : num  0 0 0 0 0 0 0 0 0 0 ...
 $ recredit            : num  0 0 0 0 0 0 0 0 0 0 ...
 $ reap                : num  0 0 0 0 0 0 0 0 0 0 ...
```

```
 $ annlzcost           : num  0 0 0 0 0 0 0 0 0 0 ...
 $ annoftotcost        : num  0 0 0 0 0 0 0 0 0 0 ...
 $ monthlycost         : num  0 0 0 0 0 0 0 0 0 0 ...
 $ opex                : num  0 0 0 0 0 0 0 0 0 0 ...
 $ taxcr               : num  0 0 0 0 0 0 0 0 0 0 ...
 $ anncost             : num  0 0 0 0 0 0 0 0 0 0 ...
 $ eannprof            : num  0 0 0 0 0 0 0 0 0 0 ...
 $ eannprofworeap      : num  0 0 0 0 0 0 0 0 0 0 ...
 $ eannprofwoincentives: num  0 0 0 0 0 0 0 0 0 0 ...
 $ yldvar              : num  2 1.9 1.8 1.7 1.6 1.5 1.4 1.3 1.2 1.1 ...
 $ yield               : num  2720 2584 2448 2312 2176 ...
 $ price               : num  17 17 17 17 17 17 17 17 17 17 ...
 $ profit              : num  21679 20065 18451 16837 15223 ...
 $ tav_profit          : num  21679 20065 18451 16837 15223 ...
```

```
head(tav_profit); tail(tav_profit)
```

```
  sprop    al_regs array dc_kw panels energy elcprc elcrev height    capex
1     0 Black Belt Fixed     0      0      0   0.01      0    4.6 1.593333
2     0 Black Belt Fixed     0      0      0   0.01      0    4.6 1.593333
3     0 Black Belt Fixed     0      0      0   0.01      0    4.6 1.593333
4     0 Black Belt Fixed     0      0      0   0.01      0    4.6 1.593333
5     0 Black Belt Fixed     0      0      0   0.01      0    4.6 1.593333
6     0 Black Belt Fixed     0      0      0   0.01      0    4.6 1.593333
  landlease ttlcost inscst recredit reap annlzcost annoftotcost monthlycost
1      1000       0      0        0    0         0            0           0
2      1000       0      0        0    0         0            0           0
3      1000       0      0        0    0         0            0           0
4      1000       0      0        0    0         0            0           0
5      1000       0      0        0    0         0            0           0
6      1000       0      0        0    0         0            0           0
  opex taxcr anncost eannprof eannprofworeap eannprofwoincentives yldvar yield
1    0     0       0        0              0                     0    2.0  2720
2    0     0       0        0              0                     0    1.9  2584
3    0     0       0        0              0                     0    1.8  2448
4    0     0       0        0              0                     0    1.7  2312
5    0     0       0        0              0                     0    1.6  2176
6    0     0       0        0              0                     0    1.5  2040
  price   profit tav_profit
1    17 21679.38   21679.38
2    17 20065.38   20065.38
3    17 18451.38   18451.38
```

```
4    17 16837.38   16837.38
5    17 15223.38   15223.38
6    17 13609.38   13609.38
```

```
       sprop  al_regs    array  dc_kw panels energy elcprc   elcrev height
814963     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
814964     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
814965     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
814966     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
814967     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
814968     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
       capex landlease ttlcost   inscst recredit     reap annlzcost
814963  2.11      1000 1017706 5088.529 4704.962 508674.8  44116.86
814964  2.11      1000 1017706 5088.529 4704.962 508674.8  44116.86
814965  2.11      1000 1017706 5088.529 4704.962 508674.8  44116.86
814966  2.11      1000 1017706 5088.529 4704.962 508674.8  44116.86
814967  2.11      1000 1017706 5088.529 4704.962 508674.8  44116.86
814968  2.11      1000 1017706 5088.529 4704.962 508674.8  44116.86
       annoftotcost monthlycost     opex    taxcr  anncost eannprof
814963     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
814964     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
814965     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
814966     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
814967     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
814968     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
       eannprofworeap eannprofwoincentives yldvar yield price      profit
814963      -13653.56            -44557.48    0.5   680    23   1549.3826
814964      -13653.56            -44557.48    0.4   544    23   -880.6174
814965      -13653.56            -44557.48    0.3   408    23  -3310.6174
814966      -13653.56            -44557.48    0.2   272    23  -5740.6174
814967      -13653.56            -44557.48    0.1   136    23  -8170.6174
814968      -13653.56            -44557.48    0.0     0    23 -10600.6174
       tav_profit
814963   28488.93
814964   26058.93
814965   23628.93
814966   21198.93
814967   18768.93
814968   16338.93
```

5.1.1 Saving results locally

```
write_feather(tav_profit,
  sink = "Data/tav_profit.feather",
  version = 2,
  chunk_size = 65536L,
  compression = c("default"),
  #compression = c("default", "lz4", "lz4_frame", "uncompressed", "zstd"),
  compression_level = NULL
)
tictoc::tic("Using Dplyr:")
write_xlsx(x = tav_profit %>%
             dplyr::sample_n(100),
           file = "Results/TAV Profit Sample.xlsx",
           as_table = TRUE)
tictoc::toc()
```

```
Using Dplyr:: 0.11 sec elapsed
```

```
write_xlsx(x = tav_profit %>%
             filter(sprop %in% c(0, 0.25, 0.50, 0.75, 1),
                    yldvar == 1,
                    price == 20,
                    elcprc == 0.04)%>%
             dplyr::select(sprop, panels, height, array,
                           al_regs, yldvar, yield, price,
                           elcprc, tav_profit) %>%
             mutate(al_regs1 = case_when(
               al_regs == "Northern" ~ 1,
    al_regs == "Central" ~ 2,
    al_regs == "Black Belt" ~ 3,
    al_regs == "Southern" ~ 4,
    TRUE ~ NA_real_)),
           file = "Results/Profit TAV WriteUp.xlsx",
           as_table = TRUE)
```

5.2 Profit from strawberry agrivoltaic system

- Joint profit from strawberry (stberry_long) and solar energy production (solar_profit) from 1 acre of land.

- The last variable (sbav_profit) is the final profit from strawberry agrivoltaic system which is the result of our interest.

```
# Generate all combinations of rows from both matrices in a vectorized way
solar_expanded <- solar_profit[rep(1:nrow(solar_profit),
                                   each = nrow(stberry_long)), ]
stberry_expanded <- stberry_long[rep(1:nrow(stberry_long),
                                     times = nrow(solar_profit)), ]

# Calculate the new column for sbav_profit directly
sbav_profit_values <- solar_expanded$eannprof + stberry_expanded$profit

# Combine the matrices and the calculated sbav_profit column
sbav_profit <- cbind(solar_expanded,
                     stberry_expanded,
                     sbav_profit = sbav_profit_values)

# Convert to a data frame and ensure the correct format
sbav_profit <- as.data.frame(sbav_profit)
sbav_profit <- data.frame(lapply(sbav_profit, unlist))
str(sbav_profit)
```

```
'data.frame':   814968 obs. of  29 variables:
 $ sprop               : num  0 0 0 0 0 0 0 0 0 0 ...
 $ al_regs             : chr  "Black Belt" "Black Belt" "Black Belt" "Black Belt" ...
 $ array               : chr  "Fixed" "Fixed" "Fixed" "Fixed" ...
 $ dc_kw               : num  0 0 0 0 0 0 0 0 0 0 ...
 $ panels              : num  0 0 0 0 0 0 0 0 0 0 ...
 $ energy              : num  0 0 0 0 0 0 0 0 0 0 ...
 $ elcprc              : num  0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 ...
 $ elcrev              : num  0 0 0 0 0 0 0 0 0 0 ...
 $ height              : num  4.6 4.6 4.6 4.6 4.6 4.6 4.6 4.6 4.6 4.6 ...
 $ capex               : num  1.59 1.59 1.59 1.59 1.59 ...
 $ landlease           : num  1000 1000 1000 1000 1000 1000 1000 1000 1000 1000 ...
 $ ttlcost             : num  0 0 0 0 0 0 0 0 0 0 ...
 $ inscst              : num  0 0 0 0 0 0 0 0 0 0 ...
 $ recredit            : num  0 0 0 0 0 0 0 0 0 0 ...
 $ reap                : num  0 0 0 0 0 0 0 0 0 0 ...
 $ annlzcost           : num  0 0 0 0 0 0 0 0 0 0 ...
 $ annoftotcost        : num  0 0 0 0 0 0 0 0 0 0 ...
 $ monthlycost         : num  0 0 0 0 0 0 0 0 0 0 ...
 $ opex                : num  0 0 0 0 0 0 0 0 0 0 ...
```

```
 $ taxcr               : num  0 0 0 0 0 0 0 0 0 0 ...
 $ anncost             : num  0 0 0 0 0 0 0 0 0 0 ...
 $ eannprof            : num  0 0 0 0 0 0 0 0 0 0 ...
 $ eannprofworeap      : num  0 0 0 0 0 0 0 0 0 0 ...
 $ eannprofwoincentives: num  0 0 0 0 0 0 0 0 0 0 ...
 $ yldvar              : num  2 1.9 1.8 1.7 1.6 1.5 1.4 1.3 1.2 1.1 ...
 $ yield               : num  6150 5842 5535 5228 4920 ...
 $ price               : num  3 3 3 3 3 3 3 3 3 3 ...
 $ profit              : num  -1740 -2317 -2894 -3471 -4048 ...
 $ sbav_profit         : num  -1740 -2317 -2894 -3471 -4048 ...
```

```
head(sbav_profit); tail(sbav_profit)
```

```
  sprop    al_regs array dc_kw panels energy elcprc elcrev height    capex
1     0 Black Belt Fixed     0      0      0   0.01      0    4.6 1.593333
2     0 Black Belt Fixed     0      0      0   0.01      0    4.6 1.593333
3     0 Black Belt Fixed     0      0      0   0.01      0    4.6 1.593333
4     0 Black Belt Fixed     0      0      0   0.01      0    4.6 1.593333
5     0 Black Belt Fixed     0      0      0   0.01      0    4.6 1.593333
6     0 Black Belt Fixed     0      0      0   0.01      0    4.6 1.593333
  landlease ttlcost inscst recredit reap annlzcost annoftotcost monthlycost
1      1000       0      0        0    0         0            0           0
2      1000       0      0        0    0         0            0           0
3      1000       0      0        0    0         0            0           0
4      1000       0      0        0    0         0            0           0
5      1000       0      0        0    0         0            0           0
6      1000       0      0        0    0         0            0           0
  opex taxcr anncost eannprof eannprofworeap eannprofwoincentives yldvar  yield
1    0     0       0        0              0                    0    2.0 6150.0
2    0     0       0        0              0                    0    1.9 5842.5
3    0     0       0        0              0                    0    1.8 5535.0
4    0     0       0        0              0                    0    1.7 5227.5
5    0     0       0        0              0                    0    1.6 4920.0
6    0     0       0        0              0                    0    1.5 4612.5
  price    profit sbav_profit
1     3 -1740.495   -1740.495
2     3 -2317.350   -2317.350
3     3 -2894.205   -2894.205
4     3 -3471.060   -3471.060
5     3 -4047.915   -4047.915
6     3 -4624.770   -4624.770
```

```
       sprop  al_regs    array  dc_kw panels energy elcprc   elcrev height
814963     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
814964     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
814965     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
814966     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
814967     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
814968     1 Southern Tracking 423.74    885 712873   0.06 42772.38    8.2
       capex landlease ttlcost   inscst recredit     reap annlzcost
814963  2.11      1000 1017706 5088.529 4704.962 508674.8  44116.86
814964  2.11      1000 1017706 5088.529 4704.962 508674.8  44116.86
814965  2.11      1000 1017706 5088.529 4704.962 508674.8  44116.86
814966  2.11      1000 1017706 5088.529 4704.962 508674.8  44116.86
814967  2.11      1000 1017706 5088.529 4704.962 508674.8  44116.86
814968  2.11      1000 1017706 5088.529 4704.962 508674.8  44116.86
       annoftotcost monthlycost     opex    taxcr  anncost eannprof
814963     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
814964     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
814965     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
814966     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
814967     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
814968     87329.86    2906.674 2619.896 26198.96 46736.76 26939.54
       eannprofworeap eannprofwoincentives yldvar  yield price     profit
814963      -13653.56            -44557.48    0.5 1537.5     9  -1168.320
814964      -13653.56            -44557.48    0.4 1230.0     9  -3590.175
814965      -13653.56            -44557.48    0.3  922.5     9  -6012.030
814966      -13653.56            -44557.48    0.2  615.0     9  -8433.885
814967      -13653.56            -44557.48    0.1  307.5     9 -10855.740
814968      -13653.56            -44557.48    0.0    0.0     9 -13277.595
       sbav_profit
814963    25771.22
814964    23349.37
814965    20927.51
814966    18505.66
814967    16083.80
814968    13661.95
```

5.2.1 Saving results locally

```
#write_csv(sbav_profit, "tav_profit.csv")
write_feather(sbav_profit,
  sink = "Data/sbav_profit.feather",
```

```
  version = 2,
  chunk_size = 65536L,
  compression = c("default"),
  #compression = c("default", "lz4", "lz4_frame", "uncompressed", "zstd"),
  compression_level = NULL
)
tictoc::tic("Using Base R Matrix:")
write_xlsx(x = sbav_profit[sample(nrow(tav_profit), 100),],
           file = "Results/SBAV Profit Sample.xlsx",
           as_table = TRUE)
tictoc::toc()
```

```
Using Base R Matrix:: 0.13 sec elapsed
```

```
write_xlsx(x = sbav_profit %>%
             filter(sprop %in% c(0, 0.25, 0.50, 0.75, 1),
                    yldvar == 1,
                    price == 9,
                    elcprc == 0.04)%>%
             dplyr::select(sprop, panels, height, array, al_regs,
                           #price, elcprc, yldvar, yield,
                           sbav_profit) %>%
             mutate(al_regs1 = case_when(
               al_regs == "Northern" ~ 1,
    al_regs == "Central" ~ 2,
    al_regs == "Black Belt" ~ 3,
    al_regs == "Southern" ~ 4,
    TRUE ~ NA_real_)),
           file = "Results/Profit SBAV WriteUp.xlsx",
           as_table = TRUE)
```