Points: 39/50 Time: 26:17

## CM3 - PHP (1st weekly test)

D. to remove underscore

✓ Correct 1/1 Points
4. The function compares the two strings s1 and s2, ignoring the case of the characters.
A. strtolower()
B. toLowerCase()
C. strcasecmp()
D. lc()
✓ Correct 1/1 Points
5. The PHP function searches for a specific text within a string-
A. strpos()
B. strposition()
C. strrev()
D. str_replace()
✓ Correct 1/1 Points
6. Which one of the following functions will convert a string to all uppercase?
A. strtoupper()
B. uppercase()
C. str_uppercase()
D. struppercase()

## X Incorrect 0/1 Points

7. What will be the output of the following PHP code? php</p \$title = "O'malley wins the heavyweight championship!"; echo ucwords(\$title); ?>
A. O'Malley Wins The Heavyweight Championship!
B. O'malley Wins The Heavyweight Championship!
C. O'Malley wins the heavyweight championship!
D. o'malley wins the heavyweight championship!
X Incorrect 0/1 Points
<pre>8. What will be the output of the following PHP code?     <?php     \$author = "nachiketh@example.com";     \$author = str_replace("a","@",\$author);echo "Contact the author of this article at \$author.";     ?></pre>
A. Contact the author of this article at nachiketh@ex@mple.com
B. Cont@ct the @uthor of this @rticle @t n@chiketh@ex@mple.com
C. Contact the author of this article at n@chiketh@ex@mple.com
O. Error
✓ Correct 1/1 Points
9. Which of the functions is used to sort an array in descending order?
A. sort()

B. asort()
C. rsort()
D. dsort()
✓ Correct 1/1 Points
10. < ?php
\$states = array(
"karnataka" => array ("population" => "11,35,000", "captial" => "Paggalage")
"Bangalore"), "Tamil Nadu" => array( "population" => "17,90,000", "captial" =
"Chennai")
); echo \$states["karnataka"]["population"];
?>
A. karnataka 11,35,000
B. 11,35,000
C. population 11,35,000
D. karnataka population
✓ Correct 1/1 Points
11. < ?php
<pre>\$state = array ("Karnataka", "Goa", "Tamil Nadu", "Andhra Pradesh"); echo (array_search ("Tamil Nadu", \$state));</pre>
?>
A. True
O B. 1
C. False

D. 2

	_		
<b>/</b>	Correct	1/1	<b>Points</b>

12. Which in-built function will add a value to the end of an array?

- A. array\_unshift()
- B. into\_array()
- C. inend\_array()
- D. array\_push()

## ✓ **Correct** 1/1 Points

13. What will be the output of the following PHP code?

```
< ?php
$fruits = array ("apple", "mango", "peach", "pear", "orange");
$subset = array_slice ($fruits, 2);
print_r ($subset);
?>
```

- A Array ([0] => peach)
- B Array ([0] => apple [1] => mango [2] => peach)
- C Array ( [0] => apple [1] => mango )
- D Array ( [0] => peach [1] => pear [2] => orange )

## ✓ **Correct** 1/1 Points

14. By default, the index of array in php starts from \_\_\_\_\_?

A. 0

✓ **Correct** 1/1 Points

D. iii) and iv)

A. ii), iii) and iv)

B. ii) and iii)

C. Only i)

16. What is the use of is\_array() function?

A. Function is used to print the array in readable format.

B. Adds elements to the beginning of the array and returns the size of array.

C. Function can be used to verify if a variable is an array. Returns TRUE or FALSE

D. Adds elements to the end of the array and returns the size of array.

✓ Correct 1/1 Points

17. Which one of the following function is capable of reading a file into a string variable?

A. file_contents()
B. file_get_contents()
C. file_content()
D. file_get_content()
✓ Correct 1/1 Points
18. Which one of the following function is capable of reading a specific number of characters from a file?
A. fgets()
B. fget()
C. fileget()
D. filegets()
X Incorrect 0/1 Points
19. Which one of the following function outputs the contents of a string variable to the specified resource?
A. filewrite()
B. fwrite()
C. filewrites()
D. fwrites()

20. What will be the output of the following PHP code?

✓ Correct 1/1 Points

	<pre><!--php \$num = array(0,1,'two','three','four',5); \$result = preg_grep("/[0-5]/", \$num); print_r(\$result); ?--></pre>
	A. Array([0]=>0 [1]=>1 [2]=>two [3]=>three [4]=>four [5]=>5)
	B. Array([2]=>two [3]=>three [4]=>four)
	C. Array([1]=> 1)
	D. Array([0]=>0 [1]=>1 [5]=>5)
	X Incorrect 0/1 Points
21	. Which one of the following functions is used to search a string?
	A. preg_match
	B. preg_search
	C. preg_find
	D. preg_found
	✓ Correct 1/1 Points
22	2. Which one of the following preg PHP function is used to do a find and replace on a sting or an array?
	A. preg_replace()
	B. preg_find()
	C. preg_find_replace()
	D. preg_findre()

✓ Correct 1/1 Points
23. What will be the output of the following PHP code? php    \$str = "Hello! My name is Cameron Fox. Coffee?";    \$find = array( '/is/' , '/coffee/' );    \$replace = array( '/was/' , '/tea/' );    echo preg_replace (\$find, \$replace, \$str);    ?
A. Hello! My name was Cameron Fox. tea?
B. Hello! My name is Cameron Fox. tea?
C. Hello! My name is Cameron Fox. Coffee?
D. Hello! My name was Cameron Fox. Coffee?
✓ Correct 1/1 Points
24. Which one of the following is not a preg PHP function?
<pre>preg_match</pre>
preg_match_all
preg_matchall
<pre>preg_split</pre>
✓ Correct 1/1 Points
25. Which one of the following preg PHP functions is used to take a string and put it in an array?
A. preg_destroy()
B. preg_split()

C. preg_unchain()
D. preg_divide()
✓ Correct 1/1 Points
26. The PHP function is used to open a file.
A. open()
B. fopen()
C. create()
D. insert()
✓ Correct 1/1 Points
27. The purpose of r+ mode is?
A. Opens the file for reading and writing
B. Places the file pointer at the beginning of the file
C. Places the file pointer at the end of the file
D. Both A and B
✓ Correct 1/1 Points
28. fopen() requires arguments.
A. 0
O B. 1
C. 2

D. 3

<b>X Incorrect</b> 0/1 Points
29. The files length can be found using thefunction.
A. fsize()
B. fcount()
C. filesize()
D. count()
✓ Correct 1/1 Points
30. Which of the following is true about a+ mode?
A. Opens the file for reading and writing only.
B. Places the file pointer at the end of the file.
C. If files does not exist then it attempts to create a file.
D. All of the above
✓ Correct 1/1 Points
31. Close the file with fclose() function.
A. Yes
B. No
C. Can be yes or no

D. Can not sayn	
✓ Correct 1/1 Points	
32 have a special meaning when used in the context of regular expressions.	
A. ()	
○ B. {}	
C. []	
O. \$	
X Incorrect 0/1 Points	
33. Which of the following expression matches any string containing at least on p?	е
○ A. p*	
B. p-	
C. p^	
D. p+	
✓ Correct 1/1 Points	
34. Which of the following expression matches any character from uppercase A through uppercase Z?	
A. [a-z]	

B. [A-Z]

C. [a-Z]

D. None of the above
✓ Correct 1/1 Points
35. What is the use of array_unshift() function?
A. Function is used to print the array in readable format.
B. Adds elements to the beginning of the array and returns the size of array.
C. Function can be used to verify if a variable is an array. Returns TRUE or FALSE
D. Adds elements to the end of the array and returns the size of array.
✓ Correct 1/1 Points
36. Which of the following function is used to save a cookie in the user's computer?
A. savecookie()
B. createcookie()
C. create_cookie()
D. setcookie()
✓ Correct 1/1 Points
37. Which of the following function is used to delete a cookie?
A. setcookie()
B. delete_cookie()
C. deletecookie()

D. removecookie()
✓ Correct 1/1 Points
38. Which of the following function is used to check the cookie is set or not?
A. iscookie_set()
B. is_cookie_set()
C. isset()
D. is_set()
X Incorrect 0/1 Points
39. How can we retrieve information from the specified cookie?
A. Using getcookie() function
B. Using readcookie() function
C. Using \$_COOKIE superglobal variable
D. None of the above
✓ Correct 1/1 Points
40. There are the following statements that are given below, which of them are correct about the session in PHP?
<ol> <li>A session is used to store information that can be accessed by the multiple pages of a web application.</li> </ol>
<ul><li>2. The session values are stored in the user's computer.</li><li>3. The session variable store the values related to the single user.</li></ul>

- 4. The session variable store the values related to multiple users.
- A. 1 and 2

B. 1 and 3
C. 1, 2 and 3
D. 1, 2 and 4
✓ Correct 1/1 Points
41. Which of the following function is used start a session in PHP?
A. start_session()
B. startsession()
C. session_start()
D. sessionstart()
✓ Correct 1/1 Points
42. When a PHP session expires by default?
A. After 10 minutes
B. After 15 minutes
C. When we close the browser
C. When we close the browser      D. None of the above
D. None of the above
D. None of the above  X Incorrect 0/1 Points

C. total_cookie()
D. None of the above
✓ Correct 1/1 Points
44. Which of the following function is used to remove all session variables?
A. session_unset()
B. remove_sessions()
C. remove_all_sessions()
D. delete_all_sessions()
✓ <b>Correct</b> 1/1 Points
45. Which of the following function is used to destroy session in PHP?
A. session_destroy()
B. destroy_session()
C. destroysession()
D. sessiondestroy()
X Incorrect 0/1 Points
46. What will the output of below code, if specified file does not exist? php echo readfile("myfile.txt"); ?
A. Error
B. Warning

C. Null
O. 0
✓ Correct 1/1 Points
47. Which of the following function is used to read a single character from the file in PHP?
A. fgetchar()
B. gethchar()
C. fgetc()
D. fgetch()
X Incorrect 0/1 Points
48. Which of the following function is used to delete a specified file?
48. Which of the following function is used to delete a specified file?  A. fdel()
A. fdel()
A. fdel()  B. fdelete()
A. fdel()  B. fdelete()  C. unlink()
A. fdel()  B. fdelete()  C. unlink()  D. deletefile()
<ul> <li>A. fdel()</li> <li>B. fdelete()</li> <li>C. unlink()</li> <li>D. deletefile()</li> </ul> ✓ Correct 1/1 Points
A. fdel()  B. fdelete()  C. unlink()  D. deletefile()
<ul> <li>A. fdel()</li> <li>B. fdelete()</li> <li>C. unlink()</li> <li>D. deletefile()</li> </ul> ✓ Correct 1/1 Points

C. \$_FILE
D. \$_FILES
✓ Correct 1/1 Points
50. What will the function session_id() return is no parameter is passed?
A. Current Session Identification Number
B. Previous Session Identification Number
C. Last Session Identification Number
O. Error
✓ Correct 1/1 Points
51. Which one of the following statements should you use to set the session username to Nachi?
A. \$SESSION['username'] = "Nachi";
B. \$_SESSION['username'] = "Nachi";
C. session_start("nachi");
C. session_start("nachi");  D. \$SESSION_START["username"] = "Nachi";
D. \$SESSION_START["username"] = "Nachi";
D. \$SESSION_START["username"] = "Nachi";  X Incorrect  0/1 Points  52. Which of the following condition is used to check size limit 1KB to upload a



D. None of the above

This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Powered by Microsoft Forms |

The owner of this form has not provided a privacy statement as to how they will use your response data. Do not provide personal or sensitive information.

Terms of use