# CM 2 - CSS (2nd weekly test)

Points: 19/50 Time: 27:26

## **Students Details**

1. Enter your name \*

atish kumar

- 2. NSTI Name \*
  - Calicut
  - Howrah
  - Kolkata
  - Vidyanagar

**CSS MCQ** 

| ✓ Correct | 1/1 Points |  |  |
|-----------|------------|--|--|
|           |            |  |  |

| 3. What is the correct syntax for referring an external | CS: | S | ? |
|---|-----|---|---|
|---|-----|---|---|

- <link rel="stylesheet" type="text/css" src="mystyle.css">
- <link rel="stylesheet" type="text/css" href="mystyle.css">
- All of the above
- None of the above

- 4. CSS stands for -
  - None of the above
  - Cascade style sheets
  - Cascading style sheets
  - Color and style sheets

- 5. CSS comments are placed within the \_\_\_\_\_.
  - <! and !>
  - <!-- and -->

  - /\* and \*/ ✓

| 6. Which property is used to define the text color?                          |
|--|
| ○ color ✓  |
| All of the above   |
| font-color   |
| text-color   |
|  |
| X Incorrect 0/1 Points   |
| 7. Which property is used to define the font of the element's text?          |
| font-family 🗸  |
| font-style   |
| text-style   |
| font   |
|  |
| ✓ Correct 1/1 Points   |
| 8. Which CSS property is used to style the hyperlinks on hover (Mouse over)? |
| a:move   |
| a:hover 🗸  |
| a:mover  |
| a:mouseover  |
|  |

| 9. What are the valid values of text-align property?                                 |
|--|
| left, center, right  |
| left, middle, right  |
| left, center, right, justify 🗸   |
| left, middle, right, justify   |
|  |
| ★ Incorrect 0/1 Points   |
| 10. Which CSS property is used to specify uppercase and lowercase letters in a text? |
| text-transform 🗸   |
| text-case  |
| case   |
| text-casing  |
|  |
|  |
| X Incorrect 0/1 Points   |
| 11. What are the valid values of "text-decoration" property?                         |
| overline, line-through, underline, and none  |
| double-line, overline, line-through, underline, and none                             |
| overline, strike, line-through, underline, and none                                  |
| None of these  |

| 12. What is th | e correct | CSS | syntax | for | making | all | the |
|----------------|-----------|-----|--------|-----|--------|-----|-----|
| elements       | bold?     |     |        |     |        |     |     |

- p {text-size:bold}
- p {font-weight:bold}

#### ✓ Correct 1/1 Points

- 13. How do you display hyperlinks without an underline?
  - a {text-decoration:no underline}
  - a {text-decoration:none}
  - a {decoration:no underline}
  - a {underline:none}

#### X Incorrect 0/1 Points

14. How do you display a border like this:

The top border = 10 pixels

The bottom border = 5 pixels

The left border = 20 pixels

The right border = 1pixel

- None of these
- border-width:10px 1px 5px 20px
- border-width:10px 5px 20px 1px
- border-width:10px 20px 5px 1px

| 15. How do you make a list that lists its items with squares?         |
|---|
| type: square  |
| list-type: square   |
| type: 2   |
| ☐ list-style-type: square ✓   |
|   |
| ✓ Correct 1/1 Points  |
| 16. Are negative values allowed in padding in css?                    |
| Yes   |
| No ✓  |
|   |
| ★ Incorrect 0/1 Points  |
| 17. Which css property is used to specify transparency of an element? |
| opacity 🗸   |
| visibility  |
| transparent   |
| filter  |

| 18. Which css property is used to show dotted border around the block or image?  |
|--|
| Both of the above  |
| border-decoration  |
| None of these  |
| ■ border-style ✓   |
|  |
| ✓ Correct 1/1 Points   |
| 19. What does the CSS property "display" do?                                     |
| Determines how an element is displayed on a web page (inline, block, none, etc.) |
| Changes the color of an element  |
| Sets the font size of text   |
| Sets the position of an element on a web page                                    |
|  |
| ✓ Correct 1/1 Points   |
| 20. How can you set a background image for an element in CSS?                    |
| background-url: "image.jpg";   |
| background: url("image.jpg");  |
| background-image: url("image.jpg");  |
| img-src: url("image.jpg");   |
|  |

| ✓ Correct 1/1 Points  |              |  |  |  |
|---|--------------|--|--|--|
| 21. What will be the output of following CSS code snippet?<br>h1 {color: "green";}  |              |  |  |  |
| error occurs  |              |  |  |  |
| nothings happen   |              |  |  |  |
| green will applied only for first <h1> tag</h1>   |              |  |  |  |
| green will applied for all <h1> tag</h1>  |              |  |  |  |
|   |              |  |  |  |
| ★ Incorrect 0/1 Points  |              |  |  |  |
| 22. What will be the output of following CSS code snippet?<br>h1 {color: red text-decoration: underline; font-style: italic;} |              |  |  |  |
| text-decoration: underline and font-style: italic works   |              |  |  |  |
| color: red, text-decoration: underline works  |              |  |  |  |
| only font-style: italic works   |              |  |  |  |
| color: red, text-decoration: underline and font-style: italic all works   |              |  |  |  |
|   |              |  |  |  |
| X Incorrect 0/1 Points  |              |  |  |  |
| 23. Which of the following function defines a linear gradient as  | a CSS image? |  |  |  |
| image()   |              |  |  |  |
| grayscale()   |              |  |  |  |
| gradient()  |              |  |  |  |

☐ linear-gradient() ✓

|     | ✓ Correct 1/1 Points  |
|-----|---|
| 24. | . What will be the output of the following CSS code snippet?<br>span { border: 1px solid red;<br>outline: green dotted thick; } |
|     | All span elements will have a red border and a green dotted outline   |
|     | All span elements will have a green thick border and a red outline  |
|     | All span elements will have an outer red border and inner green dotted border   |
|     | <ul> <li>All span elements will have a outer green dotted border and an inner red border</li> </ul>                             |
|     |   |
|     | X Incorrect 0/1 Points  |
| 25. | The rule makes it possible to define different style rules for different media types in the same stylesheet.                    |
|     | @media 🗸  |
|     | @canvas   |
|     | @screen   |
|     | @audio/video  |
|     |   |
|     | ✓ Correct 1/1 Points  |
| 26. | . Which of the following @viewport Property locks the document in the specified orientation, portrait or landscape?             |
|     | landscape   |
|     | All of these  |
|     | orientation   |
|     | portrait  |

| 27. | . The HTML attribute used to define the inline styles is -  |
|-----|---|
|     | <pre><script></pre></td></tr><tr><td></td><td><pre><li><li><li><li></pre></td></tr><tr><td></td><td><pre><style></pre></td></tr><tr><td></td><td>style 🗸</td></tr><tr><td></td><td></td></tr><tr><td></td><td>★ Incorrect 0/1 Points</td></tr><tr><th></th><th></th></tr><tr><td>28.</td><td>. Which of the following property is used as the shorthand property for the padding properties?</td></tr><tr><td></td><td>All of the above</td></tr><tr><td></td><td>padding-top</td></tr><tr><td></td><td>padding-left</td></tr><tr><td></td><td>padding</td></tr><tr><td></td><td></td></tr><tr><td></td><td>X Incorrect 0/1 Points</td></tr><tr><td></td><td></td></tr><tr><td>29.</td><td>. How to select the elements with the class name "example"?</td></tr><tr><td></td><td>#example</td></tr><tr><td></td><td>example 		✓</td></tr><tr><td></td><td>class example</td></tr><tr><td></td><td>example</td></tr><tr><td></td><td></td></tr></tbody></table></script></pre> |

| 30. Which of the following is the correct syntax to select all paragraph elements a div element? |
|--|
| in div#p   |
| ○ div~p  |
| ○ div p ✓  |
| Ор   |
|  |
| ✓ Correct 1/1 Points   |
| 31. Which type of CSS is used in the below code? <pre></pre>                                     |
| Internal css   |
| None of these  |
| ■ Inline css ✓   |
| External css   |
|  |
| ✓ Correct 1/1 Points   |
| 32. CSS document must always be saved with which of the following                                |
| .csc   |
| stylesheet   |
|  |
| txt  |
|  |

in

| 33. When we write <img src="img.png"/> , what "img.png" inside double quote implies?                                |
|---|
| attribute   |
| property  |
| element   |
| value 🗸   |
|   |
|   |
| ✓ Correct 1/1 Points  |
| 34. What should be the table width, so that the width of a table adjust to the current width of the browser window? |
| ■ 100%  |
| full-screen   |
| auto  |
| 1024px  |
|   |
| X Incorrect 0/1 Points  |
| 35. If we want define style for an unique element, then which css selector will use?                                |
| text  |
| class   |
| tag   |
| id 🗸  |

| ✓ <b>Correct</b> 1/1 Poin                             | ts |  |  |
|---|----|--|--|
| 36. What are the different types of gradients in CSS? |    |  |  |
| Radial Gradients                                      |    |  |  |
| All of the above                                      | ✓  |  |  |
| Linear Gradients                                      |    |  |  |
| Conic Gradients                                       |    |  |  |
|   |    |  |  |

#### ✓ Correct 1/1 Points

37.

What value should be passed to the width parameter if we want an element, say a table, to span the entire width of the screen?

- 10%
- 100%
- 50%
- None of these

38. What will be the width of the div element given below? div { width: 300px; padding: 30px; border: 5px solid blue; margin: 0; 335px 330px 300px

### **X Incorrect** 0/1 Points

370px

- 39. What does the inherit value for a property do?
  - Changes the value of the parent element's property.
  - Inherits the value of the parent element.
  - Invalid property name.
  - None of the above

| ✓ Correct | 1/1 | Points |
|-----------|-----|--------|
|           |     |        |

| ✓ Correct 1/1 Points   |
|--|
| 40. Which of the following are valid CSS position property values?       |
| All of the above   |
| relative   |
| static   |
| fixed  |
|  |
| V. In sowert 0/1 Points  |
| X Incorrect 0/1 Points   |
| 41. Which of the following are valid ways to represent a colour in CSS?  |
| A valid color number   |
| RGB values 🗸   |
| A valid color name   |
| HEX values 🗸   |
|  |
|  |
| X Incorrect 0/1 Points   |
| 42. How can we specify the spacing between each letter in a text in CSS? |
| character-spacing  |
| All of the above   |
| alpha-spacing  |
| ☐ letter-spacing ✓   |

| A meditect of 11 dilits  |
|--|
| 43. How can we select an element with a specific ID in CSS?                  |
| _ #  |
| _ ^  |
| id id  |
|  |
|  |
| ✓ Correct 1/1 Points   |
| 44. What type of CSS is generally recommended for designing large web pages? |
| ■ External css ✓   |
| Internal css   |
| None of these  |
| Inline css   |
|  |
| ★ Incorrect 0/1 Points   |
| 45. In how many ways can CSS be written in?                                  |
| _ 2  |
|  |

○ E~F

None of the above

|     | ★ Incorrect 0/1 Points  |
|-----|---|
| 46. | Are negative values allowed in margins in css?                                |
|     | ○ Yes ✓   |
|     | No  |
|     |   |
|     | (Compat 1/1 Doints  |
|     | ✓ Correct 1/1 Points  |
| 47. | . What is the use of "text-align:justify" in CSS?                             |
|     | $\bigcirc$ Stretches the lines so that each line has equal width $\checkmark$ |
|     | None of the above   |
|     | Stretches the lines so that each line can be arranged in right alignment      |
|     | Stretches the lines so that each line can be arranged in left alignment       |
|     |   |
|     | ✓ Correct 1/1 Points  |
| 48. | . Which of the following selector selects the elements that are checked?      |
|     | ::after   |
|     | ○ :checked ✓  |

| 49. Identify the CSS property defining bottom-left corner shape of the border?          |
|---|
| oborder-radius  |
| ─ border-bottom-left-radius ✓   |
| border-left-corner  |
| oborder-corner-radius   |
|   |
| ✓ Correct 1/1 Points  |
| 50. Where in an HTML document is the correct place to refer to an external style sheet? |
| Any where in a page   |
| In the <body> section</body>  |
| At the end of the document  |
| ■ In the <head> section</head>  |
|   |
| X Incorrect 0/1 Points  |
| 51. Which is the correct CSS syntax?  |
| {body color:black;}   |
| body : color=black;   |
| None of these   |
| body {color:black;} 	✓  |
|   |

52. What is the default value of the position property?

| static | <b>/</b> |
|--------|----------|
|        |          |

- fixed
- relative
- absolute

#### Go back to thank you page

This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Powered by Microsoft Forms |

The owner of this form has not provided a privacy statement as to how they will use your response data. Do not provide personal or sensitive information.

Terms of use