



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Verify the addplace apies	3	1	2	0	13.289 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Verify the addplace apies	placeholder validation	6	6	0	0	8.243 s
2	Verify the addplace apies	Update place validation	4	2	1	1	2.583 s
3	Verify the addplace apies	Delete palce validation	4	1	1	2	2.375 s

DETAILED SECTION -- 4 --

(F)- Verify the addplace apies

FAILED	DURATION - 13.289 s	Scenarios		Steps	
		Total - 3		Total - 14	
/ 6:33:29.961 Pi	M // 6:33:43.250 PM /	Pass - 1	3	Pass - 9	14
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 3	


(S)- placeholder validation



#	Step / Hook Details	Status	Duration
1	Given Add Place Payload with "AAhouse" "English" "World cross center"	PASSED	2.628 s
2	When user calls "AddPlaceAPI" with "POST" http request	PASSED	2.253 s
3	Then verifay responce code id 200	PASSED	0.006 s
4	And take all pace "place_id"	PASSED	1.136 s
5	And verifay the "status" is "OK"	PASSED	0.030 s
6	And verify "place_id" created maps to "AAhouse" using "GetPlaceAPI"	PASSED	2.059 s

DETAILED SECTION -- 5 --

(S)- Update place validation




#	Step / Hook Details	Status	Duration
1	Given update place add new address	PASSED	0.020 s
	address		
	bhubaneswar		
2	When user calls "DeleteplaceAPI" with "PUT" http request	PASSED	2.347 s
3	Then verify the success "Address successfully updated"	FAILED	0.186 s
	java.lang.lllegalArgumentException: The parameter "successfully" was used but not defined. Define parameters using the JsonPath.params()		
	function		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:105)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:286)		
	at io.restassured.internal.path.json.JSONAssertion.getAsJsonObject(JSONAssertion.groovy:50)		
	at io.restassured.internal.path.json.JSONAssertion\$getAsJsonObject.callCurrent(Unknown Source)		
	at io.restassured.internal.path.json.JSONAssertion.getResult(JSONAssertion.groovy:28)		
	at io.restassured.path.json.JsonPath.get(JsonPath.java:203)		
	at specbuilder.Specutility.getJsonPath(Specutility.java:42)		
	at stepDefinations.MultiplePlaceAdd.verify_the_address(MultiplePlaceAdd.java:87)		
	at ?.verify the success "Address successfully updated"(file:///C:/Users/user/eclipse-workspace/APISoluation/src/main/resource/featurefile/		
	File2_placeaddress.feature:26)		
	Caused by: groovy.lang.MissingPropertyException: No such property: successfully for class: Script1		
	at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.unwrap(ScriptBytecodeAdapter.java:65)		
	at org.codehaus.groovy.runtime.callsite.PogoGetPropertySite.getProperty(PogoGetPropertySite.java:51)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callGroovyObjectGetProperty(AbstractCallSite.java:341)		
	at Script1.run(Script1.groovy:1)		

#	Step / Hook Details	Status	Duration
	at groovy.lang.GroovyShell.evaluate(GroovyShell.java:427)		
	at groovy.lang.GroovyShell.evaluate(GroovyShell.java:461)		
	at groovy.lang.GroovyShell.evaluate(GroovyShell.java:436)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrap.invoke(PogoMetaMethodSite.java:182)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.call(PogoMetaMethodSite.java:73)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:139)		
	at io.restassured.internal.path.json.JSONAssertion.eval(JSONAssertion.groovy:80)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:193)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:61)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203)		
	at io.restassured.internal.path.json.JSONAssertion.getAsJsonObject(JSONAssertion.groovy:46)		
	at io.restassured.internal.path.json.JSONAssertion\$getAsJsonObject.callCurrent(Unknown Source)		
	at io.restassured.internal.path.json.JSONAssertion.getResult(JSONAssertion.groovy:28)		
	at io.restassured.path.json.JsonPath.get(JsonPath.java:203)		
	at specbuilder.Specutility.getJsonPath(Specutility.java:42)		
	at stepDefinations.MultiplePlaceAdd.verify_the_address(MultiplePlaceAdd.java:87)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:151)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:89)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:541)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:768)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:464)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	* Not displayable characters are replaced by '?'.		
4	And verifay responce code id 200	SKIPPED	0.002 s

(S)- Delete palce validation



#	Step / Hook Details	Status	Duration
1	Given Delete place payload validation	PASSED	0.013 s
2	When user calls "DeleteplaceAPI" with "POST" http request	FAILED	2.350 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:72)		
	at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:59)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:84)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:59)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:493)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:92)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288)		
	at io.restassured.internal.ValidatableResponseImpl.super\$2\$spec(ValidatableResponseImpl.groovy)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:107)		
	at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:323)		
	at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1268)		
	at org.codehaus.groovy.runtime.ScriptBytecodeAdapter.invokeMethodOnSuperN(ScriptBytecodeAdapter.java:144)		
	at io.restassured.internal.ValidatableResponseImpl.spec(ValidatableResponseImpl.groovy:76)		
	at io.restassured.internal.ValidatableResponseImpl.spec(ValidatableResponseImpl.groovy)		
	at stepDefinations.MultiplePlaceAdd.user_calls_add_place_api_with_post_http_request(MultiplePlaceAdd.java:47)		
	at ?.user calls "DeleteplaceAPI" with "POST" http request(file:///C:/Users/user/eclipse-workspace/APISoluation/src/main/resource/featurefile/		
	File2_placeaddress.feature:31)		
	* Not displayable characters are replaced by '?'.		
3	Then verifay responce code id 200	SKIPPED	0.001 s
4	And verifay the "status" is "OK"	SKIPPED	0.001 s