


```

SELECT  EVTREQ.EVENTNO,
        EVTREQ.DATEAUTH,
        EVTREQ.STATUS
FROM EVENTREQUEST AS EVTREQ
WHERE STATUS IN ('Approved','Denied')
AND YEAR(DATEAUTH)=2018
AND MONTH(DATEAUTH) = 7;

```



The screenshot shows a database query editor window with a toolbar at the top containing icons for file operations, execution, and search. A dropdown menu is set to "Limit to 1000 rows". The query editor displays the following SQL query:

```

1 SELECT  EVTREQ.EVENTNO,
2         EVTREQ.DATEAUTH,
3         EVTREQ.STATUS
4 FROM EVENTREQUEST AS EVTREQ
5 WHERE STATUS IN ('Approved','Denied')
6 AND YEAR(DATEAUTH)=2018
7 AND MONTH(DATEAUTH) = 7;
8

```

Below the query editor is a "Result Grid" window. It has a toolbar with icons for "Filter Rows", "Edit", "Export/Import", and "Wrap". The grid displays the results of the query in a table with the following data:

#	EVENTNO	DATEAUTH	STATUS
1	E102	2018-07-31	Approved
2	E104	2018-07-31	Approved
3	E106	2018-07-31	Approved
4	E107	2018-07-31	Denied