




1. Core User & Role Relationships

- **Users ↔ Providers**
 - **Relationship:** One-to-One (1:1)
 - **Users to Providers:** 1 to Optional 0/1 (*A user does not have to be a provider*).
 - **Providers to Users:** 1 to Mandatory 1 (*A provider MUST have a base user account*).
 - **Users ↔ Addresses**
 - **Relationship:** One-to-Many (1:N)
 - **Users to Addresses:** 1 to Optional Many (*A user can have 0 or multiple addresses*).
 - **Addresses to Users:** Mandatory 1 to Many (*An address MUST belong to a specific user*).
-

2. Service & Junction Relationships

- **Providers ↔ Provider_Services (Junction Table)**
 - **Relationship:** One-to-Many (1:N)
 - **Providers to Provider_Services:** 1 to Optional Many (*A provider might not have set up any services yet*).
 - **Provider_Services to Providers:** Mandatory 1 to Many (*A service rate record MUST belong to a valid provider*).
- **Services ↔ Provider_Services (Junction Table)**

- **Relationship:** One-to-Many (1:N)
 - **Services to Provider_Services:** 1 to Optional Many (*A platform service might not have any providers yet*).
 - **Provider_Services to Services:** Mandatory 1 to Many (*A service rate record MUST link to a valid platform service*).
-

3. Appointment / Transaction Relationships

- **Users (as Receiver) ↔ Appointments**
 - **Relationship:** One-to-Many (1:N)
 - **Users to Appointments:** 1 to Optional Many (*A user can make 0 or multiple bookings*).
 - **Appointments to Users:** Mandatory 1 to Many (*An appointment MUST be booked by a specific user*).
- **Providers ↔ Appointments**
 - **Relationship:** One-to-Many (1:N)
 - **Providers to Appointments:** 1 to Optional Many (*A provider can have 0 or multiple jobs*).
 - **Appointments to Providers:** Mandatory 1 to Many (*An appointment MUST be assigned to a specific provider*).
- **Services ↔ Appointments**
 - **Relationship:** One-to-Many (1:N)
 - **Services to Appointments:** 1 to Optional Many (*A service type might have 0 or multiple bookings*).

- **Appointments to Services:** Mandatory 1 to Many (*An appointment MUST be for one specific service type*).
 - **Addresses ↔ Appointments**
 - **Relationship:** One-to-Many (1:N)
 - **Addresses to Appointments:** 1 to Optional Many (*An address can have 0 or multiple bookings over time*).
 - **Appointments to Addresses:** Mandatory 1 to Many (*An appointment MUST take place at one specific address*).
-

4. Post-Appointment Relationships

- **Appointments ↔ Payments**
 - **Relationship:** One-to-One (1:1)
 - **Appointments to Payments:** 1 to Optional 0/1 (*A pending/cancelled appointment might not have a payment*).
 - **Payments to Appointments:** Mandatory 1 to 1 (*A payment record MUST belong to a specific appointment*).
- **Appointments ↔ Reviews**
 - **Relationship:** One-to-Many (1:N)
 - **Appointments to Reviews:** 1 to Optional Many (*An appointment might have 0, 1, or 2 reviews*).
 - **Reviews to Appointments:** Mandatory 1 to Many (*A review MUST be associated with a completed appointment*).
- **Users ↔ Reviews (Active: As a Reviewer)**

- **Relationship:** One-to-Many (1:N)
- **Users to Reviews:** 1 to Optional Many (*A user might never write a review*).
- **Reviews to Users:** Mandatory 1 to Many (*A review MUST be written by a specific user*).
- **Users ↔ Reviews (Passive: As a Reviewee)**
 - **Relationship:** One-to-Many (1:N)
 - **Users to Reviews:** 1 to Optional Many (*A user might never receive a review*).
 - **Reviews to Users:** Mandatory 1 to Many (*A review MUST be targeted at a specific user*).